

Harpacticoida - Cerviniidae

Cerviniopsis valid

G.O. Sars, 1903

C. clavicornis ①

Syn. Cerviniopsis Sars, 1903, p. 22,  
Cerviniopsis Sars, 1919, p. 20

Cervinia and opsis - like ones.

Head larger than in Cervinia, partly separated  
from 1° segt.: gen. segt. produced on either side.  
1° antennae stout, 6-jointed - Exopod of 2°  
antennae 4-jointed - Swimming legs with  
both rami 3-jointed. 5° pair with distal  
joint slender.

*Cerviniopsis* (genus) G. O. Sars

-- Coull, 1972, p. 50      *Species diversity*

- Brodskaya, 1963: 1786, 1793-4, 1802; key to species.

- Montagna 1981: 1218, in key to Cerviniidae.

-- SMIRNOV 1946: 235, 258, 236

- BJÖRNBERG, T. 1986: 62

- TIEMANN 1984: 56 -

Cerviniopsis acutirostris Brodskaya, 1963

-- Brodskaya 1963: 1794, 1795-6, fig. 5, n. sp. ♀

Cerviniidae - Harpacticoida.

Cerviniopsis clavicornis G.O. Sars, ♀, ♂. ①

-- Sars, 1904, p. 22: pl. 12; pl. 13, fig. 1,

-- Sars, 1919, p. 20: pl. 13, fig. 1.

--, LANG, 1948, p. 185, pl. III: 1.

--, Jakobi, 1959, p. 139, 279

-- BRODSKAYA 1963: 1794

Habitat. Norway Fjords,

-- SMIRNOV 1946: 233, 234, 258

-- MOESCHLER + ROUCH 1988: 8

-- ITÔ, TAT. 1989: 91, FIG. 5B

CERVIOPSIS CLAVICORNIS G.O. SARS, 1904

-- POR 1962: 47

(2)

Cerviniopsis curviseta Brodskaya, 1963

-- Brodskaya 1963: 1794, 1798-9, fig. 7 n. sp. ♀♂

Cerviniopsis sp. aff. curviseta Brotzkaja

--, Ito, 1983, p. 200-206, figs. 31-33

Cerviniopsis gorbunovi Smirnov, 1946

-- Smirnov 1946: 234, 258, fig. 3, n. sp. ♀ only; Arctic.

-- Brodskaya 1963: 1794

C. gubernovi, Coull 1973c: Tab. 1, OFF NORTH CAROLINA

Cerviniopsis inermis Smirnov, 1946

-- Brodskaya 1963: 1794

-- SMIRNOV 1946: 233, 258, FIG. 2, N. SP. ♀  
ONLY, ARCTIC OCEAN

Cerviniidae - Harpacticida.

Cerviniopsis intermedia Lang, ♀

— — Lang, 1936, p. 7; figs. 8-9.

— —, LANG, 1948, p. 186, pl. III:3.

--, Jakobi, 1959, p. 279

-- BRODSKAYA 1963: 1794

-- POR 1962: 47

Habitat. Spitzbergen

CERVINIOSIS

LANGI

SOYER

1969

-- APOSTOLOV & PETKOVSKI 1980: 25

Cerviniidae - Harpacticoida

Cerviniopsis longicaudata G.O. Sars, ♀.

--- Sars, 1904, p. 23: pl. 13. f. 2.

--, LANG, 1948, p. 186, (Pl. III: 2)

--, Jakobi, 1959, p. 279

--, COOK, 1973c: TAB. I, OFF NORTH CAROLINA

-- BRODSKAYA 1963: 1794

Habitat. Norway Coast.

-- POR 1962: 47

Cerviniopsis minutiseta Ito, 1983

--, Ito, 1983, p. 193-200, figs. 27-30.

Cerviniopsis muranoi Ito, 1983

--, Ito, 1983, p. 184-193, figs. 21-26.

Cerviniopsis obtusirostris Brodskaya

- -- Brodskaya, 1963, pp. 1796-1797, figs. 6, n. sp. ♀♂  
-- --, Por, 1969, pg. 12, figs. 145-156, 180, 181

Cerviniopsis smirnovi Por

-- -- Por, 1969, pg. 12, figs. 157-168

--, Montagna & Carey, 1978, p. 119

Cerviniopsis stylicaudata Lang, ♂

— — Lang, 1936, p. 8; figs. 10 - 13.

— — Lang, 1948, p. 187, Pl. III: 4.

--, Jakobi, 1959, p. 279

-- BRODSKAYA 1963: 1794.

-- POR 1962: 47

Habitat. Spitzbergen