

in) Cletodidae - Harpacticidae.

Cletodes

Brady, 1872: 437

C. limicola¹⁰.

Wiljeborgia Claus, 1866, p. 22 [p. 138

Orthopsyllus Brady & Robertson, 1873, ^

Cletodes Brady, 1872, p. 438.

Cletodes G. O. Sars, 1909, p. 282.

Cleta and the ending εἶδος, likeness.

Cletodes Brady, 1880, vol. 2, p. 89.

Abdomen as broad as cephalothorax, not distinctly separated from it. 1st. antennae 4- to 6-jointed, short. Secondary ramus of 2nd. antennae 1-jointed or reduced to a few setae. Mouth parts like those of Laophonte.

First legs small, non-prehensile; endopods of first 4 pairs 2-jointed; 5th. pair narrow and foliaceous.

Cletodes Brady, 1872

card 2

- Hamond 1973b: 481-482, key to species ♀♂
- Lang 1965: 426, key to species
- Por 1986: 422, in Cletodidae sensu restricto
- FIEBS 1991: 26-, WORLD KEY, ♀♂
- GEE 1994: 83-
- PALLARES 1979b: 13

Cletodidae-Harpacticoida

Cletodes abyssicola T. Scott & A. Scott, ♀

— T. & A. Scott, 1901, e, p. 347: pl. 5, f. 1-8.

A synonym of Mesocletodes abyssicola.
(C. O. Sars, 1920, p. 81.)

CLETODES ARMATA - SEE

ECHINOCLETODES ARMATUS

CLETODES BARNISHI - SEE SCHIZACRON

Cletodidae - Harpacticoida

Cletodes brucei T. & A. Scott, ♀.

— — T. & A. Scott, 1901, p. 346: pl. 5, figs. 9-11.

— —, LANG, 1948, p. 1261, Pl. 501:5 503:3.

-- FIERs 1991: 26

Habitat. Arctic Seas. - (EISMEER.)

CLETODES BUCHHOLZI - SEE ~~FAHYDROSOMA~~

STRONGYLACRON

Cletodes carthaginiensis Monard

1935--- page 78-79, Fig. 108-113

--, HAMOND, 1973b: 477, 479, 481

-- FIER 1991: 28

CLETODES CONFUSUM GÓMEZ, 2000

-- GÓMEZ, S., 2000: 265-269, FIGS. 1-7, N.SP.,

SINALOA, MEXICO

CLETODES CURUIROSTAE T. SCOTT - SEE ENHYDROSOMA

Cletodes dentatus Wells & Rao, 1987

-- Gee 1994: 101

CLETODES DISSIMILIS WILLEY

--, LANG, 1948, P. 1260.

--, HAMOND, 1973b: 477, 479, 481

--, COULL, 1970: 341, 352; FIG. 3

HABITAT: BERMUDA IS.

--, COULL & HERMAN, 1970: 394, 397

--, COULL, 1971: 229

-- COULL 1968: 60-, BERMUDA

-- FIERS 1991: 29, AS C. DISSIMILIS

-- REID 1990g: 196

-- FIERS 1996: 23, GULF OF MEXICO

Cletodes dora Por, 1979

- Por, 1979, new species, pp. 13, 22-26, figs 31-45
Gulf of Elat, Red Sea

-- FIEBS 1991: 26 -

-- GEE 1994: 103

-- FIEBS 1996: 23

Cletodes endopodita (Schrieffer)

Thieliella endopodita Schrieffer

~~I. e., SCHRIEFLER 1982a: 21,~~

C. — Schrieffer, 1984a: 65-69, fig. 11-13

C. — Schrieffer, 1986a: 102, fig. 1

C. —, SCHRIEFLER 1986c: 450-, ICELAND/FAROE RIDGE

C. —, FIERS 1991: 26-

C. —, GEE 1994: 101

C. —, FIERS 1996: 23

CLETODES EXIGUUS G.O. SARS, 1927 (NOMEN NUDUM)

-- G.O. SARS, 1927: 328, CASPIAN SEA; IN LIST,
NO DESCRIPTION

CLETODES HARTMANAE Lang, 1965

— Lang, 1965: 426-429, fig. 232-233

--, HAMMOND, 1973b: 473, 479, 480, 481, 482

-- Por, 1979: 25

-- FIERs 1991: 28

CLETODES HIRSUTIPES T. SCOTT -

SEE ENHYDROSOMA CURTICAUDA

Cletodes irrasa T. & A. Scott, ♀.

— — T. & A. Scott, 1894, p. 141: pl. 8, figs. 13-17.

— — T. Scott, 1906, b, p. 338; 1901^b, p. 249

A synonym of Mesocletodes irrasus.
(Sars, 1909, p. 291).

Cletodidae - Harpacticocidae

Cletodes lata T. Scott, ♀.

— — T. Scott, 1892, p. 257: pl. 10, figs. 10-18.

— — T. Scott, 1903, p. 20

-- A. Scott 1896: 151

A synonym of Eurycletodes latus.

(Sars, 190, p. 294)

--, Dolzonolskaya, 1970, p. 102, a syn. of Eurycletodes l.

--, Lang, 1944, p. 30, a syn. of " Arctic Seas.

Cletodidae - Harpacticoida
Cletodes laticauda Boeck, ♀.

— — Boeck, 1873, p. 52.

--, Lang, 1944, p. 30, a syn. of Eurycletodes 1.

Habitat. Norway.

CLETODES LATIROSTRIS DRZYCINSKI, 1967

--, HAMOND, 1973b: 471, 480, 481, 482

--, COULH, 1971: 226

-- FIERB 1991: 28

-- GEF 1994: 100

Cletodidae - Harpacticoida
Cletodes leptostylis G.O. Sars. ♀.

— — G.O. Sars, 1920, p. 77: pl. 52; 13 figs.

Habitat. Risør, Norway.

Cletodidae — Harpacticoida

Cletodes limicola Brady, ♂. ♀.

- — Brady, 1872, p. 438: pl. 21, figs. 10-17, BRITAIN
— pectinata Brady & Robertson, 1875, p. 196.
— limicola Brady, 1880², p. 90: pl. 79, figs. 1-12.
— — Sars, 1909, p. 283: pl. 195.
— A. Scott, 1902: 415

Habitat. British Seas: Norway,
ALGERIA, INDIAN OCEAN.

- — Norman & Brady, 1909, p. 140.
— — T. Scott, 1906. b. p. 337.
— — Brady & Robertson, 1873, p. 138.
— — Thompson, 1893, p. 200; pl. 21. f. 7, a-e.
— — HANC, 1948, p. 1256, f. 501:1 502:1
— —, Wells, 1965. p. 5
— —, Wells, 1970, p. 265
— —, Por, 1964, p. 107, pl. 21 figs. 231-241
— —, Soyer, 1964, pp. 575-577, f. 1

Cletodes limicola Brady, 1872

card 2

-- --, Bodin, 1972, p. 852

--, Dolzonolskaya, 1970, p. 99, pl. XXIX, fig. 5

--, Jakobi, 1959, p. 139

--, ~~Hammond~~ HAMMOND, 1973 b: 477, 479, 480, 481, 482

--, COLL, 1971: 199, 229

--, MARCOTTE + COLL, 1974: TAB. 1

--, BODIN 1970: pp. 419-421, 431; Pl. 26, Tab. 3. ♀

--, BODIN 1971: p. 424, 428-Tab.

-- ROUCH 1962: 238, 239, PUNTA CANTERAS, ARGENTINA

-- FIFERS 1991: 28

Cletodes limicola Brady, 1872

card 3

-- Bodin 1964: 148-, Pl. XI fig. 65, Gulf of Marseilles

-- GEE 1994: 83 -

Cletodidae - Harpacticoida.

Cletodes linearis (Claus), ♂. ♀.

Willjeborgia — Claus, 1866, p. 22: pl. 2, figs. 1-8.

Orthopsyllus — Brady & Robertson, 1873, p. 138.

Cletodes — Brady, 1880, p. 95: pl. 80, figs. 1-14.

Orthopsyllus — Carus, 1885, p. 325.

a synonym of Orthopsyllus linearis,
(Sars, 190, p. 289).

— Scott & Scott, 1901: 346

-- Thompson, 1893, p. 200: pl. 21, f. 8, a-c.

--, Vervoort, 1964, p. 289

Cletodidae - Harpacticoida

Cletodes longicaudata Brady & Robertson, ♀

— laticauda (?) Boeck, 1872, p. 20.

— longicaudatus B. & R., 1876, p. 196.

— longicaudata Brady, 1880, p. 92: pl. 79, figs. 13-19.

— — Norman & Brady, 1909, p. 141.

Habitat. English Seas.

Not Syn. of Eurycletodes laticaudatus

- — T. Scott, 1902, b, p. 465: pl. 23, f. 26-33.
— — T. Scott, 1906, b, p. 339: 1899^c, p. 104.
— — Thompson, 1893, p. 200: pl. 21, f. 8, f.

--, Dolzonolskaya, 1970, p. 103, a syn. of
Stylicletodes longicaudatus

Cletodidae - Harpacticoida.

Cletodes longicaudatus (Boeck), ♂. ♀. ①

Enhydrosoma — Boeck, 1872, p. 54.

Cletodes neglecta T. Scott, 1903, p. 120: pl. 4, f. 20-31.

C — longicaudatus Sars, 1909, p. 286: pl. 197.

Not — — Brady, 1880, vol. 2, p. 92: pl. 79, figs. 13-19.

Monard 1935a, p. 84, Roscoff, France

Habitat British Seas: Norway: CHESAPEKE BAY.

STYLICLETODES, —, LANG, 1948, p. 1328, PL. 538:1. — NORWAY SEAS.

— —, LANG, 1948, p. 1257, F. 501:2 - 502:2

— Scott & Scott, 1901: 346

Clelodes neglecta T. Scott, 1906, b, p. 339.

-- --, Wells, 1965. p. 5

--- ---, Soyer, 1964, p. 577

--, Dolzonolskaya, 1970, p. 98, pl. XXIX, fig. 4, syn.:

Enhydrosoma l. ; p. 103: C. longicaudata

Brady & Robertson, Brady, 1880 is a syn. of
Stylicletodes longicaudatus

--, Jakobi, 1959, p. 142

--, HAMMOND, 1973 b: 429, 450, 451, 452

--, MARCOTTE & COULL, 1974: TAB. 1

--, BODIN 1968: p. 281.

Cletodes longicaudatus (Boeck)

card 2

-- Sage et al 1976: 86, Tab. 1 - Potomac River

-- BURRELL & ZWERNER 1972: 140, CHESAPEAKE BAY

-- FIERS 1991: 28

-- BODIN 1964: 148-, GULF OF MARSEILLES

-- GEE 1994: 83-

Cletodidae-Harpacticoida

Cletodes longifurca n. sp. LANG, 1948

_____ Lang 1948, p. 1260

--, Jakobi, 1959, p. 139, 279

--, HAMOND, 1973b: 479, 480, 481

--, COULL, 1971: 199, 229

HAB: SWEDEN, VÄDERÖ INSELN, GULLMARFJORD

-- FIERs 1991: 28

Cletodes macrura Fiers, 1991

-- Fiers 1991:29-38, figs. 10-15, n. sp. female, male,
copepodids, Santa Maria Basin off California, USA

-- GEE 1994: 99

-- GEE + Huys 1996: 189

-- Fiers 1996: 20-21, TAB. 1

CLETODES MILLERORUM HAMOND, 1973

- HAMOND, 1973 b. : 472 - 482 ♀; FIGS. 1-14; TAB. 1, 2
- FIERs 1991: 26-
- GEE 1994: 101
- FIERs 1996: 23, CALIFORNIA, USA

Cletodidae - Harpacticoida

Cletodes monensis I. C. Thompson, ♀.

— — Thompson, 1893, p. 200: pl. 34, f. 1-11.

A synonym of Mesocletodes monensis.
(G. O. Sars, 1920, p. 80)

Cletodidae - Harpacticoida.

Cletodes neglecta T. Scott, ♀

— — T. Scott, 1903, p. 120: pl. 4, fig. 20-31.

— — T. Scott, 1906, b, p. 339.

A synonym of Cletodes longicaudatus.
(Sars, 1909, p. 286).

CLETODES NUMIDICUS - SEE SYCLILETODES

Cletodes pectinata Brady & Robertson, ♀,

— — Brady & Robertson, 1875, p. 196.

A synonym of Cletodes limicola,
(Brady, 1880, vol. 2, p. 90)

CLATODES PERPLEXUS - see ACRENHYDROSOMA

Scott T 1899

Cletodidae — Harpacticoida

Cletodes propinqua Brady & Robertson, ♀, ♂.

— — B. & R., 1875, p. 196.

— — Brady, 1880, p. 94: pl. 77, figs. 9-17.

— — Norman & Brady, 1909, p. 141.

A synonym of Enhydrosoma propinquum.
(Sars, 1909, p. 300)

CLETODES PSEUDODISSIMILIS COLL, 1971

-- COLL, 1971: 226-229 ♀♂; FIG. XIV-XV

-- HAMOND, 1973b: 471, 479, 480, 481, 482, 483

-- FIKES 1991: 29

-- GEE 1994: 101

CLETODES PSEUDODISSIMILISORIS GÓMEZ, 2000

-- GÓMEZ, 2000: 265, 269-275, FIGS. 8-14, N. SP.,
SINALOA, MEXICO

Cletodidae - Harpacticoida

Cletodes pusillus G.O. Sars, ♂.♀.

— — G.O. Sars, 1920, p. 76: pl. 51, 16. figs.

— —, LANG, 1948, p. 1259, pl. 501: 4 - 502: 4

— —, Wells, 1965, p. 5

— —, Jakobi, 1959, p. 139, 279

— —, Klie, 1950, p. 114, figs. 139

Habitat. Trisør, Norway.

— —, HAMOND, 1973: 478, 479, 480, 481, 482

— —, BODIN 1968: p. 281.

Cletodes pusillus Sars

- Por, 1979: 25

-- FIKRS 1991: 28

-- FIKRS 1996: 23

CLETODES REDUCTUS MOORE, 1978

- MOORE, C.G., 1978: 255-262, FIGS. 1-3, N. SP., FRENCH
- ~~MOORE, 1977: MEDITERRANEAN COAST.~~
- , WELLS, 1979: 5
- FIERS 1991: 26-
- GEE 1994: 99
- FIERS 1996: 23
- GÓMEZ, S., 2000: 268-269

Cletodes reyssi Soyer

-- -- Soyer, 1964, pp. 577-585, f. 2-4

--, HAMOND, 1973b: 471, 480, 481, 482

--, COULL, 1971: 226

-- FIERS 1991: 28

-- FIERS 1996: 23

CLETODES SARSI - SEE ENHYDROSOMA

Cletodes setosus Marinov & Apostolov, 1985

-- Fiers 1991:26-

-- *Fiers* 1996:23

Cletoidea - Harpacticoida

Cletodes similis T. Scott,

— — T. Scott, 1895, p. 168: pl. 3, f. 22-26: pl. 4, f. 1-3.

— — Norman & Brady, 1909, p. 141

— — T. Scott, 1906. b, p. 339; 1903, p. 20

— — T. Scott, 1899^c, p. 104.

— A. Scott 1896: 150-151, SPONGES, ISLE OF MAN

Habitat. British Seas: Franz-Josef Land.

— Scott & Scott, 1901: 346

--, Dolzonolskaya, 1970, p. 102, a syn. of Furycletodes s.

Cletodes smirnovi Bodin, 1970

-- --, Bodin, 1972, p. 852

--, HAMOND, 1973b: 471, 479, 480, 481, 482

--, Bodin 1970: pp. 421-424, 385, 431, 432; Pls. 28,
29 - ♀ ad.; Tab. B.

--, BODIN 1971: pp. 424, 427, 428 - Tab.

--, BODIN 1972: pp. 668, 675; Tabs. 2, 6.

-- BODIN 1977: 311

-- FIERs 1991: 28

-- FIERs 1996: 74



Cletodes spinulipes Por

-- -- Por, 1967, pp. 148-, f. 207-218

--, HAMOND, 1973 b: 471, 477, 480, 481, 482

--, COULL, 1971: 226, 229

- SPINULIPIS, FIERE 1991: 29

-- GEE 1994: 101

CLETODES STYLICAUDATUS - SEE STYLICLETODES

Cletodes tenuipes T. Scott.

- — T. Scott, 1897, p. 170: pl. 1, f. 19-27.
- — T. Scott, 1906, b, p. 338; 1899^c, p. 104.
- — G. O. Sars, 1909, p. 284: pl. 196, f. 1.
- —, LANG, 1948, P. 1258: F. 501:3.

--, HAMOND, 1973 b: 478, 479, 480, 481, 482
Habitat, British Seas (Scott): Norway
Coast (Sars).

- , ROE, 1960: 286
- , MARCOTTE & COULL, 1974: TAB. 1

--, Dolzonolskaya, 1970, p. 99, pl. XXIX, fig. 6

--, Jakobi, 1959, p. 142

--, Klie, 1950, p. 114

--, BODIN 1968: p. 281.

--, BODIN 1972: p. 668; Tab. 2.

--, Coffin, 1978-79, p. 593, NEW ENGLAND

- Por, 1959: 351, fig. 13-18

- Scott & Scott, 1901: 346

Cletodes tenuipes T. Scott

card 2

--, Becker, Von K., 1970, p. 59

-- SHIH ET AL. 1971: 209, CANADA-ARCTIC

-- VOROB'YEVA & KULAKOV 1990: 14, SEA OF AZOV

-- HICKS 1980: 165-, BRITAIN

-- FIEBS 1991: 28

-- CHISLENKO 1977b: 272, FRANZ JOSEF LAND

-- GEE 1994: 84

-- C.B. WILSON 1936: 371, CANADIAN ARCTIC OCEAN

-- GEE & HUYS 1996: 189

CLETODES TENUIPES T. SCOTT

CARD 3

-- FIERS 1996: 24

-- POR 1962: 33, 34, 37, 38, BLACK SEA

Cletodidae-Harpacticoida

Cletodes tenuipes T. Scott.


var. T. Scott.

— — T. Scott, 1903, p. 19; pl. 2. f. 20; pl. 3. f. 3-6.

— —, LANG, 1948, p. 1258, f. 501:3 - 502:3.

— —, BODIN 1970: pp. 421, 431; Pl. 27 ♀ + ♂, Tab.
B.

Habitat. Finmark.



Cletodes tuberculatus Fiers, 1991

-- Fiers 1991:13, 28, 37-47, figs. 15-20, n. sp. male
female, copepodids, Santa Maria Basin off California

-- GEF 1994:100

-- FIERS 1996:20

Cletodidae-Harpacticoida


Cletodes varians T. Scott, ♂.♀.

— T. Scott, 1903, p. 18: pl. 3, f. 7-11.

MONOCLETODES V S. LANG, 1948, p. 1329, pl. 539.
—, Klie, 1941, p. 42'

SEE METAHUNTEMANNIA VARIANS

Habitat. Finmark (Arctic).



Cletodes yotabis Por

- -- Por, 1967, pp. 146-148, f. 191-206
- , HAMMOND, 1973b: 471, 480, 481, 482
- , COULL, 1971: 226
- FIEBS 1991: 28, 29
- GEE 1994: 100

Cletodes sp. Krishnaswamy, 1957

-- Fiers 1991!26



Cletodes sp. nov.

--, Hamond, 1974, p. 239.

CLETODES sp.

- SP. A, ECKMAN + THISTLE 1991: 1905-, OFF CALIFORNIA
- , GERLACH 1958: 670-, TAB. 6, CANANÉIA, SÃO PAULO, BRAZIL
- FLEEGER, TANG + HIGGINS 1983: 940-941, TABS.
1, 2, CHINA

