

HARPACTICOIDA

DIOSACCIDAE

- Mu + GEE 2000: 103-, SINAMPHIASCUS N.G.

DIOSACCIDAE

gen & sp.?, Bodin, 1972, p. 859, 847

gen + sp. ?, BODIN 1968: pp. 75-77; Pl. XLV, 07.

Diosaccus <sup>17?</sup> ~~harpacticoida~~

Boeck, 1873.

D. tenuicornis <sup>⊕</sup>

Syn. Diosaccus Boeck, 1873, p. 57.

Dactylopus (pars) Claus.

Diosaccus G.O. Sars, 1906, p. 145.

dis, two and saccus, ovary -

Diosaccus Brady, 1880<sup>2</sup>, p. 68.

Diosaccus Pesta, 1921, p. 598.

Nicholls 1941 b P<sup>90</sup>

-Lang, 1965: 249 - 250, key

10 antennae 8-jointed: endopod of 2 antennae  
1- or 2-jointed - Mandible palp simple, 2-jointed.  
Exopod of 10 legs very short = both rami of first 4 pairs  
of legs 3-jointed in ♀, endopod of 20 pair in ♂ only  
2-jointed - 2 ovaries.

syn.

Diosaccidae - Harpacticoida.

Diosaccus abyssi Boeck, ♀.

— Boeck, 1873, p. 57.

A synonym of Amphiascus<sup>Copeia</sup> minutus.  
(Sars, 1906, p. 154).

Diosaccus borborocœetus

-- --, Jakobi 1954 pp. 224 fig. 11.

--, (70, 1974: 619

Habitat: Bay of Parana Brazil.

DIOSACCUS DENTATUS (THOMPSON & SCOTT, 1903)

--, Ito, 1974: 619

--, Ito, 1982b: 165-170, figs 1-3.

DIOSACEUS ERZENSI ITO, 1974

-- ITO, 1974: 611-619 ♀♂; PAGES. 33-36.

-- KITO 1977: 692-3

Diosaccus hamiltoni (Th. & Scott)

Dactylopusia \_\_\_\_\_, Th. & Scott, 1903, p. 270, pl. 10,  
ifgs. 1-7

Diosaccus \_\_\_\_\_, Sewell 1940, p. 241, fig. 48, ♀,  
Nicobar Ids., Andaman Ids.

see Amphiascopsis Hamiltoni

Diosaccus longirostris ( Claus ) ♀. Harpacticidae

Dactylopus — Claus, 1863

Diosaccus — Claus, 1885, p. 323.

— — Boeck, 1873, p. 57.

Transferred to genus Amphiascus Sars, 1906, p. 145.

Habitat. German Ocean: Mediterranean.

Diosaccus monardi Sewell

Diosaccus monardi, Sewell 1940, p. 244, fig. 49, ♀,  
Nicobar Ids.

- ARUNACHALAM & BALAKRISHNAN NAIR 1988: 517, INDIA
- KRISHNASWAMY 1957d: 41, PORITES BAY, INDIA

Diosaccus monardi f. major Krishnaswamy 1957

--- Krishnaswamy 1957d:41-43, fig.49, n. form, Porites  
Bay, Krusadai Is., Madras, India

syn

Diosaccidae - Harpacticoida.

Diosaccus propinquus T. & A. Scott, ♀

— T. & A. Scott, 1893, p. 237: pl. II, f. 1-6.

Changed to Pseudodiosaccus p—,  
(T. Scott, 1906, a. p. 465).

— Thompson, 1895: 101

DIOSACCUUS ROBUSTUS (THOMPSON & SCOTT)

--, COULL, ET AL., 1979: TAB. 2

Diosaccus ruber Brian

— —, *hanc*, 1948, p. 620.

Brian 1923 ?

           Nicholls 1941 b, p. 90

Diosaccidae - Harpacticoida.

Diosaccus sordidus Brady, ♀.

— — Brady, 1910, p. 535: text-fig. 26.

— —, LANG, 1948, p. 619.

Habitat. Antarctic Ocean.

## Diosaccus spinatus (Campbell)

\_\_\_\_\_ Campbell 1929, p. 326, Pl. 3, fig. 3-5

\_\_\_\_\_ Nicholls 1941 b, p. 90

\_\_\_\_\_ Monk 1941, p. 97, pl. 2, fig. 14, ♀ Calif.

— —, LANG, 1948, P. 619.

--, Fulton, 1968, p. 47

--, ITO, 1974: 619

--, FIGUEIRA 1971: 153.

— Knatz, 1986: passim

— Lang, 1965: 250-253, fig. 138-139

Diosaccus spinatus Campbell, 1929

card 2

-- Shih et al. 1971:153, Canada - Pacific

-- KASK ET AL. 1982. NANAIMO, BRITISH COLUMBIA

Diosaccus tenuicornis (Claus), ♂. ♀.  
Diosaccidae - Harpacticoida

Dactylopus - Claus, 1863, p. 127: pl. 16, figs. 17-23.

— — Claus, 1866, p. 28: pl. 3, figs. 17-19.

Nitokra - Brady & Robertson, 1873, p. 137. figs. 14-18

Diosaccus - Brady, 1880, p. 68; pl. 59, figs. 12-16; pl. 60,

Habitat. British Seas: Mediterranean:  
Woods Hole; Bohuslän.

- — Carus, 1885, p. 322.  
— — Norman & Brady, 1909, p. 131.  
— — Sharpe, 1910, p. 420: fig. 14, a-b, text.  
— — Steyer, 1910, p. 1033 (29).  
— — Williams, 1907, p. 73; 1906, p. 653.  
— — Sars, 1906, p. 146: pls. 89 & 90.  
— — Pesta, 1921, p. 599: text-fig. T. 37.  
— — Timm, 1894, p. 382.  
— — T. Scott, 1912, p. 560.  
— — Thompson, 1893, p. 197: pl. 20, f. 5, a-c.  
— — Gurney, 1927, p. 511.  
— — Monard, 1928, p. — 369: fig. —  
— — Wilson, 1932, p. 213: fig. 143.

Diosaccus tenuicornis-2

\_\_\_\_\_ Monard 1935a, p. 36, Roscoff, France

— —, NOODT, 1956, P.P. 50, N. SEA AREA

— —, HANG, 1948, P. 617.

-- --, Kunz, 1963. p. 258. Yugoslavia.

~ —, Omori, 1965. pp. 18-27

— —, Petkovski, 1964, p. 11, fig. 26-27

— —, Wells, 1964 p. 453

-- --, Wells, 1970, p. 261

\_\_\_\_\_, Hammond, 19\_\_\_\_ : tab. 2.

--, ITO, 1974: 619

- , Pesta, 1932, p. 58, fig. 61
- , Giesbrecht, 1882, p. 124-5
- , Jakobi, 1959, p. 137
- , ROE, 1958: 228
- , ROE, 1960: 280
- , MARCOTTE & COLL, 1974: TAB. 1
- , FIGUEIRA 1971: 153.
- , Turner, 1982, p. 267
- Mori, 1942: 561
- HUMES 1953: 372
- BURRELL & ZWERNER 1972: 140, CHESAPEAKE BAY

Diosaccus tenuicornis (Claus, 1863)

card 3

- Shih et al. 1971:51, Canada - Atlantic; 153, PACIFIC
- GRANDORI 1913:165, VENICE LAGOON
- ALVAREZ-SILVA 1988:167, VERACRUZ, MEXICO
- WILSON, C. B. 1936:372, GREENLAND/ELLESMERE I., ARCTIC
- LEGARÉ & MACLELLAN 1960:434, MAINE/NEW BRUNSWICK,  
USA/CANADA
- POR 1962:15, MEDITERRANEAN COAST, ISRAEL
- ALVAREZ-SILVA 1996:18, 19, TAB. 2, VERACRUZ, MEXICO

Diosaccus tenuiremis (Claus)

-- Gee & Fleeger 1990: 296

Diosaccus truncatus Gurney, ♀.

— — Gurney, 1927f, p. 511: fig. 136, A-K.

— — Sewell 1940, p. 240, ♀, Burma

— —, LANG, 1948, p. 618.

— —, Saraswathy, 1967, p. 87

Habitat. Suez Canal.

-- POR 1962: 18, 28, MEDITERRANEAN COAST, ISRAEL

--, ITO, 1974: 619

-- KRISHNASWAMY 1957d: 40-41, MADRAS, INDIA

= DIOSACCUS

Diosaccidae - Harpacticoida

Amphiascus valens Gurney ♀

①

A. — Gurney, 1927f, p. 528: fig. 145, A-F.

A. — Nicholls 1941 b, p. 77

A. —, LANG, 1949, p. 623..

Habitat. Suez Canal.

DIOSACCUS VALENS (GURNEY, 1927) CARD 2

--, 170, 1974: 619

-- COULL 1968: 91-, BERMUDA

-- REID 1990g: 198

DIOSACCU SP.

-- FLEEGER, TANG + HIGGINS 1983: 940-941, TABS. 1, 2,  
CHANGJIANG ESTUARY, CHINA