

Setellidae - Harpacticoida.

Dwightia, synonym of Macrosetella Scott
Wilson D. tenuicornis ^(M),

wilson proposed it for setella not knowing
A. Scott had already proposed M

Syn. Setella Dana, 1846, p. 227.

not Setella-Schrank - Toepidoptera - 1802.

Dwightia Wilson - 1924, p. 16.

Macrosetella A. Scott - 1909, p. 230

Dwightia = to James Dwight Dana -

Harpacticoida,

Dwightia aciculus (Dana), ♀.

Setella a — Dana, 1847, p. 154; 1849, b, p. 277.

— Dana, 1852, p. 1200; pl. 84, f. 5, a-g.

Dwightia a — Wilson,

Habitat. Sunda Straits,

Marpacti colada,

Dwightia crassicornis (Dana), ♀:♂.

Setella c — Dana, 1847, p. 154; 1849, b. p. 277

— — Dana, 1852, p. 1199; pl. 84, fig. 4, a-e

Dwightia c — Wilson,

Habitat. Indian Ocean,

Setellidae - Harpacticoida

Dwightia gracilis (Dana) ♀.

Setella — Dana, 1852, p. 1198; pl. 84, f. 3, a-g.

Setella preoccupied — changed to Dwightia.

Harpacticoida.

Dwightia longicauda (Dana). ♀

Setella l.—Dana, 1847, p. 154: 1849. b, p. 277,
— — Dana, 1852, p. 1797; pl. 84, f. 2, a-a'.
Dwightia l.—Wilson,

Habitat. Tropical Atlantic'

Harpacticoida.

Dwightia messinensis (Claus), ♀.

Setella m — Claus, 1885, p. 327.

Dwightia m — Wilson,

Habitat. Mediterranean,

Harpacticoida,

Dwightia norvegica (Boeck), ♀.

Setella n. — Boeck, 1865, p. 281.

Dwightia n. — Wilson

Habitat. Norway.

Haripacticoida

Dwightia oculata (G. O. Sars), ♂ ♀.

Setella oc — G. O. Sars, 1916, p. 13: pl. 7,

Dwightia — Wilson,

Habitat. Mediterranean,

Harpacticoida,

Dwightia tenuicornis (Dana), ♀,

Setella t- Dana, 1847, p. 154: 1849, b. p. 277,

— — Dana, 1852, p. 1196: pl. 84, fig. 1, a-m,

Dwightia t- Wilson mss,

Habitat. Tropical Atlantic,