

Dyspontius.

Thorell, 1859.

Dyspontidae - Cyclopoidea, ①  
ARTOTROGIDAE - SIPHONOSTOMATOIDA

D. striatus (M)

Syn. Dyspontius Thorell, 1859, p. 80

Gallopontius Giesbrecht, 1895, p. 184.

Dyspontius G. O. Sars, 1915, p. 118.

Dyspontius Brady, vol. 3, p. 65.

Dyspontius Giesbrecht, 1899, p. 109.

Dyspontius = a son of Pelops (mythology).

Dyspontius Claus, 1889<sup>b</sup>, p. 35 (361).

Postero-lateral corners of thorax segts. projecting; anterior portion of gen. segt. widened in ♀. First antennae 9-jointed in ♀, 11-jointed in ♂. Second antennae 4 joints. 4th. legs without endopod, rami 3-jointed. 3rd. exopod joint of 1st. legs with 4 plumose setae and 2 outer spines. Second endopod joints of 2nd. & 3rd. legs with small double teeth. 5th. legs knob-like.

Dyspontius Thorell, 1859

card 2

- Gotto 1993: 171-, diagnosis, key

<sup>Dyspontidae - Cyelopoda</sup>  
Dyspontius brevifurcatus Giesbrecht, ♂. ♀.

— — Giesbrecht, 1897, p. 11 (sep).

— — Giesbrecht, 1895, p. 186.

Habitat. Naples.

Dispontidae - Cycloppida

Dyspontius capitalis. Giesbrecht, ♂. ♀.

— — Giesbrecht, 1897, p. 11 (sep.),

— — Giesbrecht, 1895, p. 185.

—, Stock, 1965, = Cryptopontius c., p. 315

Habitat. Naples.

Dyspontidae - Cyclopoida.

Dyspontius conspicuus Hesse, ♀.

— Hesse, 1866, c, p. 72.

Habitat. Found among Algae.

French Coast.

Dyspontiidae - Cyclopoida,

Dyspontius curticaudatus T. Scott. ♀

— — T. Scott, 1905, b, p. 148: pl. 13, f. 1-10.

— — T. Scott, 1906, b, p. 360.

-- GOTTO 1993: 172 -, FIG. 54N-0

Habitat. British Seas.

Dyspontiidae - Cyclopoidea

Dyspontius latus Brady ♀.

— — Brady, 1910, p. 580; text-fig. 64.

Cryptopontius latus (Brady), Eiselt, 1961. pp. 352-354, fig. 15d, 16

Habitat Antarctic Ocean.



Dyspontidae - Cyclopoida,

Dyspontius marginatus Hesse, ♀.

— Hesse, 1866, c. p. 71: pl. 4, f. C,

Habitat. At base of small Ascidian.

French Coast.

Dyspontidae - Cyclopoidea

Dyspontius normani Brady & Robertson. ♀.

— — Brady & Robertson, 1875, p. 197.

A synonym of Cibropontius normani.  
(Norman & Brady, 1909, p. 150).

Dyspontidae - Cyclopoidea.

Dyspontius striatus Thorell ♀♂.

- — Thorell, 1859, p. 81: pl. 14, fig. 22.
- — Hesse, 1866, c, p. 69.
- — Brady, 1880, vol. 3, p. 66: pl. 92, figs. 1-13.
- — Giesbrecht, 1899, p. 90: pl. 1, fig. 10: pl. 7, f. 1-11.

Host. Rhodinemia palmata: sponges.  
Sweden: Norway: France: Bay of Naples.

— — Norman & Brady, 1909, p. 150.

— — T. Scott, 1906, b. p. 360.

— — Sars, 1915, p. 118: pl. 70.

*Gallopontius rotundus* Giesbrecht, 1897, p. 10 (sep).

*Dyspontius striatus* Giesbrecht, 1897, p. 10 (sep).

— — Giesbrecht, 1895, p. 184.

-- SHIH ET AL. 1971: 214, CANADA-ARCTIC

-- GOTTO 1993: 172-, FIG. 42A-F

-- WILSON, C. B. 1936: FOX CHANNEL, CANADIAN ARCTIC  
A. 374.

Dyspontius tenuis <sup>Disponitidae - Cyclopoidae</sup> Giesbrecht, ♀.

— — Giesbrecht, 1897, p. 11 (rep.)

— — Giesbrecht, 1895, p. 185.

Habitat. Naples.

Dispontidae - Cyclopoida  
Dyspontius thorellii Giesbrecht, ♂, ♀.

— — Giesbrecht, 1897, p. 10 (sep.).

— — Giesbrecht, 1895, p. 185.

-I, Stock, 1965, p. 315, = Cryptopontius t.

Habitat. Naples.