

Eudactylopus valid

A. Scott, 1909.

Th. latipes. (M).

Syn. Dactylopus (pars) T. Scott, 1893, p. 99,
Eudactylopus A. Scott, 1909, p. 219.

Dactylopus Claus, 1863 (pars).

Thalestria Claus, 1863 (pars).

Parathalestria Brady & Robertson, 1873 (pars)

Plesiothalestria Brian, 1927, p. 2.

- Lang, 1965: 216-217

Metasome stout and depressed; rostrum large and well defined; abdomen 3-segd in ♀; caudal rami short and wide. First antennae 7-segd; exopod of 2nd antennae 2-segd. with 5 setae. Endopod of 1st legs 2-segd, other rami of first 4 pairs of legs 3-segd; 5th legs 2-segd, large, foliaceous entirely covering the ovisac.

Eudactylopus andrewi

--, Vervoort, 1964, p. 141, 152, 154

--, ITO, 1974: 580-601 ♀♂, COPEPODIDS I-V; FIGS. 16-20

SYN: DACTYLOPHUSIA LATIPES E. LATIPES; E. ANDREW
ANDREW

-- KITO 1977: 692-3

-- DUDLEY, P. 1986: 8-1, FIG. 19.

-- ANDREW, MADHUPRATAP ET AL. 1991a: 951-, LACCADIVES

-- ANDREW, MADHUPRATAP ET AL. 1991b: 587, LACCADIVES

Eudactylopus andrewi andrewi

---, Vervoort, 1964, p. 5, 154, 165, figs. 56-59

= E. ANDREWII (ITO, 1974: 580)

Eudactylopus andrewi atlanticus Vervoort, 1964

n. sbsp., Vervoort, 1964, p. 154, 162

--, ITO, 1974 : 558

Eudactylopus anomala Sewell

?*Eudactylopus anomala*, Sewell 1940, p. 219, fig. 40, ♂
Maldive Arch.

--, Vervoort, 1964, p. 152, 154

EUDACTYLOPUS ATLANTICUS

--, ITO, 1974: 588, 589

Eudactylopus australis Nicholls

Nicholls 1941,^a pp. 410-411, fig. 15. Australia ♀

Nicholls 1942, p. 135, fig. 1 ♂

--, Vervoort, 1964, p. 154, 167

Eudactylopus fasciatus Sewell

Eudactylopus fasciatus, Sewell 1940, p. 215, figs. 38-39,
♀♂, Nicobar Ids., Maldive Arch.

--, Vervoort, 1964, p. ~~154~~ 4, 163-164, figs. 60-1

--, ITO, 1974: 589, 600, 601

Eudactylopus krusadensis Krishnaswamy, 1950

1950---Krishnaswamy, S., pp. 118-121, 2 text figs.

--, Vervoort, 1964, p. 168

-- KRISHNASWAMY 1957d: 36, KRUSADAI IS., INDIA

Eudactylopus latipes (T. Scott) ♀

- — A. Scott, 1909, p. 219: pl. 63, figs. 8-14
Dactylopus l. — T. Scott, 1893, p. 99: pl. 10, figs. 38-43.
Dactylopusia l. — Thompson & Scott, 1903, p. 268.

Habitat. Washings from invertebrata, Aru
Islands. AFRICA, GUINEA.

— —, LANG, 1948, p. 561, PL. 221:2.

-- POR 1962: 26

-- RAIBAULT 1967: 558 —, LANGUEDOC COAST

— — Lang, 1936, p. 36

— — Sewell 1940, p. 201; form andrewi, p. 202, fig. 31-33, Nicobar Ids, Maldive Arch. ~~to~~

— —, Carvalho, 1952, p. 158-159, pl. 2, fig. 63-67.

--, Vervoort, 1964, p. 154, 162, 167

--, Bowman, Chappuis, Herbst, 1959, p. 266.

= E. ANDREW, (ITO, 1974: 550)

--, GETDES, 1969: 8

--, CARVALHO 1952: 158-159; Pl. II, figs. 63-67.

-- COULH 1968: 59-

BERMUDA

-- REID 1990g: 202

Eudactylopus latipes typica

---, Vervoort, 1964, p. 154, 162

--, ITO, 1974: 558

--, GEDDES, 1969: 9, 12

- Knatz, 1986: passim

- Lang, 1965: 217-222, fig. 121-124, pl. III, fig. e

CALIFORNIA

Eudactylopus latipes andrewi Sewell

---, Vervoort, 1964, p. 154

---, Sewell, 1940, p. 201; form andrewi p. 202, fig. 31
33, Nicobar Ids, Maldive Arch. ♀⁹

EUDACTYLOPUS LUCAYOSI GEDDES, 1969

-- GEDDES, 1969: 8-12 ♀♂; FIG. 5-7.

-- REID 1990g: 202

opimia?

Thalestridae-Harpacticoida

Eudactylopus *opimia* (Brian)

Plesiothalestris *opimia*, Brian, 1928b, p. 2, figs. 1-12,

"

"

Brian 1928c, p. 315

Eudactylopus *opimia*, Sewell 1940, p. 207, forma major

p. 207, fig. 34; forma minor, p. 209, fig. 35, ♀♂

N. cobar Ids., Maldive Arch.

Eudactylopus opima major SEWELL, 1940

---, Vervoort, 1964, p. 162

--- KRISHNASWAMY 1957d: 36, PORITES BAY, INDIA

Eudactylopus opimaminor

---, Vervoort, 1964, p. 162

Thalestridae - Harpacticoida

Eudactylopus robustus (Claus). ♀.

Thalestris — Claus, 1863, p. 129: pl. 18, figs. 17-23.

Plesiothalestris — Brian, 1927, p. 2: figs. 1-12

Eudactylopus — Lang, 1936, p. 36

— —, LANG, 1948, p. 560, pl. 227:1.

— —, Kunz, 1963. P. 258. Yugoslavia

Habitat. Nizza, Messina.

— Wells, 1967: 192

—, GEDDES, 1969: 12-14 ♀; FIG. 8

— Por & Marcus, 1972: 262 Suez canal

---, Vervoort, 1964, p. 162

-- REID 1990g: 202

Thalestridae - Harpacticoida

Eudactylopus spectabilis (Brian) ♀

— — Monard, 1928, p. 356: fig. 21.

Parathalestris clausi, var. *spectabilis*, Brian, 1923, p. 133: pl. 4.

— *spectabilis*, Brian, 1927, p. 4.

Eudactylopus — Liang, 1936, p. 36.

— —, Liang, 1948, p. 561, pl. 228.

Habitat. Banyuls, ITALY, RHODES IS.

-- PESTA 1959: 125, FIGS. 58a-d, OFF NAPLES, ITALY

-- POR 1962: 14, 25, 31, MEDIT. COAST OF ISRAEL, & BLACK SEA

E. spectabilis, Marcus & Pór, 1960. p. 151, pl. 3, fig.
14-17

--, Vervoort, 1964, p. 163, 167

--, Jakobi, 1959, p. 137

-- BOERO & CARLI 1977: 167

Eudactylopus striatus Sewell

Eudactylopus striatus, Sewell 1940, p. 211, ♂♀, figs. 36-37, Nicobar Ids.

--, Vervoort, 1964, p. 163, 167

--, ITO, 1974: 600

-- KRISHNASWAMY 1957d: 35-36, KRUSADAI Is., INDIA

EUDACTYLOPUS sp.

-- KITO 1977: 692-3