

Monstrillidae — Monstrilloida

Haemocera = synonym.

Malaguin, 1896

H. danae ^(M)

Syn. Haemocera Malaguin, 1896, p. 1317.
Haemocera Malaguin, 1897, p. 99.

αἷμα, blood and κέρασ, horn -
A synonym of Cymbasoma,
G. O. Sars, 1921, p. 19

HAEMOCERA MALACQUIN, 1896

(2)

- KOGA 1973: 36, ^{FIG.} 10-12, NAUPLIUS
- KOGA 1984b: 107, FIG. 2-12, NAUPLIUS
- BRESCIANI, 1986: 142 - TEGUMENT
- GRYGIER 1993(1994): 235-

Monstrillidae - Monstrilloida

Haemocera danae Malaquin, ♀

— — Malaquin, 1896, p. 1317 - 1318.

— — Malaquin, 1901, p. 109: pl. 2, figs. 1-9: t-fig. 2.

A synonym of Cymbasoma rigidum
(G.O. Sars, 1921, p. 21)

— —, SEWELL, 1945, p. 145, FIG. 40. E-H. NICOBAR IS.

Host. Salmacyna dysteri (serpulid worm).

— — SUÁREZ MORALES 1996:101

France.

--, Rose, 1955, p. 392

H. Danae, Rose, 1956, p. 463

-- KOGA 1973: 33, FIG. 2-7; 35.

-- KOGA 1984b: 110-113, FIGS. 4-10, 5-10, 6-10, NAUPLII;
FIG. 10-7

-- BRESCIANI, 1986: 126, 141, FIG. 7D - tegument

-- MALAQUIN, 1900: 428

-- MALAQUIN, 1897: 99-102, NEW GENUS

-- RAIBAUT 1985: 248-, FIG. 10, LIFE CYCLE

-- M. ISAAC 1974: 137

HAEMOCERA FILIGRANARUM (MALACQUIN)

-- MALACQUIN 1897: 99-102

Haemocera morii Tokioka - see Cymbasoma

Monstrillidae - Monstrilloida

Haemocera roskovita Malagvin, ♀

— — Malagvin, 1901, p. 110: fig. 5

Host.