

Cannocamptidae - Harpacticoid

Hemimesochra.

G.O. Sars, 1920,

(M).

H. clavularis.

Syn. Hemimesochra Sars, 1920, p. 68.

TYPE H. CLAVULARIS

Hemimesochra G. O. Sars, 1920

card 2

- Coull 1972: 50
- Thistle 1982: 232
- Por 1986: 423, transferred from Cletodidae to
Hemimesochrinae subfam. nov. of Canthocamptidae
- Huys & THISTLE 1989: 118 - 120, SPLIT GENUS INTO
BOREOLIMELLA, PERUCAMPTUS, CAROLINICOLA,
MESOPSYLLUS (REDEFINED), HEMIMESOCHRA S. STR.
+ PUSILLARGILLUS
- Huys 1992: 71-

HEMIMESOCHRA ATARCA - SEE MESOPSYLLUS

Hemimesochra clavularis Sars

Sars, 1920

--- ---, Wells, 1965. p. 6

---, Jakobi, 1959, p. 279

---, Coull, 1973b: 189

-- Huys & Thistleton 1989: 123 - 124

-- Kunz 1984d: 52

Hemimesochra derketo Por

-- -- Por, 1964, p. 116, pl. 21 figs. 242-249

L - Huys & THISTLE 1989: 120, NOT IN HEMIMESOCHR

HEMIMESOCHRA DUBIA - SEE BOREOLIMELLA

HEMIMESOCHRA NIXE POR-SEE PUSILLARQILLUS

HEMIMESOCHRA NYMPHA - SEE BOREOLIMELLA

HEMIMESOCHRA RAPIENS BECKER-

SEE PERUCAMPTUS

HEMIMESOCHRA SECUNDA WELLS - SEE MESOPSYLLUS

HEMIMESOCERA TRISETOSA - SEE CAROLINI COLA

HEMIMESOCHEIRA spp.

- spp. 1-3, SCHRIEVER 1986c: 450-, ICELAND-FAROE RIDGE