

Tachidiidae - Harpacticoida.

Jonesiella = ~~synonym~~

Brady, 1880.

J. fusiformis ①

A synonym of Danielsenia Boeck, 1873.
(Sars, 1910, p. 336).

Zosime (pars) Brady & Robertson, 1875, p. 196

Jonesiella Brady, 1880, vol. 2, p. 38.

To Prof. T. Rupert Jones.

1^o antennae 6-segts. 2^o ant. 2-segd Endopod,
3-segd exopod, attached to side of basal segt
of endopod. Both rami of 1^o legs 3-segd.
5^o legs, distal segt does not reach end of basal
expansion -
Rostrum twice as long as wide -

Paranannopidae - Harpacticoida

Jonesiella Brady, 1880

card 2

- Gee & Huys 1994: 1036

Jonesiella brucei T. & A. Scott, 1901, ♀.

— — T. & A. Scott, 1901, p. 343: pl. 3. figs. 1-10.

Habitat, Arctic Seas.

JONESIELLA EASTWARDI (COLL, 1971)

-- HUYS + GEE 1996: 74

Jonesiella gusiformis (Brady & Robertson).

Zosime - Brady & Robertson, 1875, p. 196,

Jonesiella - Brady, 1880, vol. 2, p. 39: pl. 48, fig. 1-13.

A synonym of Danielssenia gusiformis.
Sars, 190, p. 338.

— — Thompson, 1893, p. 196: pl. 19, f. 8, a-c.

--, Shen & Bai, 1956, p. 231, not a syn. of
Danielssonia f. (Sars)

-- GEF + HUYS 1994: 1026

-- HUYS + GEF 1996: 74

Tachidiidae - Harpacticoida.

Jonesiella hyaenae I.C. Thompson, ♀.

— — Thompson, 1889, p. 193; pl. 9, figs. 1-10.

— — Thompson, 1893, p. 196; pl. 20, f. 1, a-d.

A synonym of Thompsonula hyaenae,
(Norman & Brady, 1909, p. 138).

Tachidiidae - Harpacticoida,

Jonesiella spinulosa (Brady & Robertson) ♀

— — Brady, 1880, vol. 2, p. 41: pl. 48, figs. 14-18;
pl. 49, figs. 14-15.

— — T. Scott, 1903, p. 14; 1899^e, p. 97,
a synonym of Danielssenia typica.
(Norman & Brady, 1909, p. 138).
Scott & Scott, 1901: 343

Krosime s - Brady & Robertson, 1875, p. 196.

Arctic Seas,

--, Pesta, 1932, p. 26

--, Shen & Bai, 1956, p. 231, ~~xxxxxxxxxxxx~~ syn.:
Danielssonia fusiformis