

in) Lernanthropus, valid.  
✓ Blainville, 1822, L. mesca.

Dichelestiidae.

- ✓ Syn. Lernanthropus Blainville, 1822. p. 444.
- ✗ Lernanthropus T. & A. Scott, 1913, p. 110.
- ✗ Epacthes Nordmann, 1832, p. 45.
- ✓ Lernanthropus Nordmann, 1864, p. 499.
- Λείψη and ἀρθρόποτος = A Lernean Man.
- ✓ Lernanthropus Heider, 1879, p. 269.
- ✓ Lernanthrop us Goggio, 1906, p. 134.
- ✓ Lernanthropus Wilson, 1922, p. 30

with head, & others fused inter se, and produced  
posteriorly in a lobe or pair of lobes, covering the  
gen. seg't, abdomen, & appendages. Abdomen  
articulate, very small; anal laminae without setae.  
First antennae 5-8-jointed or indistinctly segmented.  
post. pair 2-jointed, stout, uncinate. Rostrum long:  
mandibles stylet-formed, maxillæ palp-like.  
Two pairs of m'pds, with a basal joint and a 2-  
jointed claw.

First 2 pairs of thoracic legs biramous + rudi-  
mentary: 3rd and 4th pairs converted into lamellar  
appendages. Exopod of first + second legs wide + armed  
with rudiments of spines - endopod narrow, acuminate.  
Male, smaller than ♀ and without + large posterior  
lobes.

Lernanthropidae: Siphonostomatoidea

Lernanthropus Blainville, 1822 CARD 2

- HEWITT 1968: 1, 8, GENUS DIAGNOSIS; IN ANTHOSOMATIDAE
- Pillai, 1967, p. 1624 x
- STEKHOUEN & PUNT 1937: 654-655 ✓
- CRESSEY 1983: 263-264 ✓
- Cressey & Cressey 1980: 44
- KABATA 1992: 160-, DIAGNOSIS, KEY TO BRITISH SPECIES
- JAYASREE 1983a: 78-

\* Lernanthrops abitocephalus Tripathi, 1962  
p 198, figs 18-21 - ex- Pomadasys  
maculatus, Ind.

Lernanthropus alatus Pillai, 1964,

n. sp., Pillai, 1964, pp. 46-8, fig. 8

Pillai, 1967, p. 1625, fig. 145 x

---, Kabata, Z., 1979, p. 207 ✓

-- Pillai, 1967, p. 1625, fig. 145 x

Lernanthropus alatus Pillai

-- Jayasree 1983a: 82, Fig. 1

Lernanthropus amplitergum Pearse, 1951

- Kensley & Grindley 1973: 101 ✓
- KABATA 1988b: 5
- LUQUE + TAKEMOTO 1996: 543

Dichelesthiidae - Caligoida -

Ternanthropus angulatus Krøyer: ♂. ♀.

- Krøyer, 1863, p. 196: pl. 9, f. 1, a-q. X
- Heller, 1865, p. 213 (footnote). X
- Wilson, 1913, p. 227. ✓
- Gogniio, 1906, p. 137. ✓

Host. Gill of Serranus sp.

West Indies.

-- Heider, 1879, p. 355 (87). ✓

Transferred to genus Sagum, Wilson,

--, Hewitt, 1968, p. 7 ✓

Lernanthropus angulatus

card 2

--, Pillai & Sebastian, 1967, p. 73 ✓

Lernanthropus antofagastensis ✓

- Castro Romero & Kuroki, 1985: 407–410  
figs. 1–17
- Luque & Takemoto 1996: 543

<sup>+</sup>  
Lernanthropus atrox Heller, ♂. ♀.  
Dichelestiidae.

- — X Heller, 1865, p. 221: pl. 21, fig. 3. ♀.
- — ✓ Heider, 1879, p. 348: pl. 4, figs. 59-61.
- — ✓ B-Smith, 1898, b, p. 91: pl. 6, fig. 3, a-f. ♂.
- — ✓ B-Smith, 1899, p. 471.  
*assett*

Host. Gills of Pagrus guttulatus, New Holland.  
Chrysophrys sarba. Persian Gulf.

— — Coggiò, 1906, p. 138.

✓

— — Yamaguti, 1936, p. 16: Pl. 9 figs. 98-105.

— — Shiino, 1955, pp. 56-61, figs. 344..

— , Pillai, 1964, p. 55

— , Yamaguti, 1936 pt. 2, p. 1

(only  
1 & 3 lit.)

Lernanthropus atrox Heller, 1865

card 2

--, Kabata, Z., 1979, p. 199,

✓

— Ho & Do, 1985: 42-47 , fig 52-70 ✓

-- KABATA 1988b: 5

-- ROUBAL 1990: 413 - ON ACANTHOPIGRUS AUSTRALIS,  
NEW SOUTH WALES

Host: Mylio australis, Australia

Lernanthropus barnardi ✓ Capart

—Capart, 1959: 65–66, fig. 2a, b

<sup>+</sup>  
Lernanthropus belones Krøyer, ♀.  
Dichelestiidae.

- — Krøyer, 1863, p. 205: pl. 9, fig. 4, a<sup>+</sup>-e.  
— — Heider, 1879, p. 356: pl. 5, figs. 69-71. ✓  
— — B. Smith, 1899, p. 470.  
— — Goglio, 1906, p. 137. ✓  
--, Kabata, Z., 1979, p. 202 ✓

Host. Gills of Belone almeida.

Brazil.

--, Cressey & Collette, 1970, pp. 384-387, figs. 147-  
156, pl 3 (a-c), 183

-- COLLETTE 1974: 18-, HOST RECORDS, NEW ZEALAND

*Lernanthropus brevicephalus* Rangnekar

1957---pp. 12-14, text-figs. 3, a-k. ✓

\* Yamaguti, 1963, p. 147 fig 5

\* Pillai, 1967, p. 1634, fig 170

Host. *Lutjanus sanguineus*

India

Lernanthropus brevicephalus Rangnekar, 1957

-- Jayasree 1983a: 82, 83, Fig. 2

Lernanthropus brevicornutus n. sp.

--, Kabata, Z., 1979, p. 200, figs 1-18 ✓

Host: Arrhamphus scleropis, Hemirhamphus quoyi-Australia

Lernanthropus breviculus

--, Kabata, Z., 1979, p. 206, figs. 22-24 ✓

Host: Cheilinus chlorurus-Australia

Dichelestiidæ

Ternanthropus brevis Richardi, ♂. ♀.

- — Richardi, 1880, p. 150 ✓ nomen nudum.
- — Carus, 1885, p. 365. ✗
- kröyeri, var. Heider, 1879, p. 91. ✓
- brevis Goggio, 1906, p. 147; pl. II(I), figs. 8-9. ✓

Host. Gills of Sargus salvianii; S. rondoletii;  
Oblada melanura

Mediterranean.

- — Ricciardi, 1879, p. LXXXI.
- — Talle, 1880a, p. 64.
- — Brian, 1924, p. 35.

Lernanthropus brevis

(2)

-- Deboutteville + Nunes, 1952, p. 293 X

-- RAIBAUT ET AL. 1971: 178, 181, NOT = L. NORAX. ✓

Hernanthropus brevoortiae Rathbun, ♀.  
Dichelestiidae.

- —. T. Rathbun, 1887, p. 563: pl. 30, figs. 7 & 8:  
pl. 31, figs. 1-5: pl. 32, figs. 1-4. X
- —. B-Smidt, 1899, p. 472.
- —. M. J. Rathbun, 1905, p. 97.

Host. Gills of menhaden, Brevoortia tyrannus.

Atlantic -

- —, Goglio, 1906, p. 139 f. 58-60: pl. 10, f. 75
- —, Wilson, 1922, p. 43: pl. 7, f. 51-55, 57: pl. 8,
- —, Wilson, 1932, p. 451: fig. 284.
- —, ZWERNER & LAWLER 1972: 84, CHESAPEAKE BAY,  
HOST BREVIOORTIA TYRANNUS

- X + Nunes-Ruivo, 1954, p. 145, figs. 2-3.
- X Yamaguti, 1963, p. 148, pl. 157
- X P. Hai, 1966, p. 137, fig. 9; 1967, p. 163,  
fig. 171
- ✓ --, Kabata, Z., 1979, p. 207

Hosts - Elops, Megalops, Chanos.  
G. Afr - Indiq

*Lernanthropus caesionis* Yamaguti

X 1954----Yamaguti, S., pp. 391-392, pl. V, figs. 49-52.

Dickelestriidae

Hernanthropus carangis, Hesse, ♀.

L. caranxi, Hesse, 1878, p. 8: pl. I, figs. 1-7.

L. carangis, T.B.-Smilk, 1899, p. 470.

— ✓, Goglio, 1906, p. 138.

— ✓, Wilson, 1922, p. 46 <sup>Does not belong</sup> to this genus.

Host. Caraux brachurus.

Europe.

--, Hewitt, 1968, p. 11

Lernanthropus carangis Pillai, 1964

n. sp., Pillai, 1964, pp. 48-50, fig. 9 ✓

✓ homonym: see L. carangis Hesse, 1878

Dichelesthiidae - Caligoida.

Lernanthropus caudatus Wilson, ♀.

— — Wilson, 1922, p. 37: pl. 1, figs. 9-11; pl. 2,  
figs. 12-15.

Host. Gills of Archosargus probatocephalus

Beaufort, N.C.

Lernanthropus chirocentrosus Tripathi,<sup>x</sup>

1962, p. 200, figs. 24-25

-- JAYASREE 1983a: 82, FIG. 3

Host: Chirocentrus dorab

Indiq

Dichelesthiidae - Caligorda.

Lernanthropus chlamydatus Wilson, J.F.

— Wilson, 1922, p. 48: pl. 4, figs. 31-35; pl. 5  
figs. 36-39; pl. 6, f. 40: pl. 13, f. 104.

--, Kabata, 1971, p. 158. ✓

see L. belones

Host. Gills of silver gar, Tylosurus marinus.

Beaufort,  
N.C.

--, Yamaguti & Yamasu, 1959, p. 90

Anthosomatidae - Caligoidea

Lernanthropus chrysophrys Shishido ♀, 1898

— ✓ Yamaguti, 1936, p. 15: Pl. 9, figs. 92 - 97.

— ✓ Shiino, 1955, pp. 62-64, figs. no. 5...

—, Yamaguti, 1936 pt. 2, p. 1

— ✓ KENSLEY & GRINDLEY 1973: 101-2

— Ho & Do, 1985: 38 - 42, fig 33-51

Habitat. Inland Sea

*Lernanthropus corniger* Yamaguti, 1954

- + 1954---Yamaguti, S., pp. 387-389, pl. IV, figs. 35-39,  
pl. V, figs. 40-41. - 1963. p. 148. fig. 1
- ✓ --, Pillai, 1963, p. 660-2, fig. 3: 1967, p. 1629, fig. 157
- + --, Yamaguti & Yamasu, 1959, p. 127
- , Kabata, Z., 1979, p. 207
- + --, Pillai, 1967, p. 1629, fig. 157
- ✓ - HENSLEY + GRINDLEY 1973: 95, FIG. 18a, b, 82  
FROM CARANX DJEDABA, DARBAR, S. AFRICA, p. 126
- JAYASREE 1983a: 82, FIG. 4

Lernanthropus cornutus Kirtisinghe, 1937

✓ ---, Kabata, 1971, p. 158  
see L. tylosuri

✓ ---, Pillai, 1963, p. 658-60, fig. 2  
✓ Ho & Do, 1985: 33-38, fig 1-32  
✓ Shiino, 1965, p. 375-380, fig. 1, 2

Lernanthropus cornutus Kirtisinghe ♂♀

✓ Kirtisinghe, 1937, p. 448 : text-figs. 88-98.

✓ --, Kabata 1962, p. 320.

↙ --, Shiino, 1965, p. 375-380.

Host. Gills of Needlefish, *Strongylura leuva*, Ceylon.

✓ Lernanthropus cruciatus Pillai

-- -- Pillai, 1962. pp. 613-614, fig. 1

✗ 1967. p. 1633, fig. 169

Host - scianid

Indis

Lernanthropus decapteri Pillai,

✓ --, Pillai, 1964, p. 57-59, fig. 14

1967, p. 1624, fig. 144

XX --, Kabata, Z., 1979, p. 207

✗ --, Pillai, 1967, p. 1624-1625, fig. 144

-- JAYASREE 1983b: 89-99, FIGS. 1-15, PL. I, II,  
REPRODUCTIVE SYSTEM

Host. Decapterus russelli

India

Lernanthropus delamari Capart

X — Capart, 1959: 66-67, fig. 3a-b

Lernanthropus dussumieri Gnanamuthu

✓ 1949---Gnanamuthu, C.P. pp. 209-213, 6 text figs.

✗ Yamaguti, 1963, p. 148

Pillai, 1967, p. 1628, fig. 154

--, Pillai, 1967, p. 1628, fig. 154

Host - Dussumieri acuta

India

Lernanthropus ecclesi Kensley & Grindley 1973

✓ -- Kensley & Grindley 1973: 96-99, figs. 19a-c, 20a-1,  
n. sp. ♀, from Seriola lalandi, Kalk Bay, S. Africa.  
p. 126.

Lernanthropus eddiwarneri Delamare-Deboutteville &  
Nunes-Ruivo, 1954

✓, Pillai, 1964, p. 50

✓ KENSLEY & GRINDLEY 1973:101-2

Lernanthropus foliaceus Richiardi, ♀.

- ✓ — Richiardi, 1880, p. 150 nomen nudum.  
— ✗ Carus, 1885, p. 365.  
✓ — Richiardi, 1884, p. 82.  
✓ — Goggio, 1906, p. 140: pl. II (I), fig. 1.  
— Hewitt, 1968, p. 2

Host. Gills of Ruvettus pretiosus.

Mediterranean.

--, Hewitt, 1968, p. 7

Dichelesthiidae

Lernanthropus forficatus Redkar, Rangnekar and Murti

X 1949. Redkar, M.V., P.G. Rangnekar and N.N. Murti  
pp. 43-46, figs. 25-35. Gills of ribbon fish,  
Trichiurus haumela Day, Bombay.

✓, Pillai, 1964, p. 57

-X, Pillai, 1967, p. 1629-1630, fig. 158

Lernanthropus francai Nunes Ruivo

✓ --- Nunes Ruivo 1962. pp. 75-77, fig. 2,3

Dickelestriidae

Toernauropus frondens Wilson ♂♀.

✓  
m. Wilson, 1913, p. 230: pl. 36.

Host, gills of Neomaria aya

West Indies.

Lernanthropus gibbosus Pillai, 1964

✓ n. sp., Pillai, 1964, p. 55-57, fig. 13: 1967; p. 1625,

fig. 147.

—, Pillai, 1967, p. 1625, fig. 147

—, RADHAKRISHNAN & NAIR 1983: 97, S. TUMBLI, INDIA

—, JAYASREE 1983a: 82, FIG. 5

Host. Saurida tumbil.

India

Dicheelostidae

+  
Ternanthropus giganteus Kröger ♀

- —. Kröger, 1863, p. 206: pl. 8, fig. 1a-e.  
— —. Heider, 1879, p. 345: pl. 4, figs. 53-55.  
— —, B-Smidt, 1898c, p. 360  
— —. B-Smidt, 1899, p. 472.

Host shells of "Caraux carangus," Brazil.  
" " " Caraux melanopigus", Indo-tropics  
" " C. cypraea + C. hippo, W. Indies.  
Carangoides ferdn

✓ --. Goggo, 1906, p. 137.

✓ --. Wilson, 1913, p. 227: pl. 33, figs. 148-150  
pl. 35.

--, Hewitt, 1968, p. 11

--, Pillai, 1963, p. 655

--, Pillai, 1964, p. 48

X-, Pillai, 1967, p. 1631, fig. 164

✓ TENSLEY & GRINDLEY 1973: 101

X Capart, 1959: 67 - 68, fig. 4

<sup>†</sup>  
Lernan Thropus gisleri, van Beneden ♂. ♀.  
Diochelestiidae.

- ✓ —, van Beneden, 1852, a, p. 100, pl. n.n. fig. 1-6.  
✗ —, —, 1861, a, p. 151 pp. 253-260  
✗ —, Hesse, 1877, b, pl. IV, (♂, ♀, + nauplius)  
✗ —, Heider, 1879, p. 351, pl. IV, fig. 65; pl. V, fig. 66.

Host. Gills of Sciaena aquila, Corvina nigra, & Umbrina cirrosa (Brian).  
(over)  
European Seas.

- ~~✓~~ —. Carus, 1885, p. 364.
- —, Brian, 1898, p. 15, pl. III, fig. 18.
- ✓ —, — —, 1899, c, p. 200: 1902, p. 41.
- ✓ —, B. Smith, 1899, p. 472.
- ✓ —, Richaudi, 1880, p. 5.
- ✓ —, Valle, 1880, p. 63.
- ~~✓~~ —, Stössich, 1880, p. 259.
- ~~✓~~ —, Goglio, 1906, pp. 136, and 145.  
plate II (I), fig. 7.
- T. thompsoni* Brian, 1898, p. 17: pl. 3, fig. 16, a-d.  
*sisteri*. P. J. v. Beneden, 1851, a, p. 100: pl. n.n., fig. 16.

✓ — Brian, 1924, p. 34.

✓ — Bere, 1936.

✓ — Yamaguti, 1936, p. 15; Pl. 8, figs. 89-91.

X — Causey, 1960, p. 331. Tuxpan, Veracruz, Mexico, on Centropomus undecimalis.

— Causey, 1952. " " " " "

✓ — Kabata, 1966, p. 171.

✓ — Boer, 1970-2, tbl. 1

✓ — Kabata, Z., 1979, 199 pp.

X Capart, 1959: 69

-- STEKHOVEN & PLAT 1937: 654

Lernanthropus gisleri van Beneden, 1852

card 3

-- Zwerner & Lawler 1972:84, Chesapeake Bay, host

Cynoscion nebulosus

-- KABATA 1992:160-, FIG. 36C-E, DISTRIBUTION, HOST LIST

Dichelesthiidae - Caligoidea

Ternanthropus heteropodus Yu, ♀.

✓ — Yu, 1933, p. 123: pl. 4, figs. 1-7; pl. 5, fig. 1.

— Yamaguti, p. 17:

— Ho & Do, 1985 (Syn: Mitrapus)

Host, Gills of Konosirus punctatus, China.

Caligoida Anthosomidae

Lernanthropus hirsutus Pearse

✓ 1952--- Pearse, A.S., pp. 214-215, figs. 66-72

Dichelestiidae.

+  
Ternanthropus holmbergii Nordmann. ♂

- Nordmann, 1864, p. 505: pl. 7, figs. 1-4.
- Heider, 1879, p. 361.
- B-Smith, 1899, p. 472.
- Croqgio, 1906, p. 138.

Host. Gills of unknown fish.

Honolulu,

Lernanthrops indicus

X Pillai, 1967, p. 1630, fig. 159.

replacement name for L. carangis

Hernanthropus

Kanagurta

Tripathi, 1962

- ✓ --, CRESSEY & CRESSEY 1980: 44-45<sup>50</sup>; Figs. 94e-g.
- ✓ -- CRESSEY ET AL. 1983: 233-, FROM  
RASTRELLIGER BRACHYSOMA, BORNEO

<sup>++</sup>  
Lernanthropus königii Steenstrup & Lütken, J.F.

Dichelestiidae.

- ✓ — Steenstrup & Lütken, 1861, p. 395; pl. 12, fig. 23.  
✓ — koenigii Heider, 1879, p. 359.  
✓ — königii B-Smith, 1899, p. 470.  
✓ — Gioglio, 1906, p. 137.

Host. Gills of Stromateus parvus: Galeichthys  
major. Mouth of Cymothoa eremita.

Indian Ocean.

- ✓ Gnanamuthu, 1950. p 277, figs 19-33
- X Yamaguti. 1963 p. 149. pl. 16C. fig. 2.
- X Pillai, 1967, p. 1624, fig. 143
- Koenigii, Pillai, 1967, p. 1624, fig. 143
- ✓ KOENIGII, RADHAKRISHNAN + NAIR, 1983: 97-,  
PARASTROMATEUS NIGER, INDIA

++

Lernanthropus kroyeri, v. Beneden. ♂, ♀.

Dichelestiidæ

- ✓ — . Van Beneden, 1851, a, p. 102, pl. III, figs. 7-9. ♀.  
X — , Claus, 1858, b, p. 18, pl. II, figs. 15—19. ♂.  
+ — . Van Beneden, 1861, a, p. 151.

(over)

Host, Gills of Labrax lupus and Sargus salviani (Heider).

European Seas.

~~not~~ —, Nordmann, 1864, p. 508, pl. VII, figs. 5-8.

✗ —, Heller, 1866, p. 755.

✗ —, Van Beneden, 1870, p. 24.

✗ —, Hesse, 1878, pp. 1-8, pl. II, figs. 1-22, ♂.

✓ —, Heider, 1879, p. 358, pl. V, figs. 72, 73.

✗ —, B. Smith, 1896a, p. 159.

✓ —, Briau, 1898, p. 15, Stössich, 1880, p. 260

✓ —, B. Smith, 1899, p. 471, Goggiò, 1906, p. 135 ✓

✗ —, Carnes, 1885, p. 365. A. Scott, 1907, p. 95;

✓ —, Richiaude, 1880, p. 5, pl. III, figs. 1-13.

✗ —, Valle, 1880, p. 64.

✗ —, A. Scott, 1904, p. 123(43)

LEPIDANTHROPUS KROYERI VAN DENEDEN CARD 2

- ✓ -- COSTE, ET AL., 1978: 465-481
- ✓ -- KENSLEY & GRINDLEY 1973:101
- ✓ -- KOCA 1973:32, FIG. 2 #8
- ✓ -- KOCA 1984b: 119, FIG. 10-8
- ✓ -- CABRAL ET AL. 1984: 189-205, FIGS. I-IX, DEVELOPMENT;  
HOST DICENTRARCHUS LABRAX
- ✗ STEPHOVEN & PUNT 1937: 654
- ✓ -- COSTE ET AL. 1982: 249 (no info - back)
- ✓ -- ESSAFI ET AL. 1984: 476, 512, HOST D. LABRAX, TUNISIA

Lernanthropus kroyeri van Beneden, 1851

card 3

-- Raibaut et al. 1971: 173-174, host Morone labrax,  
Tunisia coast

-- H.J. GRANT & WHITFIELD 1988: 603

-- KABATA 1992: 161; FIG. 36 F-H, DISTRIBUTION, HOST LIST

-- RAIBAUT 1985: 241-, FIG. 6, CYCLE; 267

Hermannthropsus lappaceus, new species ♂. ♀.

+, Wilson, 1912, p. 240: pl. 34.

X Tripathi, 1962, p. 206, fig. 30.

X Yamaguti, 1963, p. 149, pl. 157, fig. 2.

X Pillai, 1966, p. 138, fig. 10

X, Pillai, 1967, p. 1629, fig. 155

Host Gills of Polynemus tetradactylus.

Batavia, Java.

~~++~~ Lernanthropus larvatus Heller, ♂·♀.

Dichelestiidæ.

- Heller, 1865, p. 227: pl. 22, figs. 4-5,
- Heider, 1879, p. 340: pl. 3, figs. 48-49,
- B. Smith, 1899, p. 471,
- Gognio, 1906, p. 138,

Host. Gills of Triacanthus ocellatus.

Indian Ocean.

\* Lernanthropus latesi Tripathi, 1962,  
p. 192, figs 1-8.

Syn of L. latis Yamaguti?

Lernanthropus latis Yamaguti

- X 1954---Yamaguti, S., pp. 389-391, pl. V, figs. 42-48.
- X 1963. p. 149, pl. 161, fig. 2.
- X Kirtesinghe, 1964, p. 100. fig. 140.
- X Pillai, 1967, p. 1633. fig. 168.
- ✓ - KENSLEY & GRINDLEY 1973: 101-2

Host:- Lates calcarifer - Celebes - Indiç

++  
Iernanthropus lativentris Heller, ♂. ♀.  
Dichelestiidæ.

- ✓ — Heller, 1865, p. 223: pl. 21, fig. 4; pl. 22, fig. 1.
- ✓ — Heider, 1879, p. 342: pl. 3, figs. 50-52.
- ✓ — B-Smith, 1899, p. 471.
- ✓ — Gorggio, 1906, p. 138.

Yamaguti, 1963, p. 149, pl. 159, fig. 3

Host. Gillis of Mesoprion phaiotaeniatus.

Java.

X, Kabata, 1970, p. 158

— JAYASREE 1983a: 82, 83-, FIG. 6-8

Dictelesthiidae-Caligoida.  
Lernanthropus leidyi Wilson, ♀, ♂.

✓ — Wilson, 1922, p 40: pl. 3, figs 23-  
27: pl. 4, figs. 28-30.

Host. Gills of white perch, Morone americana.

Beaufort.  
N.C.

Lernanthropus leiognathus Tripathi

X Tripathi, 1962, p. 203, fig. 27.

Host - Leiognathus ruconius India

*Termaanthropus lichiae*, Goggio ♀  
Wichelestiidæ.

✓ —. Goggio, 1906, p. 144; pl. II(I) fig. 4.  
✗ *Trachuri* Goggio, 1907, p. 352.

A synonym of *T. trachuri*.

Host, *Lichia vadigo*. gills

✗ Capart, 1959: 69-70, fig. 5  
Nizza.

Lernanthropus longilamina Pearse, 1951

X, Kabata, 1971. p. 158

Dictelesthiidae - Caligoidea

Lernanthropus longipes. n. sp. ♀, ♂

✓ — Wilson, 1931,

✓ — Wilson, 1932, p. 448: pl. 28.

✓ — Bere, 1936 ♂

- ✓ OVERSTREET 1978: 84, HOSTS - GULF OF MEXICO

Host. Gills of Pogonias cromis,

New York City.

*Lernanthropus manicatus* Wilson

342-343

— — — Wilson 1935, Tortugas, p. ~~336~~, pl. 3, figs. 30-36  
♂ ♀ (Dichelesthiidae)

Lernanthropus microlamini Hewitt, 1968

✓ n. sp., Hewitt, 1968, pp. 8-12, figs. 25-27  
--, Hewitt & Hine, 1972, p. 97

-- KAZACHENKO 1994: 29, FIG. 3A

Dichelesthiidae - Caligoida

Lernanthropus micropterygis Richiardi ♂♀.

- ✓ — Richiardi, 1884, p. 82.
- ✓ — B.-Smith, 1903, p. 108.
- ✓ — Goglio, 1906, pp. 139; 148; pl. II (I), figs. 5(♀), 6(♂).
- ✓ — Wilson, 1924, p. 8: pl. 2, figs. 18-25.
- ✓ — , Wilson, 1937: 30 . White Friars, Mexico, on Seriola dumerili.

Host. *Micropteryx dumerili* (Mediterranean); *Seriola aurovittata* (Red Sea);

✓ thompsoni Brian, 1898, p. 17: pl. 3, fig. 16, a-d.

✓ THOMPSONI, CARLI & BRUZZONE 1973 b: 132

Lernanthropus mitratus Shiino

✓ 1959---pp. 320-325, figs. 22 & 23.

Lernanthropus mollis

✓, Kabata, Z., 1979, p. 204, figs, 19-21.

Host: Sillago analis, S. ciliata-Australia



Lernanthropus monodi Delamare-Debouteville &  
Nunes-Ruivo, 1954

✓  
--, Pillai, 1964, p. 52

Lernanthropus mugilii Shishido, 1898

--Kabata, Z., 1979, p. 199

Host: Mugil cephalus, Choerodon albigena-Australia

+  
Lernanthropus mugilis Brian, ♀.  
- shishidoi)  
Dichelestiidae

-- Brian, 1898, p. 18: pl. 3, figs. 17-17a.

-- Brian, 1903, p. 4.

-- Goglio, 1906, p. 140.

-- Yamaguti, 1936, p. 13: Pl. 7, fig. 79, Pl. 8, figs. 80-88

-- Shiino, 1955, pp. 64-67, figs. 6&7.  
(Name changed to L. shishidoi.)

Host. Cills of Mugil auratus.



Mediterranean

--, Yamaguti, 1936, p. 1

--, Deboutteville + Nunes, 1952, p. 293 + 294

Lernanthropus mugilis Brian, 1898

card 2

--, Rainbaut & Hassine, 1977, p. 844

-- BEN HASSINE, 1983: 57, 102-107, 148, 171, 226-7, 232-3,  
239-243, 247-252, 257-8, 261, 265, 449-452

HOST: LIZA AURATA

FIGS. 102-114

-- RAIBAUT ET AL. 1971: 174-178, FIGS. 2-12 of HOST

Mugil (Liza) auratus, TUNISIA COAST

-- CARLI & BRUZZONE 1973: 132

Lernanthropsus musca, Blainville. ♀.

— —, Blainville, 1822, p. 444, fig. 14, pl. unn.

— —, — — — , 1823, p. 128.

— —, Kröyer, 1837, p. 196.

— —, van Beneden, 1851, a, p. 101

(over).

Host. Diodon, sp.

Manilla.

Type species of genus -

- — . Heider, 1879, p. 344. (76)
- — . B. Smilt, 1899, p. 470.
- — . Burmeister, 1833, p. 308.
- — . M-Edwds, 1840, p. 499.
- — . Goggiq, 1906, p. 135
- — . Nordmann, 1832 - p. 54.
- — KABATA 1989: 338
- — KABATA 1992: 160

Lernanthropus nemipteri Jayasree & Pillai, 1976

-- Jayasree & Pillai 1976: 21, fig. 1-9, n. sp., ex

Nemipterus furcosus, India

-- Jayasree 1983a: 82, 83, Fig. 9

Dichelestiidæ

+ Lernanthropus nobilis Heller, ♀.

- — Heller, 1865, p. 225: pl. 22, fig. 2.
- — Heider, 1879, p. 360: pl. 5, figs. 74-76.
- — B-Smith, 1899, p. 472.
- — Goggio, 1906, p. 138.

Host. Gills of Temnodon saltator.

Brazil.

+ Lernanthropus nordmanni Wilson, ♀.

To — Kroyeri, Nordmann, 1864, p. 508; pl. VII, figs. 5-8.

This is certainly not the same as the species described by other authors under this name, and the name nordmanni is suggested for it in allusion to its discoverer.

Host. Gills of Tubrax lupus.  
Norway.

++

Lernanthropus nudus B-Smith, ♂. ♀.

- — B-Smith, 1898, c, p. 368; pl. 12, figs. 2-4.
- — B-Smith, 1899, p. 472
- — Goglio, 1906, p. 139.

Host. Gills of Mugil sp.

Aden.

Lernanthropus nunesi Capart

—Capart, 1959: 70-71, fig. 6a-c

Lernanthropus oblongus Pillai, 1964

n. sp., Pillai, 1964, p. 52-54, fig. 11

1967, p. 1631, fig. 163

-- JAYASREE 1983a: 82, FIG. 10

Host. Sardinella fimbriata

India

Drosophilidae

Ternauthropus obscurus Wilson ♂. ♀.

—, Wilson, 1913, p. 232: pl. 37.

Host. Gills of Ocyurus chrysourus.

West Indies.

Lernanthropus opisthopteri Pillai, 1964

n. sp., Pillai, 1964, p. 54-5, fig. 12 : 1967, p. 1625,

fig. 146.

--, Pillai, 19?, p. 1625, fig. 144

-- KENSLEY & GRINDLEY 1973: 101-2

Host - Opisthopterus tardoore

India

Lernanthropus otolithi Pillai, 1963

n. sp., Pillai, 1963, p. 664-6, fig. 5 : 1967, p. 1631,

fig. 165.

-- JAYASREE 1983 a: 82, FIG. 11

Host - Otolithus argenteus

India

Dictelesithiidae - Caligoidea.

Lernanthropus paenulatus Wilson, ♂. ♀.

— — Wilson, 1922, p. 51: pl. 6, f. 41-48: pl. 7,  
f. 49-50, 56.

— — Wilson, 1932, p. 449: fig. 282

— — KENSLEY & GRINDLEY 1973: 98-99.

Host. Gills of amberjack, Seriola  
lalandi.

Woods Hole.

++  
Lernanthropus pagelli Krøyer, ♂. ♀.

- — Krøyer, 1863, p. 200; pl. 9, fig. 2, a-g.
- — Heider, 1879, p. 356
- — B-Smith, 1899, p. 471.
- — Goggio, 1906, p. 137.

Host. Gills of Pagellus penna.

Mediterranean.

+ Lernanthropus pagodus Krøyer, ♀.

- — Krøyer, 1863, p. 208 : pl. 8, fig. 2, a-f.  
— — B. Smith, 1899, p. 471.  
— — Heider, 1879, p. 349 (81) : pl. 4, figs. 62-64.  
— — Coggiò, 1906, p. 137.

Host. Gills of Eques balteatus

Bahia.

= LERNANTHROPOUS

Dichelestiidæ.

Epacthes paradoxus (Nordmann) ♀. 1

—, Nordmann, 1832, p. 45; pl. XII, fig. 12-14.

Lernanthropus p-, Burmeister, 1833, p. 307; pl. 24, fig. 12.

—, M.-Edwards, 1840, p. 499.

Epacthes p-, B. Smith, 1899, p. 469.

Host. Gills of Mugil, sp.

Cape of Good Hope.

+ Lernanthropus paradoxus (Nordmann) ♀. 2

Epacthes —, Nordmann, 1832, p. 45; pl. XII, fig. 2.

Lernanthropus —, Burmeister, 1833, p. 307;  
pl. XXIV, fig. 12.

— — —. Kröyer, 1837, p. 197. (over)

Host, Gills of a species of Mugil.

Cape of Good Hope

- —, M-Edwards, 1840, p. 499.  
— —, Heider, 1879, p. 340(72).  
— —, Goglio, 1906, p. 135  
— , Achoue, 1899: 202  
— KABATA 1989: 335-339, FIGS. 1-6;  
— JAYASREE 1983: 79-

Lernanthropus percis - see Aethon

Lernanthropus petersii P.J.v.Beneden, ♂♀.

— P.J.v. Beneden, 1857, a, p. 51.

—, Hewitt, 1968, p. 7

L. PETERS', JAYASREE 1983 a: 81-

A synonym of Stalagmus petersii.  
(Nordmann, 1864, p. 510)

—, Yamaguti & Yamasu, 1960, p. 146-7 (a syn. of  
Ex Pseudolernanthropus p.)

<sup>+</sup>Lernanthropus polynemi <sup>Dichelestiidæ</sup> Richiardi, ♀.

- — Richiardi, 1880, p. 150, nomen nudum.
- — Richiardi, 1881, p. 505.
- — B-Smith, 1899, p. 108.
- — Goggio, 1906, p. 138.

Host. Gills of Polynemus tetradactylus.

Mediterranean.

Lernanthropus pomadasysis Rangnekar & Murti, 1961

n. sp. R<sub>a</sub>ngnekar & Murti, 1961, pp. 208-10, fig. 2,  
a-h.

Ternanthropus pomatomei Rathbun, ♂, ♀.  
Dichelestiidæ.

- R. Rathbun, 1887, p. 567: pls. 33—35.  
— B. Snell, 1899, p. 472.  
— M. J. Rathbun, 1905, p. 98.  
— Goggio, 1906, p. 139.  
— Wilson 1922:42

Host gills of Pomatomus saltatrix.

- Wilson, 1932:450 fig. 283  
— Causay 1960:331 (Mazatlan <sup>Mexico</sup> Atlantic).  
— Werner & Lawler, 1972:84 Cherasenk. Russ.

Lernanthropus priacanthi

Kirtesinghe, 1956, p. 17, figs 910  
1964, p. 95, figs 126-127

Yamaguti, 1963, p. 151, pl. 165, fig. 2.  
Pillai, 1967, p. 1629, fig 156

Host- Priacanthus hamrur

Judig

Dichelesthiidae - Caligoidea

Lernanthropus pristipomoidis Kirtisinghe ♂♀

— — Kirtisinghe, 1937, p. 450: text-figs. 99-107

—, Rangnekar & Murti, 1961, p. 210

— —, Pillai, 19?, p. 1627, fig. 149

Host. Gills of Pristipomoides typus. Ceylon.

Lernanthropus pupa, Burmeister, ♀.

- — . Burmeister, 1833, p. 303; pl. XXIV, figs. 7-11,  
— — , Kroyer, 1837, p. 196.  
— — , M-Edwards, 1840, p. 498, pl. XLI, fig. 2.  
— — , Heider, 1879, p. 346, pl. IV, figs. 56-58.  
— — , B-Smit, 1899, p. 470.

Host. Gills of Sphippus gigas. Brazil.  
Chaetodipterus faber. Florida.

---. Goglio, 1906, p. 135.

---, Beree, 1936.

--, Kabata, 1971, p. 158

-- ZWERNER & LAWLER 1972: 84, CHESAPEAKE BAY,  
HOST CHAETODIPTERUS FABER

-- KABATA 1989: 338

Lernanthropus rathbuni Wilson, ♀ ①

— Wilson, 1922, p. 39: pl. 2, figs. 16-19;  
pl. 3, figs. 20-22.

-- KENSLEY & GRINDLEY 1973: PI-102

-- KABATA 1989: 339

Host. Gills of hogfish, Orthopristis chrysoptera<sup>rathbuni</sup>.

Beaufort,  
N.C.

LERNANTHROUS RATHBUNI C. B. WILSON, 1922 ②  
-- LUQUE + TAKEUCHI 1996: 539-543, FIGS. 33-46,  
1ST DESCRIPTION OF ♂

Lernanthropus robustus Pillai, 1964,

n. sp., Pillai, 1964, p. 50-52, fig. 10 : 1967, p. 1627,

fig. 148

--, Pillai, 19?, p. 1627, fig. 148

Host - Caranx sp.

India

Dichelesthiidae

*Lernanthropus rubiginosus* Redkar, Rangnekar and Murti

1949---- Radkar, M.V., P.G. Rangnekar, N.N. Murti

pp. 46-49, figs. 36-44. Gills of Chatoessus  
natus Day - Bombay.

---, Pillai, 1964, p. 54

---, Pillai, 1967, p. 1630; 1631, fig. 161

Lernanthropus sarbae Kensley & Grindley 1973

-- Kensley & Grindley 1973: 99-102, figs. 21a-c, 22a-i,  
n. sp. ♀♂, from Rhabdosargus sarba, Durban, S. Africa;  
p. 126.

-- KABATA 1989: 339

Lernanthropus sciaenae Gnanamuthu

1947---Gnanamuthu, C.P., pp. 291-298, 3 text figs.

---, Pillai, 1963, p. 670

---, Pillai, 1967, p. 1627, fig. 150

*Diachelestidae*

Lernanthropus scribae, Kröyer, ♀.

- — . Kröyer, 1863, p. 203, pl. IX, fig. 3, a - g.
- — . Heider, 1879, p. 354.
- — , Carus, 1885, p. 364.
- — , B-Smidt, 1899, p. 470.
- — — ,

Host. Gill of Serranus scriba.

Mediterranean.

— . Valle, 1880, p. 63. makes it identical  
with L. trigonocephalus, Heller.

— . Richiardi, 1880, p. 5.

— . Stössich, 1880, p. 259.

— . Goggi, 1906, p. 137.

— . Wilson, 1922, p. 46 <sup>not a synonym of</sup> trigonocephalus.

— . Brian, 1914<sup>c</sup>, p. 134.

— . Heegaard, 1943, p. 28.

Lernanthropus scribae Krøyer 1863

card 2

- Essafi et al. 1984: 476, 512-513, figs. 88, 89 ♀,  
host Serranus scriba, Tunisia
- RAIBAUT ET AL. 1971: 178-181, FIGS. 13-26 ♀,  
HOST SERRANUS SCRIBA, TUNISIA COAST

Lernanthropus secutoris Pillai, 1963

n. sp., Pillai, 1963, p. 662-4, fig. 4 ; 1967, p. 1631,  
fig. 162.

--, Pillai, 1967, p. 1631, fig. 162

Host - Secutor insidiosus

India

Lernanthropus seriolae Shishido, 1898

--, Yamaguti, 1936, pt. 2, p. 1

Lernanthropus shishidoi Shiino, 1955

--, Pillai, 1964, p. 69, fig. 60-62

Hernanthropus shishidoi Shiino

Shiino, 1955, p. 64, figs 6-7

Yamaguti, 1963, p. 151. pl 163, fig. 1.

Kirtisinghe, 1964, p. 93. fig. 124

Pillai, 1964, p. 69, figs 60-62:

1967, p. 1628, fig. 152

--, Pillai, 19?, p. 1628, fig. 152

Host - Pagrosomus unicolor, Sparus macrocephalus

Mugil cephalus

Japan, Ceylon, India

Lernanthropus sillaginis Pillai, 1963

n. sp., Pillai, 1963, p. 666-8, fig. 6 : 1967, p. 1627,  
fig. 151.

--, Kabata, Z., 1979, p. 206

--, Pillai, 19?, p. 1627-1628, fig. 151

Host - S. ilago s. hama

India

Lernanthropus sphyraenae Yamaguti & Yamasu, 1959, p. 126

n. sp. Yamaguti & Yamasu, 1959, p. 126-7, pl. XI,  
figs. 221-230.

--, Pillai, 1967, p. 1633, fig. 167

Hennanthropus speculator Wilson ♀

....., Wilson, 1913, p. 233; pl. 38, figs. 185-9

Host, Gills of Neomauris synapris.

West Indies.

*Lernanthropus talipes* Wilson

— — — Wilson 1935, Tortugas, p. 339, pl. 3, figs. 37-41  
♀ Host: *Kyphosus sectatrix*, rudderfish

+  
Lernanthropus temminckii Nordmann. ♀.

- Nordmann, 1864, p. 501; pl. 6, figs. 11-13.  
— Heider, 1879, p. 344.  
— B-Smith, 1899, p. 470.  
— Goglio, 1906, p. 138.

Host. Gills of Saurus lacerta.

East Indies.

Lernanthropus temminckii Nordmann, 1864

card 2

-- Cressey & Cressey 1979: 20, fig. 38, redescribed ♀,  
hosts Saurida tumbil, S. undosquamis, India, Bay of  
Bengal, Gulf of Thailand, Somalia

Dichelesthiidae - Caligoidea.

Lernanthropus tenuis Wilson, ♀.

Lernanthropus sp., Brian, 1898, p. 19: pl. 3, fig. 4.  
L - tenuis, Wilson, 1922, p. 38.

Host. Gills of Chrysophrys aurata.

Mediterranean

Dicheelosthiidae - Caligoidea.

Ternanthropus theodori Brian, ♀.

- — Brian, 1924, p. 36<sup>397</sup>: text-fig. 33, a-b.  
-- Kabata, Z., 1979, p. 207  
— Capart, 1959: 71-72, fig. 7a-b  
-- CARLI & BRUZZONE 1973b: 132

Host. Gills of Dentex filosus



Mauritania

+  
Lernanthropus thompsoni Brian, ♀.

-- Brian, 1898, p. 17; pl. 3, fig. 16, a-d.

A synonym of Lernanthropus micropterygis  
(Goggi, 1906, p. 138)  
correct

A synonym of Lernanthropus griseeri,  
(Brian, 1906, p. 66),  
This was an error and was corrected L. R.

Lernanthropus togatus Kabata, 1971

n. sp., Kabata, 1971, pp. 157-60, 11 figs.

Lernanthropus trachuri, Brian. ♀.  
Dichelestiidae

- — . Brian, 1903, p. 4. (no figures)
- — , Coggio, 1906, p. 140.
- lichiae Coggio, 1906, p. 144: pl. II (I). fig. 4.
- — — , Nunes- Ruivo, 1953, pp. 2-4. figs. 1 .
- , Pillai, 1964, p. 57

Host. Gill of Trachurus trachurus  
(Casteln).

— Castro Romero & Kuroki, 1985: 411-414, fig. 18-31  
Mediterranean.

- Capart 1959: 74, fig. 8
- CARLI & BRUZZONE 1973b: 132
- PIASECKI 1982: 50-53, FIGS. 4-6, EX CAPE  
HORSE MACKEREL OFF NAMIBIA

Lernanthropus triangularis Pillai, 1963

n. sp., Pillai, 1963, p. 668-70, fig. 7 : 1967, p. 1628,  
fig. 153.

--, Kabata, Z., 1979, p. 207

--, Pillai, 19?, p. 1628, fig. 153

Host - Gerres filamentosus

Tudic

+  
Lernanthropus trifoliatus B-Smith, ♀

-- B-Smith, 1898, a, p. 12: pl. 7, fig. 3.

-- B-Smith, 1899, p. 471.

-- Goggi, 1906, p. 139.

--, Hewitt, 1968, pp. 11-12

--, Pillai, 1963, p. 655-8, fig. 1

Host. Gills of Polyneurus tetradactylus.

(over)

Bombay

Tripathi, 1962, p. 204, figs 28-29

Yamaguti, 1963, p. 152, pl 165, fig. 5

--, Pillai, 1967, p. 1633, fig. 166

++

Dichelestiidae.

Lernanthropus trigonocephalus, Heller, f. d.

— —, Heller, 1865, p. 226, pl. XXII, fig. 3.

— —, Heller, 1866, p. 755.

— —, Heider, 1879, p. 353(85); pl. 5, figs. 67-68.

— —, Canis, 1885, p. 365.

— —, B-Smilk, 1899, p. 471 [makes it a synonym for  
Io. — scribae.]

Host, Gills of Serranus scriba.

Mediterranean.

— —. Valle, 1880, p. 63. a synonym for *L.* *scribae*

— —. Coggiò, 1906, p. 138.

Lernanthropus tylosuri <sup>Dichelestiidæ</sup> Ricciardi, ♀

- — Ricciardi, 1880, p. 150<sup>1884, p.</sup> nomen nudum.  
— — Carus, 1885, p. 365. no descr. or figs.  
— — B-Smith, 1903, p. 108, no descr. or figs.  
— — Goglio, 1906, p. 139: pl. II(I), fig. 10.

Host. Gills of Tylosurus imperialis. Rafinesque

(one)

Mediterranean

--, Cressey & Collette, 1970, pp. 387, 389, fig. 157-  
162, pls. 3 (d-f), 4

Lernanthropus tylosuri Richardi, 1880

card 2

--, Cressey & Collette, 1970, pp. 387, fig. 157-162,  
pls. 3 (d-f), 4

--Kabata, Z., 1979, p. 202

Lernanthropus villiersi Delamare-Debouteville &  
Nunes-Ruivo, 1954

--, Pillai, 1963, p. 667

- Capart, 1959:74, fig. 9a-b

++

Lernanthropus vorax Richiardi, ♂. ♀.

Dichelestiidae.

- — Richiardi, 1880, p. 150 nomen nudum.
- — Carus, 1885, p. 365.
- — Brian, 1899, b, p. 6: figs. 1 (♀) & 2 (♂) text.
- — Brian, 1899, c, p. 4 - full description.

Host. Gills of Charax punctatus.

Mediterranean.

- — Guglio, 1906, p. 142 : pl. II (I), figs. 2 & 3.  
— — Valle, 1880, p. 64  
— — Stössich, 1880, p. 260.  
— — Richiardi, 1879, p. Ixxxi.  
— — ESSAFI ET AL. 1984: 476, 513, FIGS. 90, 91, HOST

PUNTAZZO PUNTAZZO, TUNISIA

- — RAIBAUT ET AL. 1971: 178, 181-183, FIGS. 27-38 ♀♂.  
NOT = L. BREVIS. HOST CHARAX PUNTAZZO, TUNISIA

Caligoida Anthosomidae

Lernanthropus wilsoni Pearse

1952--- Pearse, A.S., pp. 216-217, figs. 73

Lernanthropus, sp. Brian. ♀.  
Dichelestiidae.

— —, Brian, 1898, p. 19 : pl. III, fig. 14.

— —, Brian, 1898, p. 20 : pl. III, fig. 15.

Probably as Brian himself suggests  
a ♀ of I. gisleri, Beneden.

Hart. Gills of Sciaena aquila.

Mediterranean.

Lernanthropus sp.

Kabata, 1970, fig. 27