

Lophothrix.

Giesbrecht, 1895.

L. frontalis <sup>(M)</sup>Syn. Lophothrix Giesbrecht, 1895, p. 254.Scolecithrix Giesb. & Schmeil, 1898, p. 49Scolecithrix Esterly, 1906, p. 65Lophothrix Witt, 1915, p. 211

# Lophothrix Giesbrecht, 1895

(2)

- , Gardner & Szabo, 1982, p. 26, 277.
- , Park 1983a : 177-178 Redefn. genus.
- BRADFORD ET AL. 1983: 73, 88, 103, DIAGNOSIS + SPECIES LIST.
- MAUCHLINE 1988: 737-, FIG. 24B, PORE SIGNATURE
- SCHUHLZ 1991: 208
- VYSHKVERTSEVA 1989: 36
- VYSHKVERTSEVA 1989 b: 5-

Lophothrix frontalis Giesbrecht, ♂-♀. ①

- — Giesbrecht, 1895, p. 254 : pl. 2, figs. 1-5, 9-12.
- — Giesbrecht & Schmeil, 1898, p. 49 (Scolecithri-
- — Wolfenden, 1904, p. 120 : pl. 7, figs. 41-42.
- — Sars, 1905, p. 6 ; Pearson, 1906, p. 19.

Habitat. Atlantic : Pacific : Malay Archipelago.

— —, BRODSKY, 1950, P. 244, fig. 154. USSR

— —, SENGEL, 1947, P. 148, FIG. 137. Indian sea area.

- — Farran, 1908, p. 58; Wolfenden, 1911, p. 268.
- — A. Scott, 1909, p. 99: pl. 26, fig. 11-20: pl. 29, fig. 1-10.
- Scolecithrix* — Esterly, 1906, p. 65: pl. 9, fig. 14: pl. 13, fig. 70.
- — Thompson, 1903, p. 21: v. Breemen, 1908, p. 79: fig. 93.
- Iophothrix* — With, 1915, p. 211: <sup>215</sup>pl. 7, fig. 7, a-d: text-  
figs. 66, a-f, and 67, a-d.
- — Wolfenden, 1911, p. 268.
- — Sars, 1925, p. 162: pl. 45, fig. 9-21: pl. 46, fig. 1-7.
- — Rose, 1929, p. 27.
- — Wilson, 1942, p. 191
- — Sewell 1929, p. 193, figs. 70-73, <sup>+</sup> forma major, pl. 195,  
fig. 71; forma minor p. 196, fig. 72,  
development stages

Lophothrix frontalis

2

--, Furuhashi, 1966: 305

--, Furu hashi, 1961: 106

--, VERVOORT, 1965: 58, 59-60 340. SCOLECITHRIX E.

--, OWRE & FOYO, 1964b: 364

--, CALFF & GRICE (UNPUBL.) in KETCHUM & RUTHERFORD  
1966 (UNPUBL.): APPENDIX

--, Gardner & Szabo, 1982, p. 26, 278-279.

--, Marques, 1953: 105, fig. 2 b-d.

--, Park 1983a: 177-184 fig 7-10.

--, Grice & Hulsemann, 1968: tabl. 2

--, Björnberg, 1981: 637, fig. 213 #2

—Deevey & Brooks, 1977:264

Lok

Lophothrix frontalis Giesbrecht, 1895

card 3

-- Wickstead 1962: 550

-- BRADFORD ET AL. 1983: 88, 89, 135, 142, FIGS. 51, 92;

RECORDS - SW PACIFIC.

-- HAUCHLINE 1988: 737

-- Soldevilla, et al. 1988: 58 CANARY ISLANDS

-- CAMINOS 1982: 34-, GULF OF MEXICO

-- COPLEY ET AL. 1989: 12-, NW ATLANTIC

LOPHOTRIX -, SUÁREZ, E. ET AL. 1990: 126-, W. GULF  
OF MEXICO

Lophothrix frontalis Giesbrecht, 1895

card 4

-- Brodskii et al. 1983: 14-, Fig. 2(3a,b)

-- SUAREZ M., F., 1992: 140-, w. GULF OF MEXICO

-- SUÁREZ & GASCA 1991: 596-, GULF OF MEXICO

-- NISHIDA & OHTSUKA 1997: 81-86, FIGS. 2A-D, 3, 4A-D,  
JAPAN

Lophothrix gigas (A. Scott, 1909)

(syn = Brachycalanus gigas)

--, Grice & Hulsemann, 1968: 332-334, fig 63-74.

-- Park 1983 a : 177 Female only.

-- BRADFORD ET AL. 1983: 88, PROBABLY IN LOPHOThRIX

LOPHOTHRIX HUMILIFRONS G. O. SARS, 1905 ①

- , Sars, 1905: 22
- , Verhoert, 1965: 58, 60-61 syn. L. SIMPLEX
- , Owre & Foy, 1964b: 364
- , Owre & Foy, 1972: 493; TAB. 3
- , Pork, 1983a: 177
- , Grise & Hulsemann, 1968: fig. 2
- Binet & Dessier, 1968: 7, OFF MADAGASCAR
- Deevey & Brooks, 1977: 264
- Bradford et al., 1983: 88, PROBABLY IN LOPHOTHRIX

Lophothrix humilifrons G. O. Sars, 1905

card 2

-- Mauchline 1988: 737

-- Soldevilla et al. 1988: 58 Canary Islands

Scolecithticidae - Calanoida

Lophothrix insignis G.O. Sars ♀.

-- Sars, 1920, p. 8.

-- Sars, 1925, p. 167; pl. 47, f. 1-17.

--, Rose, 1942, p. 148

--, Vervoort, 1965: 58

Habitat. Temperate Atlantic.

-- Park, 1983a: 177.

-- Grise & Hulsemann, 1968: 131-2

-- BRADFORD ET AL. 1983: 88,

Lophothrix laticeps

-- Cummings 1982: 34-, Gulf of Mexico

Lophothrix latipes (T. Scott). ♀.

Scolecithrix — T. Scott, 1894, p. 52: pl. 3, figs. 21-23:  
pl. 5, figs. 40-43?

Lophothrix — G. O. Sars, 1925, p. 165: pl. 46, figs. 8-14.  
— — Farran, 1929, p. 254.

-- Roe, 1975, pp. 313-315, fig. 10.

Habitat. Gulf of Guinea: New Zealand:  
Temperate Atlantic.

--, DEEVEY, 1971: 743. 3

-- Park 1983a: 188-191 fig. 13-14.

— — Sars, 1925, p. 165: pl. 46, f. 8-14.

— —, Brodsky, 1950, p. 245, fig. 155, USSR +

— — Park, 1968, pp. 527-572.

— —, Vilela, 1968, p. 18, Est. III fig. 3

— —, Bowman, 1971, p. 6-

— —, Morris, 1970, p. 2301.

— —, Roe, 1972a, pp. 295-

— —, Vives, 1972, p. 215.

— —, Bjornberg, 1963: 41, 124

— —, Vervoort, 1965: 58, 61-62

SYN. SCOLECITHRIX L.; S. ANGUSTA

S. ACUTUS

# LOPHOTHERIX LATIPES

CHRD 2

--, OWRE & FOYO, 1964a: 343

--, OWRE & FOYO, 1964b: 365

--, OWRE & FOYO, 1972: TAB. 3

--, CALEF & GRICE (UNPUBL.) in KETCHUM & RYTHEM  
1966 (UNPUBL.): APPENDIX

-- GRICE & HART 1962a: 293, w. NORTH ATLANTIC

-- GRICE & HART 1962b: TABLE 3

-- Binet & Dessier, 1968: 8, OFF MADAGASCAR

-- Birenberg 1981: 637, fig 213 #3

- Deevy & Brooks, 1977: 264
- BRADFORD ET AL. 1983: 88, 90, 135, 142, FIGS. 52, 92;  
RECORDS - SW PACIFIC; GIVES SYNONYMY

SCOLECITHRIX ACUTUS, WOLFENDEN 1911: 253, FIG.  
32a-f, A.S.P., ATLANTIC

- COPLEY ET AL. 1989: 13-, NW ATLANTIC
- SUÁREZ, E. ET AL. 1990: 126-, W. GULF OF MEXICO
- SUÁREZ M., E., 1992: 140-, W. GULF OF MEXICO
- SUÁREZ + GASCA 1991: 596-, GULF OF MEXICO

Scolecithricidae - Calanoida.

Lophothrix quadrispinosa Wolfenden, ♀

-- Bradford, 1973, p. 144.

— — Wolfenden, 1911, p. 269: pl. 39, fig. 3; text-fig. 42.

— — — Sewell 1929, p. 200, fig. 74 ♀, Indian O.

— — — " 1947, p. 152, fig. 39. - Arabic Sea area.

--, Roe, 1972a, pp. 303-

--, VERVOORT, 1965: 58

Habitat. Southern Atlantic.

--, OWREN FOYO, 1964b: 365

--, Park, 1983a: 177

-- BRADFORD ET AL., 1983: 88

Scolecithricidae-Calanoida

Lophothrix sarsi Wilson

Wilson, C.B., 1950, pp. 253-254, Pl. 12, figs. 126-136.

-- Park 1983a: 177

-- BRADFORD ET AL. 1983: 88

Lophothrix secundifrons

See Scottoclanus

Scolecithricidae - Calanoida

Lophothrix similis Wolfenden, ♀.

— — Wolfenden, 1911, p. 269: pl. 34, figs. 1-2.

--, Bjornberg, 1975, p. 181

--; VERVOORT, 1965: 58

--; Grice & Hulsemann, 1968: 334

--; Park 1983a: 177

Habitat. Southern Atlantic.

— Deevay & Brooks, 1977: 264

-- BRADFORD ET AL. 1983: 88 .

Scolecithricidae - Calanoida

Lophothrix simplex Wolfenden, ♀

— — Wolfenden, 1911, p. 268! text-fig. 41, a-b.

--, (= L. HUMILIFRONS) Vervoort, 1965: 58, 60-61

-- Park, 1983a: 177

Habitat. Tropical Atlantic, 3000m.

Lophothrix thorsoni, Bjornberg, 1975

--, Bjornberg, 1975, pp. 178-181, figs. 15-29

-- Park, 1983a:177

[= Landrumius gigas Park]

-- BRADFORD ET AL. 1983:88

Scolecithricidae - Calanoida

Lophothrix varicans Wolfenden, ♀

— — Wolfenden, 1911, p. 270: pl. 34, figs. 4-5

--, VERVOORT, 1965: 58

--, Park 1983a: 177.

--, BRADFORD ET AL. 1983: 88

Habitat. Tropical Atlantic.