

Caligidæ - Caligoida

Orthagoriscicola.

Poche, 1902.

O. muricata[Ⓢ]

Syn. Laemargus, Krøyer, 1837, p. 487,
Orthagoriscicola Poche, 1902, p. 14,
Orthagoriscicola Wilson, 1907, p. 472
Orthagoriscicola T. & A. Scott, 1913, p. 10

CECROPIDAE Caligidae: Siphonostomatoide

ORTHAGORISCICOLA POCHF, 1902

2

- KABATA 1988: 31, 33
- KABATA 1988b: 7, ORIGIN OF NAME
- KABATA 1992: 35, DIAGNOSIS

Orthagoriscicola muricata (Kroyer)

--, Boer, 1970-2, tbl. 1

- Tempere, 1898: 223, pl. 19, fig 8, 9

--, ACLOQUE, 1899: 200-201, pl. 95 (as LAEMARGUS
MURICATUS)

- MURICATUS, KENSLEY & GRINDLEY 1973: 123

- MURICATUS, KABATA 1988: 33, FIGS. 14G-I; HOST
MOLA MOLA; SYN. O. WILSONI

- -US, KABATA 1992: 35-, FIG. 6A-D, SYNONYMY,
HOST LIST

Orthogoniscicola muricata, Kröyer

A name proposed by Poche (1902) in place of Loaemargus muricatus. K

The name Loaemargus was used by Müller + Heule for a Shark genus in July, 1837 while Kröyer did not publish his copepod genus until December of the same year.

O. muricata.

Caligidae. (2)

— —, Carus, 1885, p. 363

— —, A. Scott, 1892, p. 266: pl. III. Says that the species makes excavations in its host's skin, several individuals being found in each excavation.

— —, Brian, 1898, p. 13.

— —, B. Smilk, 1899, p. 467.

— —, T. Scott, 1900, p. 158: pl. VI, figs. 39-42.

Orthogoriscicola

— —, Poche, 1902, p. 13.

— —, Brian, 1908, p. 5.

O. muricatus, Stebbins, 1910, p. 559.

- — M. J. Rathbun, 1905, p. 96.
— — C. B. Wilson, 1907, p. 473; pls. 40 & 41.
— — Brian, 1912, p. 14; pl. 2, figs. 1-2; pl. 6, figs. 5-8.
— — Fowler, 1912, p. 103; pl. 26.
— — Elwes, 1909, p. 20.
Laemargus — Hesse, 1888, p. 349; pl. 15, figs. 1-22.
— — McClelland, 1907, p. 57; pl. 2, figs. 19-24.
Orthagoriscola — T. Scott, 1906, b. p. 369.
— muricatus Krøyer, 1841, p. 104; pl. 2, figs. A-D.
O. — Wilson, 1932, p. 473; fig. 279.
—, Yamaguti, 1936⁽²⁾, p. 1
—, Stephensen, 1940, p. 6

Orthagoriscicola muricata Kröyer, ♀.

- Laemargus
 — —, Kröyer, 1837, p. 487; pl. V, figs. A—E.
 — —, M-Edwards, 1840, p. 475; pl. xxxix, fig. 2.
 — —, White, 1847, p. 119.
 — —, — —, 1850, p. 124; 1857, p. 322.

Host, Orthagoriscus mola; Mola rotunda (Puffin)
Mola aspera (Valle).

Europe + North America

- , Baird, 1850, p. 295; pl. XXXIV, figs. 3+4.
—, Hoever, 1857, p. 11; pl. IV, figs. 1-10, 12, 14, 15.
^{emarginatus} —, van Beneden, 1861, pp. 129, 149; pl. XIX, figs. 1-4.
—, Kröyer, 1863, p. 188.
—, Olsson, 1869, p. 23.
—, van Beneden, 1870, p. 86.
—, Stossich, 1880, p. 258.
—, Mella Valle, 1880, p. 61.
—, Rathbun, 1884, p. 489.
—, Leidy, 1890, p. 230.
—, McClelland, 1906, p. 45: 47; pl. I, fig. 18.

ORTHAGORISCICOLA SZIDATI J. H. S. STEKHOVEN

+ F. W. J. STEKHOVEN, 1957

Orthagoriscola wilsoni (Schuurm-Stekhoven, 1956)

--, Threlfall, 1967, p. 169, tbl. 2

-- KABATA 1988: 33, SYN. OF O. MURICATUS