

(in)

Harpacticorda Thalestridae

Parathalestris valid.

(M)

Brady & Robertson 1873 P. clausi.

Syn. Parathalestris B. & R., 1873, p. 136.
~~Thalestris~~ (pars), Norman, Claus, etc.

Parathalestris G.O. Sars, 1905, p. 110.

Parathalestris Pesta, 1921, p. 587.

Para = similar, and Thalestris.

Parathalestris Briare, 1921, p. 74.

Body cylindrical, or compressed laterally.
Urosome elongated, not lamellarly expand-
ed. antennae and mouth parts like those
of Thalestris. Rami of 1° legs slender and
subequal - 5° legs of moderate size -
Ovisac large, pyriform.

Thalestridae - Harpacticoidae

Parathalestris affinis T. Scott ♀

— — T. Scott, 1912, p. 554: pl. 3. figs. 17-25.

— — Lang, 1936, p. 45

— —, LANG, 1948, P. 516, Pl. 212: 2 —

— RINGUELET, AMOR ET AL. 1962: 52, ARGENTINA-COAST

Habitat. South Orkneys. — Scotia Bay.

PARATHALEOCTRIS AREOLATA ITO, 1972

- ITO, 1972a: 305-311 ♀♂; FIGS. 1-4
- KITO 1977: 692-3
- MASUNARI 1988: 111

Parathalestris aurantiaca Pallares

— Pallares, 1975: 75–78, fig. 4

PARATHALESTRIS BULBISETA LANG, 1965

- Lang, 1965: 171-176, fig. 92-95, pl. III, fig. d -
-- 1972: 311
CALIFORNIA
- Knatz, 1986: passim
- MASUNARI 1988: 110
- KASK ET AL. 1982: 35, NANAIMO, BRITISH COLUMBIA

PARA THALESTRIS CALIFORNICA LANG, 1965

- Lang, 1965: 176 - 182, fig. 96-99 - CALIFORNIA
- ITO, 1972a: 311
- MASUNARI 1988: 110
- KASK ET AL. 1982: 35, NANAIMO, BRITISH COLUMBIA

Parathalestris cambriensis Wells,

--- --- Wells, 1964. pp. 455-457, fig. 2

-- MASUNARI 1988: 110

Thalestridae - Harpacticoida

Parathalestris clausii (Norman), ♂, ♀.

Thalestris — Norman, 1869, p. 297.

Parathalestris — Sars, 1905, p. III; pls. 65, 66.

— — Norman & Brady, 1909, p. 126.

— — Brady & Robertson, 1873, p. 136.

— — Wells, 1963 p. 14

Habitat. English Seas.  (Vahenca HAR.)
KERRY, ENG.

Thalestris — Brady, 1880, vol. 2, p. 128: pl. 62, figs. 1-12.

Parathalestris — T. Scott, 1906, a, p. 314.

— — i Pesta, 1921, p. 588: text-fig. K 28.

— — T. Scott, 1912, p. 553: pl. 2, figs. 15-18.

— — Klie, 1927, p. 11:

— — Lang, 1936, p. 44

— — Monard 1935a, p. 42, Roscoff, France

— —, LANG, 1948, P. 513, PL. 209:5 - 211:3 -

— —, Jespersen, 1940, p. 80. Iceland.

— —, Wells, 1970, p. 259

— —, Pesta, 1932, p. 47, fig. 48

Parathalestris clausii

card 2

P. clausii, Dolzonolskaya, 1970, p. 71, pl. XIII,
fig. 2, syn.: Thalestris c.

--, Jakobi, 1959, p. 137

--, Klie, 1941, p. 22

--, Roe, 1958: 227

--, MARCUS, 1966: 60, 61, 63; FIG. 5

--, BODIN 1970: p. 406, Tab. 3.

— Hammond, 19 — : tab. 2.

-- GEE 1987: 502-, ENGLAND (P. clausii)

-- DAHMS 1988b: 16-, FIGS., HELGOLAND

Parathalestris clausi (Norman)

card 3

-- Hicks 1980:164-, Britain

-- DAHMS 1991: 88-, FIG. 4 A, C, E, HELGOLAND, GERMANY

-- GRANDORI 1914: 165, VENICE LAGOON

-- BODIN 1964: 124-

-- APSTOLOU 1977: 10

Parathalestris clausi spectabilis Brian

1923, page 133-135, Fig. 1-8

--, Pesta, 1932, p. 47

--, Dolzonolskaya, 1970, p. 74, a syn. of Eudactylopsus

~~xxxxxx~~spectabilis

--, Vervoort, 1964, p. 163

Thalestridae - Harpacticoida

Parathalestris coatsi T. Scott, ♀

- — T. Scott, 1912, p. 553: pl. 3, figs. 7-16.
— — Lang, 1936, p. 44.
— — , Lang, 1948, p. 515, Pl. 212: 1-

Habitat. South Orkneys. - Scotia Bay

= PARATHALESTRIS Thalestridae - Harpacticoida.

Halithalestris croni (Krøyer), ♀ ①

Harpacticus Krøyer, 1849, pl. 43, fig. 3, a-n. (no text).

Thalestris serrulata Brady, 1880, vol. 2, p. 133; pl. 59, fig. 2-11. ♂

Halithalestris croni T. Scott, 1906, a, p. 314.

— — Sars, 1905, p. 118; pl. 72 - 12 figs.

— Deevay, 1952a: 91-92

Habitat. British Seas: Norway: Woods Hole.

— Willey, 1923: 318

P.-, LANG 1998: 511

— — Sharpe, 1910, p. 418: fig. 11, a-b, text.

— — Stephensen, 1913, p. 331.

— — Wilson, 1932, p. 203: fig. 134.

— — Jespersen, 1940, p. 81. Iceland.

--, Klie, 1941, p. 22

--, (= PARATHALESTES CRONI) Boxshall, 1979: 231, FIG. 14

Parathalestris croni (Kröyer)

Harpacticus croni, Kröyer, 1842, Taf. XLIII, fig. 3a-n.

Thalestris serrulata, Brady, Vol. II, p. 133: Taf. LIX, fig. 2-11

Halithalestris croni, Sars, Vol. V, p. 118: Taf. LXXII.

Parathalestris croni, Lang, 1936, p. 44

— —, HANG, 1948, P. 511, PL. 209:3-211:1-

Habitat. Norway, British Island, Cape Cod, Greenland.

— —, Wells, 1970, p. 259

—, LAEROIX-FILTEAU, 1971: 808

—, TUPITSKY, 1976: 110, 108-120, TABS. 1, 2, PARENTS SEA

--, Vervoort, 1964, p. 78

--, Boxshall, 1979: 231, FIG. 14; SYNONYMS: HARPACTICUS
CROCI, THALESTRIS SERRULATA, HALITHALESTRIS CROCI

--, Turner, 1982, p. 267

— Lacroix, 1966: 52

— Lacroix, 1961: 25

-- CITARELLA 1989: 186-, ST. LAWRENCE GULF, CANADA

-- SHIH ET AL. 1971: 53-54, CANADA- ATLANTIC;
212, ARCTIC

HALITHALESTRIS -, C.B.WILSON 1936: 372, CANADIAN ARCTIC

HALITHALESTRIS -, LEGARÉ & MACLELLAN 1960: 434,
MAINE/ NEW BRUNSWICK, USA/CANADA

Thalestridae - Harpacticoida

Parathalestris denti (Brady), ♂.

Thalestris — Brady, 1905, p. 218; pl. 6, figs 10-15.

Parat — Norman & Brady, 1909, p. 127.

Habitat. English Seas.

PARA THALESTRIIS DOLI MARCUS, 1966

- MARCUS, 1966 : 57-63 ♀ ♂, 69; FIG. 1-5.
--, ZODIN 1972: pp. 662-664, 673; Tab. 2; Pl. 2.
-- APOSTOLOV 1977: 10, FIG. 2

Parathalestris ganio Brehm, 1938
(ganlo)

1938--- page 200-206, Abb. 1-5, Abb. 6-10

—, HANG, 1948, P. 518, PL. 212:7 - CHILE

--, ITO, 1972: 311

-- DUSSART 1984: 65

-- PALLARES 1975b: 5, 16-18, PL. III FIGS. 1-12, ♀ ♂

TIERRA DEL FUEGO

Thalestridae - Harpacticoidae.

Parathalestris harpacticoides (Claus), ♀. ♂.

Thalestris — Claus, 1863, p. 133; pl. 19, figs. 2-11
— — Brady, 1880, vol. 2, p. 127; pl. 1, figs. 9-16; pl. 59, fig. 1.

Parat — Sars, 1905, p. 112; pl. 67 (harpacticoides).
— — Norman & Brady, 1909, p. 127.

— — Jespersen, 1940, p. 80. Iceland.

Habitat. English Seas; Norway; Faroes;
Bohuslän; Heligoland.

— — T. Scott, 1906, a, p. 314.

Thalestris — Boeck, 1865, p. 265, Tertif. K24
Parathalestris harpacticoide's Pesta, 1921, p. 589: ^

— — Briau, 1921, p. 75.

— — Klie, 1913, p. 15: fig. 4.

— — Stephensen, 1929, p. 5.

— — Monard, 1928, p. 342: fig. 16.

— — Klie, 1927, p. 11:

— — Lang, 1936. p. 44.

— — Monard 1935a, p. 42 (Name should be harpactoides
Roscoff, France)

— —, Noodt, 1955, p.p. 57,

— —, Lang, 1948, p. 513, Pl. 209:4-211:2-

Bresciani et Lütken 1962, p. 7-8

Parathalestris harpactoides-2

— —, Por, 1960, pg. 110

— —; Wells, 1970, p. 259

— —: Griga, 1960, p. 75, fig. 3 [nauplius].

— —, Pesta, 1932, p. 46-7, fig. 47

— —, Dolzonolskaya, 1970, p. 70, syn.: Thalestris h., pl. XIII, fig. 1

— —, Jakobi, 1959, p. 137

— —, Klie, 1941, p. 22

— —, Soyer, 1974c: 278

— —, Roe, 1958: 1235

Mil'nikova, 1968: 212

PARATHALESTRIS HARPACTOIDES (CLAUS)

3

- HARPACTICOIDES, PLESA 1963: 805

— Serban, 1959: 265-266 Romania

- HUMES, 1986: 982, 1017

- DAHMS 1988: 16-, FLOWS., HELGOLAND

-- GOMOIU 1971: 158, BLACK SEA

-- HICKS 1980: 164-, BRITAIN

-- CHISLENKO 1971: 171

- HARPACTICOIDES, GRANDORI 1914: 165, VENICE LAGOON

-- BODIN 1964: 124-

Parathalestris harpacticoides (Claus, 1863) card 4

-- Bresciani & Dahms 1994: 137-142, figs. 1-3, integument;

Helgoland (North Sea)

-- DAHMS 1992a: 227, FIG. 6 E, F, TABLE 1

-- BOER 1971: 64

-- APOSTOLOV 1977: 10

-- BRESCIANI + DAHMS 1994: 137-141, FIG. 1

-- HOSFELD + SCHMINKE 1997: 13-19, NORTH SEA

Thalestridae - Harpacticoida.

Parathalestris hibernica (Brady & Robertson), ♂, ♀.

Thalestris - B. & R., 1873, p. 135: pl. 8, figs. 17-19.

— — Brady, 1880, vol. 2, p. 134: pl. 62, figs. 13-17: pl. 63, figs. 14-15.

Parathalestris - Sars, 1905, p. 113: pl. 68.

— — Norman & Brady, 1909, p. 126.

--, Jakobi, 1959, p. 137

Habitat. English Seas.

--, Roe, 1958: 227

— — Lang, 1936, p. 44

— —, HANG, 1948, P. 514, PL. 209:6-211:4- ENG. 56A8.

— —, Wells, 1970, p. 259

— —, MARCUS, 1966: 60, 61, 63; FIG. 5

Thalestridae - Harpacticoidae

Parathalestris incerta Lang, f.

- clausi, T. Scott, 1912, p. 553; pl. 2, figs. 15-18.
— incerta, Lang, 1936, p. 44.
—, Lang, 1948, p. 517, Pl. 212:5.
— Pallas, 1968: 55-56, pl. 15, fig. 1-6

Habitat. So. Atlantic.

Thalestridae - Harpacticoida

Parathalestris intermedia Gurney, ♀♂.

-- Gurney, 1930, p. 321: figs. 1-8, text

-- Lang, 1936, p. 45

--, Lang, 1948, p. 516, Pl. 212: 3-

--, Hammond, 1968, p. 176

Habitat. Pools in sand hills. England. (NORFOLK)
FRANKREICH.

--, Chislenko, 1977: TAB. I

--, Chislenko, 1976: 94

--, Roe, 1958: 227

- , Roe, 1960: 279
--, Coffin, 1978-79, p. 593
— Mielke, 1975: 53-54, fig. 31-32
— Hochiv 1984: 319, ectoparasites Protozoa.
-- Hicks 1980: 164-, BRITAIN
-- Apostolov 1977: 10
-- Carman & Dobbs 1997: 121, TAB. I

PARAHALESTESIS IRELANDICA K. M. ROE, 1958

- K. M. ROE, 1958: 335 ♀ ♂; FIG. 1-16.
- BODIN 1968: p. 280.
- MURPHY & HOLMES 1990: 225, DUBLIN BAY, IRELAND

Thalestridae - Harpacticoida

Parathalestris jacksoni (T. Scott), ♀. ♂.

Thalestris T. Scott, 1899, c. p. 109: pl. 8, fig. 3-9.
T. Scott, 1903, p. 24¹

Parathalestris Sars, 1905, p. 114: pl. 69.
— — Lang, 1936, p. 44.

— — Lang, 1936, p. 19:
— — , Lang, 1948, p. 515, Pl. 209:7-211:5-

Habitat. Franz Josef Land: Norway Coast.
Nova Scotia, Gulf of Maine.

—, 1970: 211, 217

Parathalestris — , Bigelow, 1926. Gulf of Maine. p. 271

M. McMurrich — , McMurrich, 1917, p. 7

— — , Jespersen 1939a, p. 76; 1939b, p. 41, 57; 1940, p. 80.
Iceland

— — , Pesta, 1927, p. 49

— , Klie, 1941, p. 22

P., C. B. WILSON 1936: 372, CANADIAN ARCTIC + OFF GREENLAND

P., LEGARÉ + MACLELLAN 1960: 434, MAINE / NEW BRUNSWICK,

USA / CANADA

(2)

Parathalestris jacksoni (T. Scott)

--, Montagna & Carey, 1978, p. 119

-- SHIH ET AL. 1971: 54, CANADA- ATLANTIC;
212, ARCTIC

-- CRANDELL 1967:38-, YAQUINA BAY, OREGON

-- KASK ET AL. 1982: 35, NANAIMO, BRITISH COLUMBIA

-- CHISLENKO 1977b: 271, FRANZ JOSEF LAND

Parathalestris moureai Masunari, 1988

-- Masunari 1988: 104-112, figs. 1-5, n. sp. ♀♂, Brazil

Thalestridae - Harpacticoida

Parathalestris northumbrica N. & B. ♂.

Thalestris robusta Brady, 1905, p. 218: pl. 5, figs. 11-17

not — — Claws,

Parat- north - Norman & Brady, 1909, p. 127.

Habitat. English Seas.

Parathalestris pacificus Chislenko, 1971

-- Chislenko 1971: 165-171, Figs. 9-12, n. sp. female
only, Posslet Bay, Sea of Japan

Thalestridae - Harpacticoida

Parathalestris paraharpactoides Huang, ♀.

- harpactoides, Brady, 1910, p. 530; pl. 54, f. 5; t-fig. 20
- para—, n. sp. Huang, 1936, p. 44.
- —, HUANG, 1948-P. 516, Pl. 212: 4-
- —, MARCUS, 1966: 63

Habitat. Antarctic.

Parathalestris patagonica Pallares, 1975

—Pallares, 1975: 69–73, fig. 2.

-- PALLARES 1975b: 5, 16, TIERRA DEL FUEGO

Thalestridae - Harpacticoidae

Parathalestris perplexa (T. Scott), ♀

Dactylopusia — T. Scott, 1912, p. 558 : pl. 2. figs. 26-30.

Parathalestris — Lang, 1936, p. 44.

—, LANG, 1948, P. 518, Pl. 212 : 8.

Habitat. South Orkneys. (Scotia Bay)

Thalestridae - Harpacticocera

Parathalestris platycheles (Brady) ♀.

Dactylopus — Brady, 1903, p. 61: pl. 3, figs. 1-10

Parathalestris — Lang, 1936, p. 44

Habitat. England -

Parathalestris plumiseta Moore

- Moore 1976: 29–36, fig. 1–4
-- MASUNARI 1988: 110

PARATHALESTRIS PYGMAEA

[NOTE: THERE IS NO SUCH SPECIES?]

-- SHIH ET AL. 1971: 54, REPEATS RECORD OF
LEGARÉ + MACLELLAN (1960).

-- LEGARÉ + MACLELLAN, 1960: 439, PASSAMAQUODDY
REGION, MAINE/NEW BRUNSWICK, USA/CANADA

Halestridae - Harpalidae

Parathalestris similis Lang, ♂♀.

-- Lang, 1936, p. 46; figs. 31-35.

--, HAN, 1948, P. 518, PL. 212: 6

--, MARCUS, 1966: 63

Habitat. Antarctic. FALKLAND IS.

Parathalestris spectabilis ♀

— clausi, Brian, 1923, p. 126: pl. 4
— spectabilis, Brian, 1928^b, p. 4.

--, Vervoort, 1964, p. 163

Habitat. Italian shores.

PARATHALESTREIS VERRUCOSA ITO, 1970

- ITO, 1970 : 211-218 ♀♂ ; FIG. 1-4, JAPAN
- , ITO, 1972a : 308, 309, 311
- MASUNARI 1988: 111
- KASK ET AL. 1982: 35, NANAIMO, BRITISH COLUMBIA

Parathalestris vinosa Pallares

— Pallares, 1975: 73—75, fig. 3

Parathalestris sp.

--, BODIN 1968: p. 280.

- Michailova- Neikova, 1968: 213

-- GEE 1987: 503-, ENGLAND

-- JOHNSON, S. C. & SCHEIBLING 1986: 572, NOVA SCOTIA

- sp. #1, CRANDELL 1967: 38-, YAQUINA BAY, OREGON

- sp., JOHNSON, S. C. & SCHEIBLING 1987: 222-, NOVA SCOTIA

-- BODIN 1964: 124-, GULF OF MARSEILLES