

Pontellina synonym.

Claus, 1893.

P. gigantea ⊕

Syn. Pontella Dana, 1852, p. 1124.

Pontella Dana, 1846, p. 228.

Pontellina, Claus, 1863, p. 210

Pontellina Claus, 1893, p. 272.

not

Pontellina Dana, 1852, p. 1131.

Pontellina

Dana, 1852.

P. plumata <sup>Ⓞ</sup>

Syn. Pontellina Dana, 1852, pp. 1131, 1135.

Pontellina Giesbrecht, 1892, p. 73, 497.

Pontellina Lubbock, 1860, p. 8.

Pontellina, diminutive of Pontella.

Pontellina Giesbrecht, 1889, p. 29.

Pontella (pars) Dana, 1846, p. 228.

Pontella (pars) Dana, 1849, p. 26.

Calanops Claus, 1863, p. 211.

Head separate from thorax, often armed with 2 lateral hooks: inferior eye pedunculate, lacking the rostral lens: superior eyes lateral, sharing a single lens between them. Apical part of inferior maxps. 6-jointed.

Pontella (pars) Brady, 1883, p. 87.

Pontella (pars) Thompson, 1888, e.p., 143.

Calanops Claus, 1863, p. 211.

Pseudopontia Claus, 1892, p. 864.

Pseudopontella Claus, 1893, p. 278.

Pontellina Dana, 1852, p. 1131.

= pars Pontellina, pars Monops, pars Labidocera

Pontellina Lubbock, 1860, p. 8.

= pars Pontellina, pars Monops, pars Labidocera

Pontellina Lubbock, 1857, p. 407.

= Parapontella.

Pontellina Claus, 1863, p. 210: Czerniavsky,  
1868, p. 55; Grebnitzky, 1874, p. 242.

= Pontella.

Pontellina Streets, 1877, p. 140

= Labidocera.

Pontellina Canu, 1888, p. 102  
= Pontella.

(Giesbrecht, 1892, p. 698-699)  
Pontellina Giesb. & Schmeil, 1898, p. 149.

Pontellina DANA, 1852

superspecies, Fleminger, 1972: 86

--, FLEMINGER & HULSEMAN: 1974: 70-71

--, DANA 1846: 228.

--, Moore & Sander, 1976, p. 594-595, tbl. 3 for species

--, NISHIDA, 1984: 38

- ARCOS & FLEMINGER 1986: 170

- FLEMINGER 1986: 94

- MAUCHLINE 1988: 715, PORE SIGNATURE

Pontellidae - Calanoidae,

Pontellina acuta Dana, ♀.

-- Dana, 1852, p. 1150: pl. 80, fig. 12, a-c.

Pontella acuta Dana, 1849, a, p. 30,

A synonym of Leabidocera acuta.

(Giesbrecht, 1892, p. 445).

Habitat. East Indies.

Pontellidae - Calanocida.  
Pontellina acutifrons Dana, ♂.

— — Dana, 1852, p. 1149; pl. 80, f. 11, a-h.

Pontella acutifrons Dana, 1849, a, p. 30

A synonym of Labidocera acutifrons.

(Giesbrecht, 1892, p. 445).

Habitat. Tropical Pacific.

--, (= LABIDOCERA ACUTIFRONS) VERWORT, 1965: 187-189

Pontellidae - Calanoida,  
Pontellina agilis Dana, ♀.

— — Dana, 1852, p. 1147; pl. 80, fo. 10, a-e.  
Pontella agilis Dana, 1849, a, p. 30.

A synonym of Labidocera sp.  
(Giesbrecht, 1892, p. 446).

Habitat. Tropical Atlantic.

Pontellidae - Calanoida.

Pontellina bairdii Tubbock, ♀.

— — Tubbock, 1860, p. 8.

A synonym of Loabidocera acutifrons.  
(Giesbrecht, 1892, p. 445).

Pontellina brevicornis Lubbock, ♀, ♂.

— — Lubbock, 1857, p. 407: pl. 11.

— — Norman, 1868, p. 299.

A synonym of Parapontella brevicornis.  
(Giesbrecht, 1892, p. 501).

Pontellidae - Calanoida.

Pontellina chierchiai Claus, ♂ & ♀.

— — Claus, 1893, p. 274.

A synonym of Pontella chierchiai.  
(Giesb. & Schmeil, 1898, p. 143).

Pontellidae - Calappa  
Pontellina contracta (Dana), ♀

— Dana, 1852, p. 1139; pl. 80. f. 2, a-c; f. 3.  
Pontella c — Dana, 1849, a. p. 28,

Referred to Monops, sp. undetermined,  
(Giesbrecht, 1892, p. 487).

Habitat. Tropical Atlantic,

Pontellidae - Calanoida,  
Pontellina crispata (Dana), ♀,

Pontella c - Dana, 1849, a, p, 29,

Pontellina c - Dana, 1852, p 1142: pl, 80, f, 6, a-3,

Referred to Labidocera, sp. undetermined.

(Giesbrecht, 1892, p, 446).

Habitat. Tropical Pacific and Tropical  
Atlantic,

Pontellidae - Calanoidea.

Pontellina curta (Dana). ♀.

*Pontella curta* Dana, 1849, p. 28

*Pontellina c.* - Dana, 1852, p. 1138: pl. 80, f. 1, a-b.

A synonym of Pontellopsis curta,  
(Stebbing, 1910, p. 541).

Referred to Monops sp. undetermined  
(Giesbrecht, 1892, p. 487).

Pontellidae - Calanoida.

Pontellina curticornis Dana, ♀.

— — Dana, 1852, p. 1140: pl. 80.

Referred to Monops, sp. undetermined,  
(Giesbrecht, 1892, p. 487).

Pontellidae - Calanoida,

Pontellina (Ivellina) danae, Claus

Pontella - Giesbrecht, 1888, c. p. 28.

Pontellina - Claus, 1893, p. 274

(Changed back to Pontella  
Giesb. & Schmeil, 1898, p. 143)

Pontellina detruncata (Dana), ♀.  
Pontellinae - Calanoida.

— — Dana, 1852, p. 1143: pl. 80, f. 7, a-i.

— — Streets, 1877, p. 140.

Pontella d - Dana, 1849, a, p. 29.

A synonym of Labidocera detruncatum.  
(Giesbrecht, 1892, p. 445).

Pontellidae - Calanoida.

Pontellina elegans Claus, ♂.

— — Claus, 1892, p. 857.

— (Iva) — Claus, 1893, p. 246: pl. 5. f. 1-4.

A synonym of Pontella elegans.  
(Giesb. & Schmeil, 1898, p. 144).

Pontellidae - Calanoida.

Pontellina emerita Dana, ♀.

— — Dana, 1852, p. 1153; pl. 80, f. 14, a-b.

Pontella emerita Dana, 1849, a, p. 31.

Referred to Monops, sp. undetermined.  
(Giesbrecht, 1892, p. 487).

Habitat. Cape of Good Hope.

Pontellidae - Calanoida.

Pontellina (Eupontellina) fera Claus, ♂.♀.

— — Claus, 1893. p. 273.

A synonym of Pontella fera.  
(Giesb. & Schmeil, 1898. p. 144).

Pontellidae - Calanoida.

Pontellina exigua Dana, ♀.

— — Dana, 1852, p. 1146; pl. 80, f. 9, a-b.

Pontella exigua Dana, 1849, a, p. 30

Referred to Labidocera, sp. undetermined.  
(Giesbrecht, 1892, p. 446).

Habitat. Tropical Atlantic.

Calanoida

Pontellina gigantea Claus, ♂.♀.

— — Claus, 1863, p. 210: pl. 37

— — Carus, 1885, p. 340.

A synonym of Pontella atlantica.  
(Giesbrecht, 1892, p. 461).

Habitat. Mediterranean.

--, (= PONTELLA ATLANTICA) VERVOORT, 1965: 175-176

Pontellidae - Calanoida.

Pontellina lobiancoi Canu. ♀.

--- Canu, 1888, p. 102: pl. 8 and 9.

--- Claus, 1893, p. 273.

A synonym of Pontella lobiancoi.

(Giesbrecht, 1892, p. 461).

---, Hure & Scotto di Carlo, 1968, p. 61.

---, (= PONTELLA LOBIANCOI), VERVOORT, 1965: 186

Pontellidae - Calanoida.

Pontellina magna (Tubbock).

Labidocera — Tubbock, 1853, p. 208: pl. 7 & 10.

Pontellina — Claus, 1893, p. 273.

Pontella magna Brady, 1883, p. 96.

Pontella atlantica Giesbrecht, 1889, c. p. 27

Habitat Atlantic Ocean.

--, (= PONTELLA ATLANTICA) VERVOORT, 1965: 175-176

Pontellidae - Calanoida,

Pontellina media (Dana) ♀.

— — Dana, 1852, p. 1141; pl. 80, f. 5, a-b,

Pontella m. — Dana, 1849, a. p. 29,

Referred to Tabidocera, sp. undetermined.  
(Giesbrecht, 1892, p. 446).

Habitat. Sulu Sea.

— —, Grice & Marcus, 1951, passim

Pontellidae — Calanoida

Pontellina mediterranea Claus, ♂-♀.

pl. 36, f. 11-12

— — Claus, 1863, p. 211: pl. 2, f. 8-10; pl. 3, f. 8: 1

— — Carus, 1885, p. 340.

Pontella — T. Scott, 1894, p. 86.

Pontellina — Ostroumoff, 1894, p. 369, 415.

Habitat. Mediterranean.

A synonym of Pontella mediterranea.  
(Giesbrecht, 1892, p. 461).

- Grebnitzky, 1874, p. 242.  
— Thompson, 1888, c, p. 143: pl. 7.  
— Claus, 1893, p. 273.  
—, CRISAFI et al. 1973: 105, 106, 111.  
—, Grice & Marcus, 1981, *passim*

Pontellidae - Calanoida

Pontellina mediterranea

var. jaltensis Czerniavsky, ♀.

— — — Czerniavsky, 1868, p. 55: pl. 3.

A synonym of Pontella mediterranea.  
(Giesbrecht, 1892, p. 461).

PONTELLINA MORII FLEMINGER, & HOLSEMANN, 1974

-- FLEMINGER & HOLSEMANN, 1974: 79-84 ♀♂, 86, 89, 92, 93, 95, 96, 97, 99, 100, 103, 104, 106, 109, 111, 112, 113, 115, 116; FIGS. 9-12, 17-33, 36, 38, 39; TABS. 1, 2, 4-14, 16, 17, 19, 20; SYN: P. PLUMATA, MORI, 1937

-- GREENWOOD, 1929: 94, 107; FIG. 7 SYN: P. PLUMATA, DAKIN & COLEFAX, 1940

-- HOLSEMANN & FLEMINGER, 1975: 174, 179, 178, 182; FIGS. 4, 6, 7, 13, 14, 20, 21

— MATSUO & MARUMO 1982: 89, 93-96

PONTELLINA MORII FLEMINGER & HULSEMANN CARD 2  
-- MADHUPRATAP & HARIDAS, 1986: 109, 115 - INDIAN OCEAN  
— Greenwood, 1982b: table 3  
-- SHIH 1986: 108-

Pontellina navalium L. Oliveira, 1946

--, Bjornberg, 1963: 59, 60 (a-synonym of ~~♀~~  
Labidocera fluviatilis)

--, (= PONTSELLINA PLUMATA) VERBOORT, 1965: 190-191

— de Oliveira, 1946: 472-474, fig. 12

Pontellidae - Calanoidae.

Pontellina patagoniensis (Tubbock).

Ivella <sup>Tubbock</sup> 1853b. p. 208: pl. 7 & 10.

Pontellina - Claus, 1893, p. 274.

Pontellidae - Calanoida.

Pontellina perspicax Dana, ♀.

— — Dana, 1852, p. 1155: pl. 81, f. 2, a-d.

Pontella perspicax Dana, 1849, a, p. 32,

Pontellina — Tubbock, 1860, p. 8

A synonym of Monops perspicax.  
(Giesbrecht, 1892, p. 486).

Changed to Pontellopsis perspicax.  
(Giesb. & Schmeil, 1898, p. 147).

--, (= PONTELLOPSIS PERSPICAX) VERVOORT, 1965: 192-193

①

PONTELLINA PLATYCHELA FLEMINGER & HULSEMANN,  
1974

-- FLEMINGER & HULSEMANN, 1974: 75-79 ♀♂, 82, 92, 95,  
96, 97, 99, 100, 103, 104, 109, 111, 112, 115, 116; FIGS. 6-8,  
18, 19, 23-33, 36; TAB. 1, 4-14, 17, 19-20; ATLANTIC OC.  
WARM WATERS

-- HULSEMANN & FLEMINGER, 1975: 174, 178, 179, 182; FIG. 5,  
15, 18, 19

-- Hulsemann, 1984: 254

-- Turner & Collard, 1980: 526-529, OFF FLORIDA -  
GULF COAST

-- Bjornberg, 1981: 659, fig. 222 #10

PONTELLINA PLATYCHELA FLEMINGER + HULSEMANN CARPZ

--, MADHUPRATAP + HARIDAS, 1986:115

-- SHIH 1986:108-

-- REID 1990g:190

Pontellina plumata (Dana), ♀

PONTELLA -, DANA 1849: 27

Pontellina Dana, 1852, p. 1135: pl. 79, f. 10, a-d.

Pontellina Cleve, 1900, p. 142; 1904, p. 195; 1901,

— — T. Scott, 1894, p. 88.

p. 8

— — Giesbrecht & Schmeil, 1898, p. 149.

PONTELLA -, BRADY 1883: 92-, PL. 37 FIGS. 1-11

Habitat. Gulf of Guinea; Tropical  
Atlantic; Mediterranean; Tropical  
Pacific.

Pseudopontella -, CLAUS 1893: 278

*Pontella plumata* Dana, 1849, p. 27.

*Pontella turgida* Dana, 1849, p. 28.

*Pontellina* t — Dana, 1853, p. 1136: pl. 79, fig. 11, a, b, 12, a, b

*Pontellina plumata* Stebbing, 1910, p. 541.

— — Thompson & Scott, 1903, p. 253.

— — Giesbrecht, 1895, p. 260: 1889.c, p. 29.

— — Giesbrecht, 1892, p. 497: pl. 4, 25, 40.

— *turgida* Tubbock, 1860, p. 8.

*Calanops messinensis* Claus, 1863, p. 213: pl. 2, 3, 6, 11

*Pontella plumata* Brady, 1883, p. 92: pl. 37.

~~*Pontella*~~ Thompson, 1888.c, p. 143., 1900: 283

*Pontellina* — Giesbrecht, 1889.c, p. 29.

Matoda and Anraku 1955 p. 212 Izu Is.

— — MORI, 1937, P. 100 JAPAN.

Pontellanna

P. plumata (2)

- — A. Scott, 1902, p. 408; 1909, p. 175.
- — Cleve, 1901, p. 8; 1903, p. 367; 1904, p. 195.
- — Wolfenden, 1905, p. 1022; 1911, p. 362.
- — Sewell, 1912, p. 354; 1914, p. 240.
- — T. Scott, 1912, p. 539.
- — Farran, 1929, p. 280.
- — Rose, 1929, p. 46.
- — Cleve, 1900, p. 82.
- — Wilson, 1932, p. 156 : fig. 106. 1942, p. 204, f. 106
- — , Sherman, 1964 pp. 476-484
- — , Owre, 1962

- — Sewell 1932, p. 391  
— —, " 1947. P. 251, N. ARABIAN SEA AREA.  
— —, Chiba, 1956, p. 61, fig. 57A-B.  
— —, Krishnaswamy, 1956, p. 457-8. Madras.  
— —, Chiba, Tsuruta, + Maéda, 1955. Bikini.  
— —, Cervigon, 1962. p. 185  
— —, A. G. Fish, 1962. p. 19  
— —, Decker, 1964. p. 24 South Africa  
— —, Grice, 1962. p. 240, pl. 34, fig. 11-15  
— —, Heinrich, 1961. p. 89 (vertical distribution)  
— —, Heinrich, 1964  
— —, Brodsky, 1964. p. 147, fig. 47  
— —, Colton et al, 1962. p. 168

P. plumata (3)

PONTSELLINA

-- -- Park, 1968, pp. 527-572.

-- --, Saráswathý, 1967, p. 84

-- --; Park, 1970, p. 478.

P. plumatus; Stebbing, 1922, Goteborgs Kungl. Vet. Handl. 25(2):12

--, Heinrich, 1960, p. 3

-- --, Chiba, 1956, p. 61, fig. 57

--, Corral, 1970, pp. 204-5, pl. 5h

--, DeDecker, 1962, p. 11A

--, Heinrich, 1960, p. 1, 3, 5, 6

--, Bjornberg, 1963: 9, 61, 104/2 Tables, 123 table 17, 128

- Chen, 1980: table 1
- , Roehr & Moore, 1965, p. 566-
- , Brodsky, 1972, p. 256
- , Fleminger and Hulseman, 1973, pp. 342-343.
- , Voronina, 1962, p. 68, 70
- , Bowman, 1971, p. 6 -
- , Björnberg, 1971, p. 349
- , Roe, 1972a, pp. 300-
- , Vives, 1972, p. 224.
- , Furuhashi, 1961: 108
- , MOORE & SANDER, 1979: 200
- , VERVOORT, 1965: 190-191 SYNONYMS: PONTELLA PLUMATA,  
PONTELLA TURGIDA, CALANOPS MESSINENSIS, PONTELLINA  
NAVALIUM
- , TANAKA, 1964a: 270-271 ♀ ♂

PONTELLINA PLUMATA

CARD 4

- , TURNER, ET AL., 1979: 292, 294; TAB. 2, 3
- , FLEMINGER + HOLSEMAN, 1974: 63, 70, 71-75, 76, 78, 79, 81, 82,  
84, 86, 89-91, 92, 93, 95, 96, 97, 99, 100, 103, 104, 105, 106, 109, 111,  
112, 113, 115, 116; FIGS. 3-5, 17-33, 35, 37-39; TAB. 1, 2, 4-14,  
16, 17, 19, 20; SYN: PONTELLA P.; PONTELLA TURGIDA;  
PONTELLINA TURGIDA; CALANOPSIS MESSINENSIS; PONTELL-  
OPSIS SPECIOSUS; PONTELLOPSIS AEGUALIS
- , HOLSEMAN + FLEMINGER, 1975: 174, 178, 179, 182; FIG. 8, 10, 11, 16,  
17, 24, 25, 27-30

- , FLEMINGER, 1975: TAB. 1
- , BAINBRIDGE, 1972: 73
- , STEPANJANTS, 1977: 78, 84, 93; TAB. 1, 3, 6
- , DEEVEY, 1971: TAB. 3
- , BINET & DESSIER, 1971: 438-439, 456.
- , BINET, ET AL., 1972: 133, 136
- , OWREN & FOYO, 1964b: 360, 367
- , OWREN & FOYO, 1972: TAB. 3
- , Binet & Dessier, 1968: 8, OFF MADAGASCAR
- , CAKEF & GRICE (UNPUBL.) IN KETCHUM & RUTHER  
1966 (UNPUBL.): APPENDIX
- , EVANS, 1961: 199; TAB. III

Pontellina plumata (DANA)

card 5

- , Neto & Paiva, 1981, p. 47-48
- , Madhupratap, et al, 1977: 461.3.
- , Madhupratap, et al, 1981: 266-267
- , Sreekumaran, et al, 1981: Passim
- , Mori, 1942: 555
- , MATSUO & MARUMO, 1982: 91, 93
- MASSUTI' & NAVARRO 1950: 20.
- TRANTER 1977: 593-625.
- SANDER & MOORE 1978: 233

Pontellina plumata (Dana)

card 6

-- Youngbluth 1979: 23, Caribbean

-- GOSWAMI 1983: 252, INDIA; 256-257

-- GRICE & HART 1962a: 295, W. NORTH ATLANTIC

-- GRICE & HART 1962b: TABLE 3

— Dakin & Coletax, 1940: 99, fig. 139a-b.

— Turner & Collard, 1980: 526-529

— Tanaka, 1965a: 35, fig. 3a-c

— Bjornberg, 1981: 659, fig. 222 #9

— Devey & Brooks, 1977: 265

— De Decker, 1984: 317

PONTELLINA PLUMATA (DANA) 1849

CARD 7

--, MADHUPRATAP & HARIDAS, 1986: 109, 112, 115-116,

INDIAN OCEAN

-- HURE, 1955: 35

PONTELLA -, SAZHINA 1975: 80

-- KIMMERER, et al, 1985: table 4 Australia

-- REGNER 1987: 374-, ADRIATIC

-- MAUHLING 1988: 715, FIG. 8 F, PORE SIGNATURE

-- KIORTSIS ET AL. 1969: 38-, AEGEAN

-- DAMSTEDT 1986: 11-

Pontellina plumata (Dana, 1849)

card 8

- Le Borgne 1986: 111-
- SMITH 1986: 108-
- Soldevilla, et al 1988: 60 Canary Islands
- DESSIER & DONGUY 1987: 14, 397-, EASTERN EQUATORIAL PACIFIC
- CUMMINGS 1982: 33-, GULF OF MEXICO
- JIMENEZ-PEREZ & LARA-LARA 1988: 126-, GULF OF CALIFORNIA
- SUAREZ, E. & GASCA 1989a: 198, YUCATAN CHANNEL

Pontellina plumata (Dana, 1849)

card 9

- Suárez, E. & Gasca 1990:62-, Quintana Roo, Mexico
- GRANT 1977:4-9-, OFF NEW JERSEY
- COPLEY ET AL. 1989:13-, NW ATLANTIC
- SHIH ET AL. 1971:44, CANADA-ATLANTIC
- LAKKIS 1984:290-, E. MEDITERRANEAN
- SUÁREZ, E. ET AL. 1990:126-, W. GULF OF MEXICO
- REID 1990g:190; SYN. P. PLUMIFERA AUCTORUM.
- SUÁREZ M., E. 1992:151-, W. GULF OF MEXICO
- PONTELLINA-, SUÁREZ & GASCA 1991:596-, GULF OF MEXICO

PONTHELLINA PLUMATA (DANA, 1849)

10

-- OKEMWA + REVIS 1986: 31, TAB. 1, KENYA COAST

P. --, ROSE 1927: 146, OFF ALGERIA

-- ROSE 1934: 64-81, " "

PONTELLA --, MORRIS 1970: 2301

PONTELLA --, MOORE + SANDER 1979: 200

PONTELLA --, SAZHINA 1975: 80

PONTELLINA --, ALVAREZ-SILVA 1996: 19, TAB. 2, MEXICO

Pontellina plumifera

-- Youngbluth 1979: 23, Caribbean

Pontellina pontica Kritchagin

— Kritchagin, 1873: 422-424. pl. 11, fig. 5, 6, 20

Pontellidae - Laracidae

Pontellina princeps (Dana).

Pontella — Dana, 1849, p. 34.

— — Dana, 1852, p. 1168: pl. 82, f. 4, a-c.

— — Giesbrecht, 1889, c. p. 27

Pontellina — Claus, 1893, p. 273.

Habitat Ceylon - Pacific Ocean

Pontellidae - Calanoida.

Pontellina protensa Dana, ♂,

— — Dana, 1852, p. 1159; pl. 81, f. 5, a-b,

Pontella protensa Dana, 1849, a, p. 32.

Referred to Monops, sp. undetermined.

(Giesbrecht, 1892, p. 487).

Habitat. Banca & Sunda Straits, Sumatra.

Changed to Pontellopsis protensa.  
(Giesb. & Schmeil, 1898, p. 149).

Pontellidae - Calanoida,  
Pontellina pulchra Dana, ♀.

— — Dana, 1852, p. 1157; pl. 81. f. 3, a-e.

A synonym of Monops perspicax.  
(Giesbrecht, 1892, p. 486).

Changed to Pontellopsis perspicax.  
(Giesb. & Schmeil, 1898, p. 147).

--, (= PONTELLOPSIS PERSPICAX) VERVOORT, 1965: 192-193

Pontellidae - Calanoida,  
Pontellina regalis Dana, ♂. ♀.

-- Dana, 1852, p. 1154: pl. 81, fig. 1, a-b.

Monops -- Wheeler, 1901, p. 182: text fig. 19, a-c.

Pontellopsis -- Sharpe, 1910, pp. 407, 413,

Pontellina -- Fowler, 1912, p. 491.

-- (= PONTELLOPSIS REGALIS) VERVOORT, 1965: 193-194

Habitat. Gulf Stream.

*Pontella regalis*, Dana, 1849, a, p. 31.

A synonym of *Monops regalis*.  
(Giesbrecht, 1892, p. 486).

changed to *Pontellopsis regalis*.  
(Giesb. & Schmeil, 1898, p. 147).

Pontellidae —  
Pontellina rubescens Dana, ♀.

— — Dana, 1852, p. 1152; pl. 78, f. 13, a-b.  
Pontella rubescens Dana, 1849, a, p. 31.

Referred to Monops, sp. undetermined.  
(Giesbrecht, 1892, p. 487).

Habitat. Samoan Islands.

Changed to Pontellopsis rubescens.  
(Giesb. & Schmeil, 1898, p. 149).

Pontellidae - Calanoida.

Pontellina (Ivellina) securifer Claus, ♂♀.

— — Claus, 1893, p. 274: pl. 5, f. 6.

A synonym of Pontella securifer.  
(Giesb. & Schmeil, 1898, p. 142).

--, (= PONTELLA SECURIFER) VERVOORT, 1965: 186-187

— ~~Bjornberg, 1981: 660, fig. 222 #3~~

Pontellidae - Calanoidae.  
Pontellina simplex (Dana), ♀.

— — Dana, 1852, p. 1145, pl. 80, f. 8, a-b,

Pontella s - Dana, 1849, a, p. 29,

Referred to Toabidocera, sp. undetermined.

(Giesbrecht, 1892, p. 446).

Habitat. Pacific near New Zealand,

PONTELLINA SOBRINA FLEMINGER & HOLSEMAN, 1974

-- FLEMINGER & HOLSEMAN, 1974: 84-86 ♀♂, 92, 95,  
96, 97, 99, 100, 103, 104, 106, 109, 111, 112, 115, 116; FIGS  
13-15, 17-19, 23-32, 34, 36; TAB 1, 2, 4-14, 16, 17,  
19, 20

-- HOLSEMAN & FLEMINGER, 1975: 174, 178, 179, 182 S FIGS.  
9, 12, 22, 23, 26

-- MADHUPRATAP & HARIDAS, 1986: 115

-- SHIH 1986: 108-

Pontellidae - Calanoidae,  
Pontellina strenua Dana, ♂.

— Dana, 1852, p. 1158: pl. 81, f. 4, a-d.

Pontella strenua Dana, 1849, a, p. 32.

A synonym of Monops strenuus.

(Giesbrecht, 1892, p. 486).

Changed to Pontellopsis strenua.

(Giesb. & Schmeil, 1898, p. 147).

Pontellidae - Calanoidea.  
Pontellina tenuiremis Claus, ♀

— — Claus, 1893, p. 273

A synonym of Pontella tenuiremis.  
(Giesb. & Schmeil, 1898, p. 144).

Pontellidae - Calanoida

Pontellina turgida (Dana) ♀.

Pontella t - Dana, 1849, p. 28.

Pontellina t - Dana, 1853, p. 1136 pl. 79, f. 11, a-b, 12, a-b,

— — Lubbock, 1860, p. 8.

A synonym of Pontellina plumata.

(Stebbing, 1910, p. 541).

(Giesbrecht, 1892, p. 497)

Pontellina sp.

- , Fleminger, 1967, p. 30
- , Shushkina & Vilenkin, 1971, p. 187-
- , Ostapenya & Shushkina, 1971, p. 194
- , TURVER, ET AL., 1979 : 29f
- , HOLSEMAN & FLEMINGER, 1975: FIG. 1-3
- MICHEL & HERRING 1984: 328-, ARABIAN GULF