

n)

Asterocheridae - Cyclopora.
Siphonostomata

Pontoeciella

Giesbrecht, 1895. P. abyssicola.

Syn. Antotroqus (pars), Th. Scott, 1893.

Pontoeciella Giesbrecht, 1895, p. 186.

Pontoeciella Giesbrecht, 1899, p. 20.

anterior margin projecting; post! body elongate - gen. sept. but little widened. Furca pointed ventrally, of the usual form. End joint of 1^o ant! long - End claw of 2^o mx bent into a knee shape - Re of swimming legs with less than 3 outer spines and with long terminal saws. Re 3 with 4, 4, 3, 3 plumose setae Ri. 3 with 6, 6, 5, 4 spines - Apical portion of Ri. 3 of 3^o and 4^o legs saw like.

Pontoeciellidae; Siphonostomatoida

PONTOECIELLA GIESBRECHT, 1895

(2)

- BOXSHALL 1986b: 176

- BOXSHALL 1986 (IN KABATA-ED.): 202 → IN

Schriever, Schminke & Shih:

- Boxshall 1979: 240 diagnosis

Asterocheridae — Cyclopoda.

Pontoeciella abyssicola (T. Scott). ♀.

Artotrogus — T. Scott, 1893, ⁴p. 128: pls. 12, 14.

Pontoeciella — Giesbrecht, 1895, p. 186.

— — Steyer, 1910, p. 1037 (33).

— — Giesbrecht, 1897, p. 7 (sep.).

— — Deevy & Brooks, 1977: 266

Habitat. Adriatic.

— Saraswathy, 1982: 636-638

— — KIORTSIS ET AL. 1969: 38, AEGEAN

(see back)

— — Giesbrecht, 1899, p. 20: pl. 5. figs. 15-27.

— — Farran 1936, p. 125, fig. 24 ♀ ♂

— — , Heron & Damkaer¹⁹⁶⁹, pp. 22-23, figs. 27-28 - GULF
OF
ALASKA

— —, Saraswathy, 1967, p. 89

— —, Hure & Scotto di Carlo, 1968, p. 67.

--, Boxshall, 1979: 242, 259, FIG. 18; SYNONYMS: ARTOTROGUS
ABYSSICOLUS, CARNEGIELLA GRACILIS, DANOIDES
PLUMATA, D. PANIKKARI

--, Scotto di Carlo, et al., 1975: TAB. 1

-- Boxshall 1986: 162, FIG. 1B

Pontoeciella abyssicola (T. Scott)

card 2

-- Böttger-Schnack 1988: 313-, Red Sea

-- BÖTTGER 1985: 123-, RED SEA

-- BÖTTGER-SCHNACK 1997: 410-, TAB. 86, F. MEDITERRANEAN

Pontoeciella sp.

--, Furuhashi, 1966: 307

73.

34