

POECILOSTOMATOIDEA

Pseudanthessiidae

key, Humes & Stock, 1972, p. 131

- Stock 1986: 184

- Gotto 1993: 108, DIAGNOSIS, KEY

in)

Lichomolgidae - Cyclopoida.

Pseudanthessius valid

Claus, 1889.

P. gracilis.^(M.)

Syn. Pseudanthessius Claus, 1889, p. 344.
Pseudanthessius G.O. Sars, 1917, p. 166.

Pseudo and Anthessius.

Body Cyclopoid; 1st. thorax seg't. fused with the head; 1st. abdomen seg't. fused with 2nd. in ♀; joints of 1st. antennae elongate, not bent; 2nd. pair 4-jointed, elongate, 2nd. joint longer, 3rd. joint shorter, tipped with 3 or 4 spines & setae. Upper lip deeply cut at center, its lobes covering mandibles, which are toothed on inner margin and have a spine at the end. Exopod of second mx. 2-jointed. Endopod of 4th. legs elongate and simple; 5th. legs without joints, the usual two being fused.

Pseudanthessiidae: Poecilostomatoida

F Pseudanthessius

- , Humes & Ho, 1966, p. 10

6_, key, Stock , Humes & Gooding, 1964, p. 1113

- , Stock, 1967, p. 232

- REDDIAH 1968: 193-194

- GOTTO 1993: 110-, DIAGNOSIS, KEY

Pseudanthessius aestheticus ~~sp.~~, Stock, Humes & Gooding
196~~7~~

-- -- Stock, Humes & Gooding, 196~~7~~⁴, pp23-34, fig. 6-8

--, Humes & Ho, 1970, p. 15

Pseudanthessius agilis Unnarkutty, 1962

--, Stock, Humes & Gooding, 1963, p. 10, = P. luculentis

-- Unnarkutty 1966d: 314-315, syn. of
P. LUCULENTIS HUMES & CRESSAY

Pseudanthessius angularis Humes & Ho, 1970

--, Humes, 1972, p. 379

nsp., Humes & Ho, 1970, pp. 12-15, figs. 52-66

-- HUMES 1972:106

Pseudanthessius anormalus ~~new sp.~~ Ummerkutty, 1966

-- -- Ummerkutty, 1966, pp. 107-113.

--, Humes, 1972, p. 379

--, Humes & Ho, 1970, p. 15

Trichomolgidae - Cyclopoida.

Pseudanthesius assimilis G.O.Sars, ♂.♀.

— Sars, 1917, p. 170; pl. 95.

— Ummerkutty, 1961, pp. 19-69.

—, Humes & Ho, 1970, p. 15

—, Stock, Humes & Gooding, 1967, p. 12

Host, Outside surface of Echinus elegans.

Norway.

Pseudanthessius brevicauda ~~xxxxxx~~^{SP} Ummerkutty, 1966

--- --- Ummerkutty, 1966, pp. 107-113.

---, Humes & Ho, 1970, p. 15

Ichomolgidae - Cyclopoida.

Pseudanthessius chelifer Thompson & Scott, ♀.

— — Thompson & Scott, 1903, p. 277: pl. 14, fig. 12-18.

— , Vervoort, 1964, p. 46, 47

Habitat. Pearl banks, Ceylon.

Pseudanthessius comanthi Humes, 1972

n. sp., Humes, 1972, pp. 373-380, 4 figs.

-- HUMES 1987 b: 63, 104, RECORDS - CORANTHUS
BENNETTI + C. SAMOANUS, PHILIPPINES,
AUSTRALIA, MOLUCCAS; 106

Lichomolgidae - Cyclopoida.

Pseudanthessius concinnus Thompson & Scott, ♀.

— — Thompson & Scott, 1903, p. 277, pl. 14, fig. 24-30.

— — Ummerkutty, 1961, pp. 19-69.

— , Stock, Humes & Gooding, 1967, p. 32, 13

Habitat. General washings, Ceylon.

Pseudanthesius deficiens Stock, Humes & Gooding,
196~~4~~

-- -- Stock, Humes & Geoding, 196~~4~~⁷, pp. 45-57, fig. 13-19

--, Humes & Hendler, 1972, p. 539 (date is 1964)

--, Humes & Ho, 1966, p. 10

--, Humes & Ho, 1970, p. 15

--, Humes, 1978, p. 242

--, Humes, 1980, p. 93

-- HUMES 1995a: 82

Lichomolgidae - Cyclopoida.

Pseudanthesius dubius G.O. Sars, ♀.

— — Sars, 1918, p. 214: pl. 117.

— — Ummerkutty, 1961, pp. 19-69.

— , Humes & Ho, 1966, p. 10

— , Humes & Ho, 1970, p. 15

Habitat. Norway Coast.

--, Stock, Humes & Gooding, 1967, p. 56, 13

PSEUDANTHESSIUS EXILICORNIS STOCK + HUMES, 1995

-- STOCK + HUMES 1995: 26-34, FIGS. 1-4, N. sp.,
CURAÇAO, EX ECHINOID MEOMA VENTRICOSA

O.D.

Pseudanthessius faouzii Steuer 1940.
Not. Ist. Biolog. Rouighi, 2(17): 21-24, figs. 9-14.

♂ only. Dredged. Near Alexandria.

Pseudanthessius ferox Humes & Ho, 1967

-- Humes and Ho, 1967, p. 382

--, Humes, 1972, p. 379

--, Humes & Ho, 1970, p. 15

Pseudanthessius foliatus Stock, 1967

--, Humes, 1972, p. 379

--, Humes & Ho, 1970, p. 15

Redescribed as Senariellus foliatus by Humes, 1977, p. 13

--, Stock, 1967c, p. 235 - 238, figs. 1-3

-- Stock + Humes 1995: 32

Lichomolgidae - Cyclopoida

Pseudanthessius fuciculus T. Scott, ♂♀.

— T. Scott, 1912, p. 571: pl. 12. figs. 1-13.

Habitat. On Gulf-weed, North Atlantic.

Pseudanthessius gracilioides Sewell

1949---Sewell, R.B. Seymour, pp. 123-125, text-fig.
34, A-F.

--, Humes & Ho, 1970, p. 15

--, Stock, Humes & Gooding, 196⁴, p. 19

Lichomolgidae - Eucyprididae

Pseudanthessius gracilis Claus, ♀

- — Claus, 1889, p. 18: pl. 4, figs. 1-7.
— — Sars, 1917, p. 167: pl. 93.
— — T. & A. Scott, 1893, p. 241: pl. 12, figs. 15-20
— — T. Scott, 1906, b. p. 353.

—, Humes & Ho, 1970, p. 15

Host. British Isles: Mediterranean: Ceylon:
Fiji - Norway:

— Hamond, 1973, p. 345.

— — Thompson & Scott, 1903, p 276; pl. 14. fig. 19-23

— — , Bocquet et al, 1963. p. 38

— — Ummerkutty, 1961, pp. 19-69.

— — , Saraswathy, 1967, p. 101

— — , Stock, Humes & Gooding, 1967, p. 13

— — , Humes & Stock, 1972, p. 131

— Stock & Weinberg, 1985: 94-96, figs 22-28.

— Götto 1993: 110-, FIG. 258-E

— Humes 1983: 21, IRELAND

Pseudanthessius implanus, n. sp.

--, Humes, 1977, p. 26-32, figs. 17a-p, 18a-e, 19a-e

Lichomolgidae-Cyclopoida

Pseudanthessius latus Illg

Illg 1950, pp. 130-133, fig. 1 - CALIFORNIA

Humes & Ho, 1970, p. 15

--, Stock, Humes & Gooding, 1967, p. 45, 13

Lichomolgidae - Cyclopoida.

Pseudanthessius liber (G.S. Brady), ♂. ♀.

Lichomolgas — Brady & Robertson, 1875, p. 197.

— — Brady, 1880, vol. 3, p. 44 : pl. 86, figs. 1-13.

Pseudanthessius — Norman & Brady, 1909, p. 152.

— — Sars, 1917, p. 169 : pl. 94 : 1916, p. 3.

— , Humes & Ho, 1970, p. 15

Host. Echinus sphaera + Strongylocentrotus
dröbachiensis, outside surface = also free.

English Seas.

- — T. Scott, 1902, b, p. 470.
- — T. Scott, 1906, b, p. 353.
- — Thompson & Scott, 1903, p. 277.
- — Stephensen, 1929, p. 3.
- —, Stevæk, 1947, P. 121-(FIG. 32 A-E.) ~~nicornis~~.
- — —, bresciani et Lutzen 1962. pp. 377-378
- — — Ummerkutty, 1961, pp. 19-69.
- — Stock, Humes & Gooding, 1967, p. 11, 10
- — Gotto, 1966, p. 194
- — Bocquet & Stock, 1963, p. 149, 150, 151, fig. 1
- — Hamond, 1973, p. 345.
- — Bocquet + Stock 1962B: pp. 90-91. Host: Marthasterias
glacialis.

Psuedanthessius liber (Brady, 1880) card 2

- Humes, 1986: 998, 1016 (syn. Lichomolgus liber,
Humes, 1977: 13)
- GOTTO 1993: 112, FIG. 25 J-L
- HOLMES 1983: 91, IRELAND, EX ECHINUS
ESCOLENTUS.

Pseudanthessius limatus n. sp.

--, Humes, 1978, p. 242-249, figs. 1-25

Pseudanthesius luculentus Humes & Cressey

-- -- Humes & Cressey 1959. pp. 75-80, fig. 39-56

--, Humes & Ho, 1970, p. 15

--, Stock, Humes & Gooding, 196~~7~~, p. 11, 10, P. ix
agilis a syn.

Redescribed as Mecomerinx luculenta by Humes, 1977, p. 26,
fig. 15a-f, 16a-c

--, Humes, 1986:998,1016

-- UMMERKUTTY 1966d: 314- 315, syn. P. AGILLIS
UMMERKUTTY.

Pseudanthessius madrasensis Reddiah, 1968

--, Humes, 1972, p. 379

1970

--, Humes & Ho, ¹⁹⁷⁰~~1968~~, pp. 1-5, figs. 1-28

--, Humes, 1977, p. 41

-- HUMES 1987b: 106

Pseudanthessius major Stock, 1967

--, Humes, 1972, p. 379

--, Humes & Ho, ¹⁹⁶⁸
₁₉₇₀, pp. 5-11, figs. 29-44

--, Humes, 1977, p. 41

--, Stock, 1967c, p. 243-248, figs. 7-9

-- Humes 1987b:106

Lichomolgidae - Cyclopoida.

Pseudanthesius maximus Thompson & Scott, ♂, ♀.

— — Thompson & Scott, 1903, p. 276: pl. 14, figs. 1-11,
Sewell, 1949, p. 108-109

Macrochiron (Paramacrochiron) maximum. Krishnaswamy, ^{text-fig. 9} 1953, p. 67

PARAMACROCHIRON —, REDDIAH 1968: 193-194 TYPE OF

SUBGENUS RAISED TO GENUS

Habitat. Tow-net, Ceylon.

Pseudanthessius minimus Tanaka

1960—pp. 75-77, pl. XXXIII, figs. 1-18.

--, Stock, Humes & Gooding, 1964, p. 10, in another
genus

Pseudanthessius minor Stock, 1967

1970

--, Humes & Ho, ~~1968~~, pp. 11-12, figs. 45-51

--, Stock, 1967c, p. 238-242, figs. 4-6

-- HUMES 1987b: 106

Pseudanthessius minor Stock, 1967

--, Humes, 1972, p. 379

Pseudanthessius minutus Reddiah, 1968

--, Humes, 1972, p. 379.

--, Humes & Ho, 1970, p. 15

Lichomolgidae - Cyclopoida

Pseudanthesius mucronatus Gurney, ♀.

— — Gurney, 1927f, p. 469: fig. 115, A-D.

— — Ummerkutty, 1961, pp. 19-69.

—, Humes & Ho, 1970, p. 15

Habitat. Suez Canal.

—, Stock, Humes & Gooding, 1965, p. 13

Pseudanthessius nemertophilus - see Nemerthessius

PSEUDANTHESIUS NOTABILIS - SEE MECOMERINX

Lichomolgidae Cyclopoida

Pseudanthessius obscurus A. Scott, ♀.

— — A. Scott, 1909, p. 270: pl. 69, figs. 8-14

— —, Sewell, 1949, p. 121, (fig. 33, A-I) - Nicobar Is.

— — Ummerkutty, 1961, pp. 19-69.

— —, Humes & Ho, 1970, p. 15

Host. From plankton collected at night, coast
of Obi major.

--, Stock, Humes & Gooding, 196⁴, p. 12

Pseudanthessius pacificus Wilson -- see Paramacrochiron

Lichomolgidae - Cyclopoida

Pseudanthessius parvus A. Scott, ♀

— A. Scott, 1909, p. 269: pl. 69, figs. 1-7.

Habitat. Obi Major, Malaysia.

Iichomolgidae - Cyclopoida

Pseudanthessius pectinatus A. Scott, ♀.

Siboga-Expedition

— — A. Scott, 1909, p. 268; pl. 68, f. 21-27.

Kelleria — (A. Scott). — Gurney, 1924 (Suez Canal Copepoda), p. 471.

Habitat. Surface, Malaysia.

Pseudanthessius pectinifer ~~n.sp.~~ Stock, Humes & Gooding
1964

-- -- Stock, Humes & Gooding, 1964, pp. 15-23, fig. 3-5

--, Humes, 1972, p. 379

--, Humes & Ho, 1970, p. 15

--, Humes, 1980, p. 93-94

-- Stock & Humes 1995: 25

Pseudanthessius pictus n. sp.

--, Humes, 1977, p. 32-36, figs. 20a-g, 21a-h, 22a-e

Pseudanthessius precurbens ^{xxv.sp.} Humes, 1966

-- -- Humes, A.G., 1966, pp.1-14.

--, Humes, 1972, p. 379

--, Humes & Ho, 1970, p. 15

Pseudanthesius propinquus T. Scott

— T. Scott, 1894: 120, pl. 8, figs 49-56, Pl. 15

— Mori, 1942: 559., pl. 12, fig. 1-12

Pseudopanthessius pusillus Humes 1969

-- -- Humes Arthur G. 1969b

--, Humes, 1972, p. 379

--, Humes & Ho, 1970, p. 15

Pseudanthesius rostellatus Humes & Ho, 1970

---, Humes, 1972, p. 379

n. sp. Humes & Ho, 1970, pp. 15-20, figs. 67-90

-- HUMES 19876:106

Lichomolgidae - Cyclopoida.

Pseudanthesius savragei Canu, ♀.

— — Canu, 1892, p. 243: pl. 25.

— — Sars, 1917, p. 171: pl. 96.

— — T. & A. Scott, 1894, p. 146.

— — T. Scott, 1906, b, p. 353.

— —, Bresciani et Lutzen 1962. p. 378

Host. Echinocardium cordatum

— — Ummerkutty, 1961, pp. 19-69

-- Hamond, 1973, p. 345.

— Thompson, 1895: 102

French Coast.

--, Humes & Ho, 1970, p. 15

--, Stock, Humes & Gooding, 1967, p. 12

-- Stock 1960: 248, CAP BÉAR, FRANCE, ASSOC.

SPATANGUS PURPUREUS

-- GÖTTÖ 1993: 112, FIG. 25M-P

-- Stock + Humes 1995: 32

Pseudanthessius spinifer Lindberg 1945

Bull. Soc. Zool. France, 70:81-84, figs. a-l.

Free-living, Bombay (crique de Thana).

--, Humes & Ho, 1970, p. 15

--, Stock, Humes & Gooding, 1967, p. 12

Lichomolgidae--Cyclopidae

Pseudanthessius tenuis Nicholls

Nicholls 1944, pp. 55-56, fig. 25. S. Australia ♀

--- Ummerkutty, 1961, pp. 19-69.

---, Humes & Ho, 1970, p. 15

---, Stock, Humes & Gooding, 1967, p. 13

Lichomolgidae - Cyclopoida.

Pseudanthessius thorelli (Brady & Robertson), ♀.

Lichomolgas — Brady & Robertson, 1875, p. 197.

— — Brady, 1880, vol. 3, p. 47; pl. 88, figs. 1-9.

Pseudanthessius — Norman & Brady, 1909, p. 152.

— — T. Scott, 1906, b, p. 353.

—, Humes & Ho, 1970, p. 15

Habitat, British Seas, free.

— Stock & Weinberg, 1985: 94-97, fig. 1-21

1876?

— — Monod & Dollfus, 1932, p. 153.

-- --, Bresciani et Lutzen 1962. p. 378

-- -- Ummérikuttty, 1961, pp. 19-69.

--, Stock, Humes & Gooding, 1964, p. 32, 13

Pseudanthessius thorellii

card 2

- Humes, 1986: 998, 1015
- GÖRTZ 1993: 112-, FIG. 25F - I

Pseudanthessius tortuosus n. sp. Stock, Humes & Gooding,

--- --- Stock, Humes & Gooding, 196⁴, pp. 34-45, fig. 9-12
1963

---, Humes & Ho, 1970, p. 15

Pseudanthessius vinnulus n. sp.

--, Humes, 1977, p. 36-41, figs. 23a-l, 24a-g, 25a-h

Pseudanthessius weberi A.Scott, ♀
Iichomolgidae - Cyclopoida

— — A.Scott, 1909, p. 267: pl. 67, f. 18-24.

— — Ummerkutty, 1961, pp. 19-69.

—, Humes & Ho, 1970, p. 15

—, Stock, Humes & Gooding, 1969, p. 23, 13

Habitat. Lucifer Islands, Malaysia.