

in)

~~Corycaeidae - Cyclopoida.~~

Pseudolubbockia

G.O. Sars, 1909.

(M)
P. dilatata.

Syn. Pseudolubbockia Sars, 1909, p. 4.

Differs from Lubbockia in more robust body, in structure of 1st. ant., feeble mxpds., and form and armament of 5th. legs. 1st. ant. elongate, 6-jointed, 4th. joint $\frac{1}{3}$ entire length of ant. 2nd. ant. 3-jointed, armed with 2 small claws.

Rami of swimming legs stout, enlarged, exopods shorter than endopods, only 3 spines on last joints; 5th. legs each a single lamelliform joint obliquely truncated, with 4 equal spines.

LUBBOCKIIDAE: Poecilostomatoida

Pseudolubbockia Sars, 1909

- , Gardner & Szabo, 1982, pp. 24, 131.
- , HERON ET AL 1984: 449
- BOXSHALL & HUYS 1988/89: 170-, CF. PARALUBBOCKIA
- HERON & BRADFORD-GRIEVE 1995: 11-12, DIAGNOSIS
- HUYS & BÖTTGER-SCHNACK 1997: 257, DIAGNOSIS;
IN LUBBOCKIIDAE N. FAM.

Pseudolubbockia dilatata G.O. Sars, 1901 card 1

Sars 1901: 4, fig. 2, n.sp., Azores

-- Sars 1916: 3

-- Heron & Damkaer 1969: 3-8, figs. 1-10, Gulf of Alaska

-- Deevey & Brooks 1977: 266, Sargasso Sea off Bermuda

-- Heron & Damkaer 1978: 9, 10, 13, modified description

-- Gardner & Szabo 1982: 132-133, fig. 7.3.1, Puget
Sound

-- HERON & BRADFORD-GRIEVE 1995: 12

-- MARCHENKOV & BOXSHALL 1995: 134

PSEUDOLUBBOCKIA DILATATA G.O. SARS, 1901

(2)

-- HUYS + BÖTTGER-SCHNACK 1997: 245, 252