

Setella = synonym (= Macrosetella Scott)
Dana, 1846. S. tenuicornis (M)

Syn. Setella Dana, 1846, p. 227; 1852, p. 1179.

Setella Giesbrecht, 1892, p. 79, 559

Not Setella - Schrank - Lepidoptera - 1802.

Setella, diminutive of seta.

Setella Boeck, 1865, p. 281.

Miracia (pars) Dana, 1847, p. 185.

not → Dwightia Wilson, 1924, p. 16.

Macrosetella. A. Scott, 1909, p. 230

Body very narrow, almost-linear, narrowed anteriorly, carrying beneath the curved frontal margin a rostrum. 1^o antennae slender, with short-setae, the 4^o joint carrying an appendage. 2^o antennae lacking the second ramus. mandibular palp short and slender - 1^o maxpds. very short, uncinuate; 2^o maxpds elongate, uncinuate. 5^o legs like those of other Harpacticids - caudal seta very long.

Setella Wheeler, 1901, p. 187; Tubbock, 1860, p. 9.

Setella Dana, 1849, p. 277; Brian, 1921, p. 57.

Setella Clav, 1863, p. 136.

Setella Brady, 1883, p. 108.

SETELLA Dana

-, DANA 1846: 227.

Setellidae - Harpacticoida.

Setella aciculus Dana, ♀.

— Dana, 1848:155

— — Dana, 1847, p. 8 (154).

— — Dana, 1849, b, p. 277.

— — Dana, 1852, p. 1200: pl. 84: f. 5, a-g.

Changed to Dwightia gracilis.

Wilson.

Habitat. Indian Ocean.

A synonym of Setella gracilis.
(Giesbrecht, 1892, p. 559).

Setella crassicornis Dana. ♀.

— Dana, 1848:155

— Dana, 1847, p. (8) 154.

— Dana, 1849, b, p. 277.

Changed to Dwightia crassicornis
Wilson,

Habitat. Indian Ocean.

A synonym of Setella gracilis.
(Giesbrecht, 1892, p. 559),

Setellidae - Harpacticoida.

Setella gracilis Dana, ♀.

— Dana, 1848:155

— — Dana, 1852, p. 1198: pl. 84, fig. 3, a-g.

— — Cleve, 1900, p. 142: 1901, p. 9

— — Sars, 1916, p. 7.

— — Brady, 1883, p. 108: pl. 50, f. 1-10.

— Thompson, 1900:284

Habitat. Gulf of Guinea: Atlantic: Naples:

— A. Scott, 1902:409

Changed to Dwig htia gracilis -
Wilson,

- — T. Scott, 1894, p. 109; A. Scott, 1902, p. 709
 — — Brady, 1910, p. 508: pl. 52, f. 5: text-fig. 3.
 — — Stebbing, 1910, p. 543.
 — — Thompson & Scott, 1903, p. 257.
 — — Dana, 1847, p. 8 (154); 1849, p. 277.
 — — Wheeler, 1901, p. 188: text-fig. 24, a-d.
 — — Sharpe, 1910, p. 407.
 — — Fowler, 1912, p. 490.
Miracidia gracilis Dana, 1852, p. 1261: pl. 88, f. 12, a-c.
Setella — Giesbrecht, 1892, p. 559: pl. 1 and 45.
 — — Briau, 1921, p. 57.
 — — van Breemen, 1908, p. 178: text fig. 192.

Setella S. gracilis

(2)

— — Pesta, 1908, p. 28.

— messinensis Claus, 1863, p. 136: pl. 21, f. 15-16.

— gracilis Wolfenden, 1911, p. 364.

— — Farran, 1929, p. 298.

— — Cleve, 1900, p. 86.

— — , Matoda and Anraku 1955, p. 212, Idzu Is.

-- -- , Anraku, 1954, pp. 1-8 NW Pacific

— — , Mori, 1937, p. 115.

-- , Furuhashi, 1961: 109

-- Mori, 1929: 201, pl. 8 fig 8-10

--, Chiba, 1956, p. 11

--, Corral, 1970, p. 251

--, Fruchtl, 1924, p. 104, a syn. of *Macrosetella* g.

--, Bjornberg, 1963: 69 (a synonym of *Oculosetella gracilis*)

--, (= MACROSETELLA GRACILIS), Boxshall, 1979: 237, 258 FIG. 16

--, (= MACROSETELLA GRACILIS), Tanaka, 1964b: 17

- Monod, 1931: 401

- Dakin & Colefax, 1933: 208

-- ROSE 1934: 78, OFF ALGERIA

Setellidae - Harpacticoida.

Setella longicauda Dana, ♀, ♂

— Dana, 1848:155

— — Dana, 1847, p. 8 (154),

— — Dana; 1849, b, p. 277.

Changed to Dwightia longicauda.
Wilson,

Habitat. Tropical Atlantic.

A synonym of Setella gracilis.
(Giesbrecht, 1892, p. 559).

Setellidae — Harpacticidae.

Setella messinensis Claus.

— — Claus, 1863, p. 137; pl. 21.

— — Carus, 1885, p. 327.

Changed to Dwightia messinensis.
Wilson,

Habitat. Mediterranean.

A synonym of Setella gracilis.
(Giesbrecht, 1892, p. 559).

Setellidae - Harpacticoida.

Setella norvegica Boeck, ♀.

-- Boeck, 1865, p. 281 (37).

A synonym of Microsetella atlantica.
(Giesbrecht, 1892, p. 550).

--, (= MICROSETELLA NORVEGICA) Boxshall, 1979: 207, 259

Fig. 2

Setellidae - Harpacticoida.

Setella oculata G. O. Sars, ♀, ♂,

= Oculosetella gracilis

— — Sars, 1916, pp. 7 & 13; pl. 7.

Changed to Dwightia oculata,
Wilson,

Habitat. Sta. 1696.

See over for syn.
M.S.W.

Miracia gracilis Dana



Setella oculata Sars



Macrosetella oculata (Sars)



Oculosetella gracilis (Dana)

as publ. in Albatross paper by C.B. Wilson

--, (= OCULOSETELLA GRACILIS) BOXSHALL, 1979: 237 FIG 16.

Setellidae - Harpacticoida,

Setella tenuicornis Dana, ♀.

— Dana, 1848:154

— — Dana, 1847, p. 8 (154),

— — Dana, 1849, b, p. 277,

Changed to Dwightia tenuicornis,
Wilson,

Habitat. Tropical Atlantic,

A synonym of Setella gracilis.
(Giesbrecht, 1892, p. 559),

Setellidae - Harpacticoida.

Setella tenuis Lubbock, ♀.

— — Lubbock, 1860, p. 9: pl. 29: 1863, p. 181.

A synonym of Setella gracilis.
(Giesbrecht, 1892, p. 559).