

in

Canthocamptidae - Harpacticoida.

Stenocopia. valid

Sars, 1907.

♂.

S. longicaudata

Syn. Stenocopia G.O.Sars, 1907, p. 227.
Ameira (pars) T.Scott.

Body slender, depressed anteriorly, the segt's. sharply marked and clothed at the hind edge with small setae. Eye absent. First antennae 8-jointed, first joint the largest. Exopod of 2nd antennae 1- or 2-jointed. First legs prehensile endopod 3-jointed; 3rd. pair not transformed in ♂

STENOCOPIA G.O. SARS, 1907

(2)

- COTTARELLI, SAPORITO + PUCCETTI 1985: 307,
316, REVISED DIAGNOSIS.

Canthocamptidae - Harpacticoida.

Stenocopia antarctica Brady, ♀

— — Brady, 1910, p. 577: pl. 56, figs. 2-13.

— —, HANQ. 1948, P. 858.

S. ANTARTICA, COTTARELLI, SAPORITO + PUCCETTI, 1986:
316.

Habitat. Antarctic Ocean.

Canthocamptidae - Harpacticoida.

Stenocopia limicola Willey. ♂♀.

— — Willey, 1935, p. 97: figs. 180-188.

— —, HANG, 1948, p. 858.

— Bozic - 1964: 487

— REID 1990g: 196

Habitat. Bermuda.

Canthocamptidae - Harpacticoida

Stenocopia longicaudata (T. Scott).

Ameira — T. Scott, 1892, p. 250: pl. 9, figs. 1-18.

Stenocopia — Sars, 1908, p. 228: pls. 151 & 152.

— — Norman & Brady, 1909, p. 139.

— — Monard 1935a, p. 55, Roscoff, France

— —, HAN, 1948, p. 556.

Habitat. British Seas: Norway: IRELAND.

— —, WEILS, ET AL, 1975: 189

— —, SOYER, 1974d: 406

— —, POR & MARCUS: 1972: 269 Suez canal

-- -- Guille & Soyer, 1966, pp. 375-376

--, Dolzonolskaya, 1970, p. 90

--, Klie, 1950, p. 100, fig. 110

-- Bozic 1964: 486

-- Rouch 1962: 238, 239, PUNTA CANTERAS-ARGENTINA

-- COTTARELLI, SATORITO + PUCCETTI 1986: 316

-- POR 1962: 15, MEDITERRANEAN COAST OF ISRAEL

Stenocopia longicaudata pontica Griga, 1964

---, Dolzonolskaya, 1970, p. 90, pl. XXVI, fig. 1

STenocopia Longiseta n. sp. Bozic, 1964

— Bozic, 1964, p. 486-487, FIG. 3(1-5),
N.S.P. ♂ ONLY - RÉUNION ISLAND.

— Kunz, 1975: 201-202, figs 189-194

-- COTTARELLI, SAPORITO + PUCCETTI 1986: 316

STENOCORIA REDUCTA COTTARELLI, SAVORITO &
PUCCETTI, 1986

-- COTTARELLI ET AL. 1986: 307-316, FIGS. 1-5,
N. SP., THAILAND

Canthocamptidae - Harpacticoida.

Stenocopia setosa G.O. Sars, ♀. 1907

— — Sars, 1908, p. 229; pls. 153 + 154

— —, HAN, 1918, p. 858.

--, BECKER, 1914: 25

Habitat. Norway Coast.

Canthocampidae - Harpaciconidae.

Stenocopia spinosa (T. Scott), ♀.

[Pl. 9, figs. 17 and 18]

Ameira longicaudata, var. spinosa T. Scott, 1892, p. 251

Stenocopia spinosa Sars, 1911, p. 405: Suppl., p. 34.

— —, LANG, 1918, p. 857.

—, WELLS, ET AL., 1975: 189

—, COTTARELLI, SAPORITO + PUCCETTI 1986: 316

Habitat. British Isles: Norway Coast.

STENOCOPIA sp. PESTA, 1959

-- PESTA 1959: 145-, FIG. 122 a-e, OFF NAPLES, ITALY

STENOCOPIA sp.

-- COTTARELLI, Saporito & Puccetti 1986: 316