

in

Lernaeopodoidea
Lernaeopodidae.

Tracheliaster, valid.

Nordmann, 1832,

T. polycolpus.

Syn. Tracheliaster - Gistler Crustacea-1848
Tracheliaster - Nordmann, 1832, p. 95

Τραχηλιάς = to arch the neck as a horse
does.

Cephalothorax subcylindrical or cordate:
Mouth ventral, orbicular, ciliated.
Second mxp'ds. long, arm-like, united at
the ends, and provided with organ of attach-
ment. First mxp'd small, unciniate,
at the base of the arms. Gen. seg't
elongated, bag-like, not segmented, and
without lobes or tubercles. Abdomen small
External ovaries saccular; eggs large.

LERNAEOPODIDAE - SIPHONOSTOMATOIDA

TRACHELIASTES NORDMANN

CARD 2

- FRYER 1978a: 345, 360, 364
- PIASECKI 1986a: 586 - , SPECIES LIST
- NERESHEIMER 19096: 79, DIAGNOSIS, KEY
- KABATA 1988b: 5, ORIGIN OF NAME
- KABATA 1992: 130 -, DIAGNOSIS

Tracheliastes brevicorpus Kuang

-- Kuang & Xie 1991: 3-4, Plate I Figs. 1-5, China

-- KUANG 1991: 344, YUNNAN PROVINCE, CHINA

Tracheliastes chimaerae Heegaard

-- --, Heegaard 1962. pp. 188-189, fig. 225-232

see Vanbenedenia chimaerae (Heegaard, 1962), Kabata, 1968,
p. 505

TRACHELIASTES FECUNDUS O'DENWALL, 1931

Tracheliastes chondrostomi Hanek 1969

-- Fryer 1978a:365

Tracheliastes gigas, Richiardi, ♀. Lernaeopodidae.

— —, Richiardi, 1881, p. 248, nomen nudum.

— —, B-Smith, 1903, p. 109.

— —, Wilson, 1915, p. 645 (key).

— —, PIASECKI 1986a: 586

Host, Sagaurag songer,

Malayan Archipelago.

Tracheliastes grandis, new species

- --, Wilson, 1915, p. 645, pl. 40, figs. 106-108.
-- --, Kabata and Bowman 1961. pp. 120-126 fig. 1-4

Host, unknown.

Tracheliastes longicollis Markevich, 1940

-- Piasecki 1986a: 586

Lernaeopodidae.

Tracheliastes maculatus, Kollar, ♀.

- —, Kollar, 1835, p. 85; pl. IX, figs. 9-12.
— —, M-Edwards, 1840, p. 507.
— —, Kröyer, 1837, p. 194.
— —, B-Smith, 1899, p. 501.

Host, Scales of Abramis bramae, and
A. björkna.

European Seas.

- —, Gadd, 1904, p. 41.
- —, Hofer, 1904, p. 145: p. 187.
- —, Wilson, 1915, p. 645 (key).
- —, Markewitsch, 1934, p. 80: fig. 54: 1934², p. 240
- —, Pesta, 1934, p. 61: fig. 38.

Tracheliastes maculatus Kollar 1836

CARD 2

-- --, Romanovski, A, 1953, pp. 71-72.

-- --, Romanovski, 1954, pp. 227-234, Czechos.

-- --, Grabda 1960. pp. 153-160, fig. 5, 7.

--, Grabda & Grabda, 1959, p. 188

--, Kabata, 1970, p. 74-6, fig. 85-6, p. 104

--, Kabata & Cousens, 1972, passim

--, ACHOUË, 1899: 205.

-- FRYER 1978a: 365

-- Shulbman, et al, 1974: 52

-- PIASECKI 1986a: 584-588, FIGS. 1-5, ♂, POLAND

Tracheliastes maculatus Kollar, 1836

card 3

-- Piasecki 1986b: 589-593, figs. 1-7, Poland

-- NERESHEIMER 1909b: 79, FIG. 333, GERMANY

Lernaeopodidae - Lernaeopodoidea

Trachelistes mourkii Hoffman, ♀.

— — Hoffman, 1881, p. 119.

-- PIASECKI 1986a: 586

Host. Confined to a brook in Bohemia.

Tracheliastes polycolpus, Nordmann, ♀. Lernaeopodidae.

- —, Nordmann, 1832, p. 95; pl. VII, figs. 1-8,
— —, Burmeister, 1833, p. 324,
— —, Kollar, 1835, p. 85,
— —, Kröyer, 1837, p. 194,

Host, Cyprinus jesus; C. nasus, and
C. barbus, Tenciscus idus (Gadd)

European Seas.

- —, M-Edwards, 1840, p. 507: pl. XL, figs 17.
- —, B-Smith, 1899, p. 500.
- —, Gadd, 1904, p. 39.
- —, Vejdovsky, 1877, p. 15: pls. 2, 3, & 4.
- —, Kurz, 1877, pp. 416, 423 = pl. XXVI,
fig. 33 (mandible): pl. XXVII, fig. 42 (mouth parts).
- —, Hofer, 1904, p. 145: p. 187
- —, Kessler, 1868, p. 98.
- —, Wilson, 1915, p. 645 (key).
- —, Gurney, 1933, p. 365 figs. 2039—2047.
- —, Markewitsch, — 1934, p. 80: 1934², p. 237
- —, Pesta, 1934, p. 59: fig. 37.

Tracheliastes polycolpus, N.

(2)

-- --, Grabda 1960. pp. 153-160.

--, Grabda & Grabda, 1959, p. 188

--, Kabata, 1976, tbl. 1

--, Kabata & Cousens, 1972, passim

--, ACLOQUE, 1899: 205, pl. 96, 204.

-- FRYER 1978a: 360-361, FIG. 12C, 365

-- PIASECKI 1986a: 586

-- NERESHEIMER 1909b: 79, FIGS. 331, 332, GERMANY

-- FRYER 1982: 34-35, FIGS. 29-33, BRITAIN

-- KUANG & XIE 1991: 3-4, PLATE I (FIG. 6-8), PLATE II (9-11), CHINA

Tracheliastes polycolpus

card 3

-- Kuang 1991: 344, Yunnan Province, China

-- KABATA 1992: 130 -, FIG. 29A-E, SYNONYMY, HOST LIST

Tracheliastes sachalinensis Markevich, 1936

-- Piasecki 1986a: 586

Tracheliastes soldatovi Markewitsch

— — Markewitsch, 1933, p. 241 : figs. 1 — 7 : pl. 1, fig. 2.

Habitat. Russia, Black and Azof Sea, Amur River

Lernaeopodidae - Lernaeopodidae

Tracheliastes stellatus (Mayor) ♀

Lernaeopoda — Mayor, 1824, p. 24: pl. 1, figs. 1-5

— — Rathke, 1835, p. 155.

— — Neresheimer, 1909, p. 80.

Tracheliastes — Markewitsch, 1934², p. 242

— Markewich, 1933: 17

Host, Acipenser stellatus.

Tracheliastes stellifer, Kollar, ♀.

— —, Kollar, 1835, p. 82: pl. IX, figs. 1-8.

— —, Kröyer, 1837, p. 194.

— —, M-Edwards, 1840, p. 508.

— —, B-Smith, 1899, p. 501.

Host, Gills or mouth of Silurus glanis.

European Seas.

- — — Hofer. 1904, p. 187.
— — — Wilson, 1915, p. 645 (key).
— — — Markewitsch, 1934², p. 243.
— — — NERESHEIMER 1909 6: 80, FIG. 334, GERMANY

Tracheliastes tibetanus Kuang, 1964

-- Piasecki 1986a: 586