

in Siphonostomatoida Caligoida
Tuxophorus, valid. Caligidae.

wilson, 1908.

T. caligodes.

Syn. Tuxophorus, Wilson, 1908, p. 617.

—Dojiri, 1983: 348-351

Πύξ, a plate & φέρω, to bear.

first 3 thorax seg'ts united with head + covered
by shield-shaped carapace - frontal plates prominent,
with lunules. Eyes small. 2nd antennae small +
weak. 2nd maxillae articulate at base - rudimentary
endopod on basal joint.

Mouth-tube + other mouth-parts as in Caligus.

Furca compound, its terminal branches bifid.

Swimming legs as in Caligus.

Free seg't. short + wide, covered by 2 dorsal plates
which overlap v gen. seg't. + project over v bases
4th legs. Gen. seg't. enlarged, without plates.

Abdomen narrow, 1-jointed. anal laminae large.

Egg-tubes wider than v abdomen + as long as v
body -

Tuxophorus Wilson, 1908

card 2

- Cressey et al. 1983: 232-

- DOJIRI + CRESSAY 1991: 605-

Tuxophorus caligodes, gen. & sp. n. ♂. ♀.

— —, Wilson, 1908, p. 617; pl. 55 and
pl. 56, figs 93-99

— —, HEEGAARD, 1955, P. 45, Fig. 8.

— —, -M. P. Rangnekar, 1960, pp. 20-25, fig. 1-2. Bombay. On Rachycentron canadense

— —, Causey, 1953. Louisiana

Host, Outside of Cobia, Rachycentron
canadense, Eckeneis naucratus, Phycis floridanus, "suckerfish."

— —, Capart, 1941

Beaufort. N. C.

— Capart, 1959: 95-96

-- --, Pillai 1961. pp. 120-121, fig. 19

-- --, Pillai, 197?, p. 1613, fig. 122

— Dojiri, 1983: 352-358, fig. 146-150

-- CRESSEY, R. + NUTTER 1987: 600, FROM
RACHYCENTRON CANADUM, LOUISIANA

-- CRESSEY ET AL. 1983: 240

-- KNOFF, LUQUE + TAKEMOTO 1995: 50, FROM MUGIL PLATANUS,
RIO DE JANEIRO, BRAZIL

Tuxophorus cervicornis Heegaard

- --, Heegaard 1962. pp. 172-174, fig. 145-150
-- , CRESSEY & CRESSEY 1980: 39; Figs. 81 b-g.
-- CRESSEY ET AL. 1983: 240-, HOSTS

Tuxophorus collettei Cressey & Cressey 1980

--, CRESSEY & CRESSEY 1980: 39-41; Figs. 82-84.

-- CRESSEY, R. & NUTTER 1987: 600-601, HOST
RECORDS - LOUISIANA

-- CRESSEY ET AL. 1983: 240-, HOSTS

Tuxophorus cybii Nunes-Ruivo

-- -- Nunes-Ruivo, 1956, pp. 76-78, figs. 7.....

--, CRESSEY & CRESSEY 1980: 39; Figs. 8/a.

--, Pillai, 197?, p. 1614, fig. 124

-- CRESSEY ET AL. 1983: 228-, Fig. 1g; HOSTS

Tuxophorus tylosuri Rangnekar = *Caligus tylosuri*.

1956---Rangnekar, M.P., pp. 52-57, 1 pl.

Caligidae - Caligoida

Tuxophorus wilsoni Kirtisinghe, ♂♀.

— — Kirtisinghe, 1937, p. 443: text-figs. 59-73

-- --, Pillai 1961. pp. 122-123, fig. 20

--, Pillai, 1966, p. 135-137, fig. 8

— —, Pillai, 197?, p. 1614, fig. 123

-- CRESSEY ET AL. 1983: 240

Host. Skin of *Chorinemus* sp. in company with
Lepeophtheirus spinifer.

1978

TUXO RHORUS ZONICHTHI UMA DEVI + SHYAMASUNDARI, 1