

in

Harpacticidae-Harpacticoida.

Xouthous

(M)

Thomson, 1883.

X. novae-Zelandiae

Syn. Xouthous Thomson, 1883, p. 103.

Body conical, rounded in front. First antennae 7-seg'd, geniculate in ♂. Second pair with a small 3-seg'd. exopod. Mds. with a large bi-ramose palp; mxpds. rather large and bearing an elongated claw. First legs with 2-seg'd endopod, 3-seg'd. exopod. Next 3 pairs with both rami 3-seg'd. Fifth pair 2-seg'd.

Xouthous aemula Thompson and Scott

-- Ummerkutty 1966d: 310

Xouthous laticaudata (Th. & Scott)

Dactylopusia laticaudata, Thompson & A. Scott 1903, p.
271, pl. 11, fig. 1-5, Ceylon Pearl Banks

Xouthous _____, Sewell 1940, p. 197, ♀, Maldives Arch.

X. -, UMMERKUTTY 1966d: 310

Xouthous maldiviae Sewell

____ Sewell 1940, p. 198, fig. 30, ♀, Maldive Arch.

--, Vervoort, 1964, p. 168

-- UMMERKUTTY 1966d: 310, 311, FIG. 20, SE INDIA COAST

Harpacticidae - Harpacticoida

Xouthous novae-zealandiae Thomson, ♀.

— — Thomson, 1883, p. 103: pl. 10. figs. 8-15.

--, Vervoort, 1964, p. 168

Habitat. New Zealand.

Xouthous purpureocinctum (Norman & Scott)

Megarathrum _____, Norman & T. Scott, 1906, p. 175, English
Channel

Xouthous _____, Sewell 1940, p. 197, fig. 29, Nicobar

Ids. ♀
--, Vervoort, 1964, p. 170

- PURPUREOCINCTUS, UMMERKUTTY 1966d: 310