

Chondracanthus abdominalis Heegaard, 1943

(Ch. lophii)

Heegaard 1943 Ark.f.Zool., 34A(18):30(82-86)

Yamaguti 1963 New York, p.272(246:1)

Chondracanthus alatus Heller, 1865

(Protochondracanthus alatus)

Heller 1865 Reise Novara, p.231(xxiii,3a)

B.-S. 1898 Ann.Nat.Hist., (7)1:14 {taken in 1875 p. 493's
list but not found in
original.

B.-S. 1899 Proc.Zool.Soc.London, p. 493

Oakley 1930 Parasit., 22:187

Kirtisinghe 1956 Parasit., 46(1/2):20

Kirtisinghe 1964 Bull.Fish.Res.Sta., 17(1):48(7-9)

Pillai 1964 J.Mar.Biol.Ass.India, 6(1):76(109-120)

Chondracanthus alatus

1. *Protochondracanthus psetoides* KIRTISINGHE
1950

Chondracanthus angustatus Heller, 1865

(*Protochondracanthoides*, n.)

Heller 1865 Reise d. Novara, p. 230 (xxiii, 2a)

Heller 1866 Carcinolog. Beitrag. fauna Adriat., p. 34

Schaub 1876 Arbeit. Akad. Wien, vol. 74, pls. i-iii

Richiardi 1880 Catalogo Crost. parassit., p. 151

Valle 1880 Boll. Soc. Adriat. Sci. Nat. Trieste, 6: 58

Carus 1885 Prodr. fauna Medit., p. 354

Brian 1898 Atti Soc. Lig. Sc. Nat. Geogr., 9: 218

B.-S. 1899 Proc. Zool. Soc. London p. 103

Brian 1906 Genova, p.98

Oakley 1930 Parasit., 22:187

D.-D. & N.-R. 1952 Vie et Mileiu, 3(3):294(2a)

Brian 1924 Parasitol.Mauritanica, p.46

Capart 1959 Copepod.Parasit., 3(5):109

Monod 1928 Bull.Inst.Ocean.Monaco, 509:16(12)

N.-R. 1954 Vie et Milieu 3:4

Brian 1899 Atti Soc.Lig.Sc.Nat.e Geogr., 10:1

Chondracanthus angustatus Heller, 1865 (cont.

Rose & Vaissiere 1952 Bull.Soc.Hist.Nat.Afr.Nord.,43:171

N.-R. 1958 Naturalia, 7(1/4):

Stossich 1880 Boll.Soc.Adriatica Sci.Nat.,6:254

Raibaut ~~et~~ al 1971 Bull.Inst.Oceanogr.Peche 2(2):190(52-62

Rousset et al 1978 Z.Parasitenkd.,55:73(1-6)

Benmansour & Ben Hassine 1997 Ital.J.Zool.,65:342

Chondracanthus angustatus

1. *Chondracanthus bifurcatus* Capart, 1959

Chondracanthus annulatus Olsson, 1868

(*Acanthochondrites annulatus*)

Olsson 1868 Acta Univ.Lund., 5:39(ii,13-15)

Scott 1900 18th Ann.Rept.Fish.Scot., p.164(Vii,46-51)

Norman & Brady 1910 Trans.Nat.Hist.Soc.Northumberland,
3(2):405

Scott 1913 Ray Soc., p.169(xx,9;xlvii,3;lvi,8-10)

Rose & Vaissiere 1952 Bull.Soc.Hist.Nat.Afr.Nord,43:171

Richiardi 1882 Zool.Anz., 5:504

Brian 1906 Genova, p.97

Bossayni & Bull 1971 Rep.Dove Mar.Lab.,1971,17:50

Chondracanthus annulatus

1. *Chondracanthus laevirajae* VALLE, 1880
2. *Chondracanthus inflatus* BAINBRIDGE, 1909

Chondracanthus australis Ho, 1991

Ho 1991 Publ.Seto Mar.Biol.Lab.,35:5(3-5)

Etchegoin et al. 1997 J.Parasitol.,83(1)L155

Chondracanthus barnardi Ho, 1972

Ho 1972 Parasit., 65:149(2)

Chondracanthus barnardi

1. *Chondracanthus lophii*, Barnard, 1955

Chondracanthus bifurcatus Capart, 1959

(*Ch. angustatus*)

Capart 1959 Exped. Oceano. Belg., 3(5):109(3~~1~~a-d)

Chondracanthus bleckeri Richiardi, 1881 ~~1898~~

Richiardi ~~1881~~ ¹⁸⁷⁸ Atti.Soc.Toscana Sci.Nat.Pisa, Proc. Verb.,
2:247

Richiardi 1881 Zool.Anz., 4(88):387

Brian 1906 Genova, p.164

B.-S. 1903 Proc.Zool.Soc.London, p.109

Chondracanthus brevicollis Kollar,

(*Ceratochondria* b.)

Kollar 1835 ? Ann.Wien.Mus.

Kroyer 1863 Nat.Tidsskr.,(3) 2:320(xii,3a-d)

B.-S. 1899 Proc.Zool.Soc.London, p.493

Bainbridge 1909 Trans.Lin.Soc.Zool.,11:49

Yu & Wu 1932 Bull.Fan Mem.Inst.,3(4):60(iii,1-7)

Chondracanthus briani Yu & Wu, 1932

(*Acanthochoanodryca briani*)

Wu & Wu 1932 Bull.Fan.Mem.Inst.Biol., 3(4):64(v)

Chondracanthus brotulae Capart, 1959

Capart 1959 Exped.Oceanog.Belg., 3(5):110(32a-e)

Ho & Rokicki 1987 J.Nat.Hist., 21:1031(5-6)

Chondracanthus chilensis Wilson, 1918

(*Acanthoichthys chilensis*)

Wilson 1918 A n.Zool.Aplicada, 5(1):11(1-6)

C

Chondracanthus chilomycteri Thomson, 1889

(*Acanthochondria* C.) (*Pseudochondracanthus* C.)

Thomson 1889 Trans. Proc. N. Zealand Inst., 22:371 (xxviii, 5a-d)

Chondracanthus clavatus Bassett-Smith, 1896

(*Acanthochondria clavatus*)

B.-S. 1896 Ann. Nat. Hist., (6) 18:13(v,6)

B.-S. 1896 J. Mar. Biol. Assoc., 4:161

B.-S. 1899 Proc. Zool. Soc. London, p. 492

Scott 1900 18 Ann. Rep. Fish. Scot., p. 163(vii, 35-37)

Scott 1901 ^{Proc. &} Trans. Biol. Soc. Liverpool. 15:351
1

Norman & Scott 1906 London, p. 218

Scott 1904 12 Ann. Rept. Lanc. Sea-Fish. Lab., p. 42

Scott 1913 Ray Soc.Monog., p.175(xlvii,7;lvi,14-15)

Scott 1929 Rep. Lanc.Sea-Fish.Lab., 37:104

Wilson 1921 Nat.Hist.Fern.& Easter Isl.,3:74

Hansen 1923 Danish Ingolf-Exoed.,3(7):44

Scott,T. 1906 Proc.Roy.Physical Soc., 16:371

Stephensen 1929 Zool.Faroes, 30:10

Atria 1980 Bol.Mus.Nac.Hist.Nat.Chile,37:307

Chondracanthus colligens Barnard, 1955

(*Barnardea* C.)

Barnard 1955 **Ann.S.Afr.Mus.**, 43:

Ho 1972 **Parasit.**, 65:151(3)

Chondracanthus congiopodi Barnard, 1955

(*C. tuberculatus*)

Barnard 1955 Ann.S.Afr.Mus., 41(5):288(24a-e)

Chondracanthus cornutus (Muller, 1776)

(*Acantho chondria* c.)

Cuvier 1830 Regne Anim, 3:258

Nordmann 1832 Mikrogr.Beitrage, 2:111(ix,5-10)

M.-E. 1840 Hist.Nat.Crust., 3:500(xl,18-22)

Beneden 1851 Sc.Nat., (3) 16:108(iv,1-4)

B.-S. 1899 Proc.Zool.Soc.London, p.492

Scott 1904 12 Ann.Rep.Lanc.Sea-Fish.Lab.p.42

Scott 1900 18 Ann.Rep.Fish.Bd.Scot., p.164(vii,19-31)

B.-S. 1896 J.Mar.Biol.Asson., 4:161

Scott 1929 Rep.Lanc.Sea.-Fish.Lab., 37:102

Thompson & Scott 1903 Ceylon Pear.& Oyster., 1:294

Norman & Scott 1906 London, p.217

Wilson 1920 Rep. Cana.Arc.Exped., 7(L):5L

Hansen 1923 Danish IngolfExped. 3(7):43

Kroyer 1863 Natur.Tidsskr.,(3) 2:323,329(xiii,7a-d)

Vogt 1877 Arch.Zool.Exper.et Gen., 6:78(vi,4-8)

Stock 1915 Contr.Canad.Biol.Fish.,p.71

Kroyer 1837 Naturh.Tidsskr.,1:196

Chondracanthus cornutus (Muller, 1776) (cont.)
(*Acanthochondria cornutus*)

- Wilson 1922 *Nyt Mag.Nat.* (Kristiana), 60:110
- Beneden 1861 *Mem.Acad.roy.Belg.*, 33:151
- Bere 1930 *Contr.Canad.Biol.& Fishe.*, 5(13):424(i,1-3)
- Burmeister 1833 *Acta Acad.Caes.Leop.Carol.Nat.*17(1):325
- Heller 1866 *Carcinolog.Beitrage Fauna Adriatischen*, p.33
- Beneden 1870 *Mem.Acad.roy.Belg.*38(4): (ii,1)
- Richiardi 1880 *Catalogo dei Crostacei parassiti*, p.151
- Valle 1880 *Boll.Soc.Adriatica Sci.nat.Trieste* 6:72

- Olsson 1868 Lunds Univ. Arsskrift 5(8):29 (12)
- Rose & Vaissiere 1952 Bull. Soc. Hist. Nat. Afr. Nord., 43:171
- A A Scott 1901 Proc. & Trans. Liverpool Biol. Soc., 15:351
- T. Scott 1906 Proc. Roy. Physical Soc., 16:371
- Brian 1906 Genova, p. 96(vii, 5)
- Stossich 1880 Boll. Soc. Adriatica Sci. Nat., 6:252
- Scott & Stott 1913 Ray Soc., p.
- Stephensen 1929 Zool. Faeroes, 30:10
- p Pearson 1906 Rep. Fish. Ireland, 2:28

Chondracanthus cornutus Muller, 1777 (cont.)

Rose & Vaissiere 1952 Bull.Soc.Hist.Nat.Afr.Nord 43:171

Chondracanthus cottunculi Rathbun, 1886

(*Chondracanthopsis* c.)

Rathbun 1886 Proc.U.S.Nat.Mus.,9:322(xi, 1-7)

Wilson 1932 U.S.Nat.Mus.,Bull.,158:497(297c)

Heegaard 1945 Ark.f.Zool.,35(18):20

(said: this sp. possibly belongs to his new genus
Acanthocanthopsis)

Yamaguti 1963 New York, p.272

Fowler 1912 Ann.Rep.N.Jersey State Mus., p.475

Ho 1971 Smithsonian Contr.Zool.,87:17(12-14)

Ho 1978 NOAA Tech.Rep., 409:10

Kagbata 1988 Can.Sci.Publ.101:94(40G)

Chondracanthus crassicornis Kroyer, 1837

(*Acanthochondria crassicornis*)

Kroyer 1837 Natu.Tidensk., 1:203(ii,10)

M.-E. 1840 Hist.Nat.Crust., 3:501

Chondracanthus cynoglottidis Thompson & Scott, 1903

(*Acanthochoanobia* c.)

Thompson & Scott 1903 Ceylon Pear. & Oyster., 1:294(1)

Chondracanthus delarochiana (Blainville, 1816)

(*C. lophii*)

~~Blainville 1822 Jour.de.Physiq., 95:422(xvi,13)~~

M.-E. 1840 Hist.Nat.Crust., iii, p. 504

Cuvier 1829 Regne animal. iii, p.334(xv,3)

Chondracanthus deltoideus Fraser, 1920

Fraser 1920 Proc. & Trans. roy. Soc. Canada (3) 13(5):59(v, 77-80; vi, 81-83)

Yamaguti 1963 New York, p.273

Kabata 1984 Canad. J. Zool., 62:1710(56-67)

Kabata 1988 Can. Sci. Publ. 101:93(40B)

Bere 1930 MS Rep. biol. Sta., 259: 2

Chondracanthus deltoideus

1. *Acanthocheondria deltoidea* (GUSSEV)

Chondracanthus depressus T.Scott, 1905

(*Acanthoichthys depressus*)

Scott 1905 23 Ann.Rep.Fish.Bd.Scot., 3:114(vi,7-13)

Scott 1913 Ray Soc.Monog., p.172(xli,2-4;lvi,1-7)

Scott 1929 Rep.Lanc.Sea.Fish.Lab., 37:104

Elsaby 1930 Rep.Lanc.Sea.Fish.Lab., 38:110

Wilson 1922 Ark.f.Zool., 14(10):12

Scott 1906 Proc.Roy.Physic.Soc., 16:372

Bere 1930 MS Rep. biol. Sta., 259: 2

Chondracanthus distortus Wilson, 1922

Wilson 1922 Ark.f.Zool., 14(10):8(iv, 33-39)

Yamaguti 1939 pt.6:531(xxxiv, 8)

Heegaard 1945 Ark.f.Zool., 35z(18):25

Shiino 1955 Rep.Fac.Fish.M.Univ., 2(1):71(1,2)

Shiino 1959 Rep.Fac.Fish.Mie U., 3(2):363

Oakley 1930 Parasit., 22:187

Yamaguti 1963 New York, p.273(249:2)

Chondracanthus dogieli Gussev, 1951

(*Ch. irregularis*)

Gussev 1951 Parazito. Sbor., 13:398(~~iii~~ i-15; iv, 1)

Yamaguti 1963 New York, p.273(247:3)

Chondracanthus dufresnii (Blainville, 1822)

(*Chondracanthus lophii*)

Yamaguti 1963 New York, p.273

Thompson 1901 U.of St.Andrews, p. 49

Chondracanthus elongatus Bassett-Smith, 1898
(Acanthochoondria e.)

B.-S. 1898 Ann.Mag.Nat.Hist., (7)1:14(VI,4,5,6a-b)

Yamaguti 1963 New York, p.273

Pillai 1985 Fauna of india, p. 125(32)

Chondracanthus epachthes Wilson, 1908

(*Acanthochondria epachthes*)

Wilson 1908 Proc.U.S.Nat.Mus., 35:434(lxvi)

Chondracanthus fluræ Kroyer, 1863

(*Acanthochondria cornutus*) (*Acantho. fluræ*)

Kroyer 1863 Natur.Tidsskr., (3) 2:323,330(xiii,6a-b)

Scott 1900 18 Ann.Rep.Fish.Bd.Scot., p.166(Vii,32-34)

Scott 1913 Ray Socie., p.171(xlvii,5;liii,10-11)

Scott 1929 Rep.Lanc.Sea-Fish.Lab., 37:103

Wilson 1922 Ark.f.Zool., 14(10):12

T.Scott 1906 Proc.Roy.Physical Soc., 16:371

Chondracanthus galeritus Rathbun, 1886

(*Acanthochondria galeritus*)

Rathbun 1886 Proc.U.S.Nat.Mus., 9:317(viii,1-7;x,1-7)

Chondracanthus genypteri Thomson, 1889

(*Acanthochondria genypteri*)

Thomson 1889 Trans.Proc.N.Z.Inst., 22:372(xxviii,6,6a)

B.-S. 1899 Proc.Zool.Soc.London, p. 494

Oakley 1930 Parasit., 22:187

Yamaguti 1963 New York, p.273(247:5)

Ho 1975 Publ.Set^h Mar.Biol.Lab.,22(5):306(3-4)

Villalba & Fernandez 1985 Gayana,Zool.49:36(60-80)

Pilgrim 1985 Mauri Ora, 12:37

Kabata 1992 J.Nat.Hist.,26:10

Sardella et al 1998 Helminthologia 35(4):

Chondracanthus gibbosus Kroyer, 1830⁵

(C. lophii)
Kroyer 1837⁵ Nat.Tidsskr., 1:252(ii,4,4a;iii,2a-c)

Kroyer 1840 Nat.Tidsskr., p.738(ii,2,4)

Thomson 1847 Ann.Mag.Nat.Hist., (1) 20:248

Beneden 1851 Ann.d.Sc.Nat., 16:104(iii,10-15)

Claus 1858 Cassel, p,3(i,1-14)

Heller 1866 Carcinolog.Beitrag.fauna Adriat., p.34

Beneden 1861 Mem.Acad.Roy.Belg., 33:151

Beneden 1870 Mem.Acad.Roy.Belg.. 38(4): (ii.3)

Vogt 1877 Arch.Zool.Expe.Gen., 6:76(v,1-4;vi,1-3)

Richiardi 1880 Catalog.Crost.parassit., p.151

Valle 1880 Boll.Soc.Adriatic.Sci.nat.Triest., 6:74

Yamaguti 1963 New York, p.273(247:7)

~~St~~ Stossich 1880 Boll.Soc.Adriatica Si.Nat.,6:254

Chondracanthus gibbosus Shiino, 1955

(*Ch. shiinoi*)

Shiino 1955 Rep.Fac.Fish.Mie Univ., 2(1):79(7,8)

Yamaguti 1963 New York, p.273 renamed as shiinoi

Chondracanthus gobinus Kroyer, 1837

(*Dicrus gobinus*)

Kroyer 1837 Nat.Tidsskr., 1:280(ii,8;iii,12a-b)

Kroyer 1837 Nat.Tidsskr., 1:196

Chondracanthus goldsmidi Tang, Andrews & Cobcroft

Tan et al 2007 *J.Parasitol.*, 93(4): 93(1-4)

Chondracanthus gracilis Fraser, 1920

Fraser 1920 Proc. & Trans. roy. Soc. Canada (3) 13(5):61(vi,
84-93)

Yamaguti 1963 New York, p.273

Kabata 1968 J. Fish. Res. Bd. Canada, 25(2):332(32-53)

Kabata 1976 J. Fish. Res. Bd. Can., 33:2511(12-15)

Kabata 1988 Can. Sci. Publ. 101:93(40B)

Bere 1930 MS Rep. biol. Sta., 259: 2

Chondracanthus gracilis v. *intermedia* Wilson, 1935

Wilson 1935 Amer.Midl.Nat., 16(5):786(xxvii, 37-40)

Yamaguti 1963 New York, p.273

Chondracanthus grandigenitalus Yu & Wu, 1932

(*Acanthochondria* J.)

Yu & Wu 1932 Bull. Fan. Mem. Inst. Biol., 3(4):62(iv)

Chondracanthus gurnardi (Kroyer, 1837)

(*Lernaeantoma asellina*)

Olsson 1868 Lunds Univ. Arsskrift 5(8):31

Stp. 1869 Bull. Soc. Roy. Dan., pl. ii, fig. 3

Yamaguti 1963 New York, p. 273

Chondracanthus heterostichi Ho, 1972

Ho 1972 Proc.Biol.Soc.Washington 85(46):527(3-4)

Chondracanthus horridus Heller, 1865

(*Disphaerocephalus horridus*)

Heller 1865 Reise d. Novara, p. 232 (xxiii, 4a)

Richiardi 1880 Catalog. sist. dei Crostacei, p. 151

B.-S. 1899 Proc. Zool. Soc. London, p. 493

Oakley 1930 Parasit., 22:187

Wilson 1935 Amer. Midl. Nat., 16(5):787

Carus 1885 Prodr. fauna Medit., p. 355

Brian 1906 Genova, p. 97

Yamaguti 1963 New York, p.273(247:8)

Stossich 1880 Boll.Soc.Adirtica Sci.Nat.,6:254

Radujkovic & Raibaut 1989 Acta Adriat.,30(241(7))

Chondracanthus inflatus Bainbridge, 1909

(*Acanthochondria inflatus*) (*C. annulatus*)

Bainbridge 1909 Trans.Linn.Soc., 11(3):47(ix, 9-15)

Bere 1930 Cont.Canad.Biol.& Fish., 5(13):426(i, 4)

Acanthochondrites annulata

Chondracanthus irregularis Fraser, 1920

Chondracanthopsis (see Kabata & Cusack 1966, 199)

Fraser 1920 Proc. & Trans. Roy. Soc. Canada (3) 13(5):62(vii,
94-100)

Yamaguti 1963 New York, p.273

Kabata 1968 J. Fish. Bd. Canada, 25(2):323(1-14)

Arai 1969 J. Fish. Res. Bd., 26:2326

Markevitch & Titar 1978 4th Inter. Cong. Parasit., H:38

Kabata 1988 Can. Sci. Publ. 101:94(40J)

Ch. irregularis Fraser

1. *Ch. dogieli* Gusev, 1951
2. *Chondracanthopsis dogieli* Martenich, 1950
3. *Chondracanthodes lotellae* (Thompson)
Wilson, 1935

Chondracanthus janebennettae Causey, 1953

Causey 1953 Occ.Pap.Mar.Lab., 7:10(10)

Causey 1955 Occ.Pap.Mar.Lab., 9:11(iii,13-16)

Yamaguti 1963 New York, p.273(247:2)

Ho 1971 Smithsonian Contr.Zool., 87:20(15-17)

Chondracanthus laciniatus Kollar,

(*Cadigodes laciniatus*)

Kollar 1835? Museo Caes. Vienn.

Chondracanthus laevirajae Valle, 1880

(*C. annulatus*)

Valle 1880 Boll. Soc. Adriatica Sci. nat. Trieste, 6:73

Chondracanthus larochii, Kroyer, 1837

(Ch. zeii)

Kroyer 1837 Natur.Tidsskr.,1:196

Chondracanthus lepidionis Kabata, 1970

Kabata 1970 J.Parasit., 56(1):180(22-41)

Chondracanthus lepophidii Ho, 1974

Ho 1974 J.Parasit., 60(5):870(1-17)

Chondracanthus limandae Kroyer, 1863

(*Acanthochoandria* l.)

Kroyer 1863 Natur.Tidsskr., (3) 2:322,330(xiv,2a-b)

B.-Sm. 1899 Proc.Zool.Soc.London, p.492

Scott 1900 18 Ann.Rep.Fish.Bd.Scot., p.167(vii,38-40)

Scott 1913 Ray Soc., p.174(xlvii,6;lvi,11-12)

Scott 1929 Rep.Lanc.Sea.Fish.Lab.,37:104

Hansen 1923 Danish Ingolf-Exped.,3(7):44

Stephensen 1929 Zool.Farø^es, 30:10

Chondracanthus longicephalus Yü & Wu, 1932
(*Heterochondria* f.)

Yu & Wu 1932 Bull. Fan Mem. Inst. Biol., 3(4):57(ii,

Chondracanthus lophii Johnston, 1836

- Johnston 1836 Lond.Mag.Nat.Hist., 9:81(16)
- Rathke 1843 Nov.Act.Nat.Cur.,20:116(v,16-18)
- B.-S. 1896 J.Mar.Biol.Ass.U.K., 4:161
- B.-S. 1899 Proc.Zool.Soc.London, p.494
- Scott 1904 12 Ann.Rep.Land.Sea-Fish.Lab.,p.42
- Scott 1913 Ray Soc., p.179(lii,4;lvi,16-18)
- Scott 1929 Rep.Lanc.Sea-Fish.Lab., p.103
- Oakley 1930 Parasit. 22:187(1)

- Baird 1850 London, p.330(xxxv,3)
- Heegaard 1947 Spolia Zool., 8:173(xix,150)
- Turner & Wilson 1861 Trans.Roy.Soc.£Edinberg, 23(1):67(iii)
- Scott 1900 18 Ann.Rep.Lanc.Sea-Fish.Lab., p.167
- Barnard 1948 Ann.MagnNat.Hist., (12) 1(4):251
- Goggio 1930 Publ.Staz.Zool.Napoli 8:427(figs.)
- Barnard 1955 Ann.S.Afr.Mus., 41(5):287(23c-e)
- Bresciani & Lutzen 1962 Vid.Medd.Dansk Nat.124:405

Brian 1906 p.99 Genova

D-D & N-R 1958 Vie et Milieu 9(2):231(10a,b)

Norman & Scott 1906 London, p.217

Hansen 1923 Danish Ingolf-Exped., 3(7):45

Norman 1868 Rep.38th Meet.Brit.Asso.Adv.Sc.,p.301

Norman & Brady 1909 Trans.Nat.Hist.Soc.Northumberland etc.
N.S., 3(2):405

Olsson 1868 Lunds Univ.Arsskrift 5(8):34

- Corde & S-S 1936 Tierw.N-O.see 31(10c):109(51)
- Pesta 1934 Tierwelt Deutschl. 29:49(30)
- Rose & Vaissiere 1952 Bull.Soc.Hist.Nat.Afr.Nord,43:171
- T.Scott 1906 ~~Re~~ Proc.Roy.Physical Soc., 16:372
- Yamaguti 1963 New York, p.273(
- Krishnaswamy 1959 J.mar.biol.Ass.U.K.,38:263
- O'riordan 1966 Proc.Roy.Irish Acad., 64(B,20):376
- Stephensen 1929 Zool.Faroes, 30:11
- Bruce et al 1963 Mar.Fauna Isle of Man, 36:133

Chondracanthus Jophii Johnstone, 1836

(cont.)

Pearson 1906 Rep.Fish.Ireland, 2:28

Markevich 1956 Izd.Akad.Nauk. p. 88

Boxshall 1974 J.mar.biol.Ass.U.K.,54:357

Bogsayni & Bull 1971 Rep.Dove Mar.Lab., 17:50

Kabata 1979 Ray Society, p. 118(175-195)

Papoutsoglou 1976 Thalassgr., 1(1):87

Holmes & Gotto 1992 Bull.Ir.Biogr.Soc.,15:22

Oktener & Trilles 2004 J.Black Sea, 10:75(5)

Ostergaard & Boxshall 2004 Zool.Anz., 243:68(3G-I)

Chondracanthus lophii

1. *Chondracanthus gibbosus* Krøyer, 1840
2. *Lernentoma lophii* Baird, 1850
3. *Chondracanthus lophius* Blainville, 1822
4. *Lernentoma dufresnii* Blainville, 1822
5. *Chondracanthus abdominalis* Heegaard, 1943
6. *Chondracanthus delarochiana* Cuvier, M.-E.

Chondracanthus lophius Risso, 1826

C. lophii)

Risso 1826 Hist.nat.de l'Europ.merid. V, p. 137

Chondracanthus lotellae Thomson, 1889

(*Chondracanthodes lotellae*)

Thomson 1889 Trans.Proc.N.Z.Inst., 22:372(xxviii,7a-b)

B.-S. 1899 Proc.Zool.Soc.London, p. 493

Oakley 1930 Parasit., 22:187

Ho 1975 Publ.Seto Mar.Biol.Lab.,22(5):308(5-6)

Pilgrim 1985 Mauri Ora, 12:37

Chondracanthus macrurus Brady, 1883

(*C. radiatus*) (*Lateracanthus* n.)

Brady 1883 Challenger Rep., 8:137(1v, 4)

B.-S. 1899 Proc. Zool. Soc. London, p. 492

Brian 1908 Bull. Inst. Ocean. Monaco, 110:17

Yamaguti 1963 New York, p. 273

Chondracanthus merlangi Holten, ~~1863~~
(*Ch. merluccii*)

Holten

Kroyer 1863 Nat.Tidsskr., (3) 2:331

Yamaguti 1963 New York, p.273

Chondracanthus merluccii (Holten, 1802)

Kroyer 1837 Nat.Tidsskr., p.278(iii,9a-d)

Kroyer 1837 Nat.Tidsskr., 1:196

M.-E. 1840 Hist.Nat.Crust., 3:503

Carus 1885 Prodr.fauna Medit., p.354

~~Schimkewitsch~~ 1896 Zeitsch.f.wiss.Zool., 5:339

Brian 1898 Atti Soc.Lig.Sc.Nat.Geogr., 9:210

B.-S. 1896 J.Mar.Biol.Assn.U.K., p.161

B.-S. 1899 Proc.Zool.Soc.London, p.494

Barnard 1955 Ann.S.Afr.Mus., 41(5):286(23a,b)

Scott 1904 12 Ann.Rep.Lanc.Sea-Fish.Lab., p.42 ?

Scott 1913 Ray Soc., p.180(xx,10;xlvii,8;liii,16-19)

El Saby 1933 Proc.Zool.Soc.London, 2:865(ii,7-9)

Oakley 1930 Parasit., 22:188(2)

Barnard 1948 Ann.Mag.Nat.Hist., (12) 1(4):251

Wilson 1932 U.S.Nat.Mus., Bull.158:498(i,a;298)

Scott 1892 10 Ann.Rept.Firsh.Bd.Scot., p.262

Chondracanthus merluccii (Holten, 1802) (cont.)

Nunes-Ruivo 1954 Bull.de l'I.V.A.N.,16(2A):29

Capart 1959 Copepod.Parasit.3(5):111

Carvalho 1951 Bol.Inst.Paulista Ocean., 2(2):143

Kroyer 1840 Natur.Tidssk. Taf. ii 3,fig. 9a-c.

Heller 1866 Carcinolog.Beitrage Fauna Adriatischen, p.34

Richiardi 1880 Catalogo dei Crostacei parassiti, p.151

Valle 1880 Boll.Soc.Adriatica Sci.nat.Trieste 6:73

Olsson 1868 Lunds Univ.Arsskrift 5(8):33

Oorde & S-S 1936 Tierw.N-O.see 31(10c):109(52)

Pesta 1934 Tierwelt Deutschl. 29:48(29)

Rose & Vaissiere 1952 Bull.Soc.Hist.Nat.Afor.Nord,43:171

Scott,T. 1906 Proc.Roy.Physical Soc., 16:372

Scott 1900 18 Ann.Rep.Fish.Bd.Scot., p.166

Brian 1906 Genova, p.97(vii,4)

Norman & Scott 1906 London, p.217

N.-R. 1956 Anias Junta Invest.Ultramar,9(2):35

Szidat 1961 Parasit.Schr., 13:

Chondracanthus merluccii (Holten, 1802) (cont.)

Szidat 1955 Comun.Inst.Nat.B.Rivadavia,Zool., 3:

Baer 1951 Urbana, p.

Yamalguti 1963 New York, p.273(248:5)

Mar. Zool. 1956 (1957)
Markewitsch 1956 **Izd.Akad.Mauk.** p. 85(39)

Stossich 1880 Boll.Soc.Adriatica Sci.Nat.,6:253

O'riordan 1966 Proc.Roy.Irish Acad., 64(B,20):376

Bruce et al 1963 Mar.Fauna Isle of Man, 36:133

Ho 1971 Smithsonian Contr.Zool.,87:23(18-20)

Ho 1972 Parasit., 65:152

Ho 1978 NOAA Tech.Rep., 409:10

Grabda & Soliman 1975 Acta Ichthy.Piscat.,5(1):34

Kabata 1979 Ray Society, p. 119(196-212)

Kabata & Ho 1981 Oceanogr.Mar.Bill. Ann.Rev.,19:385 (2F)

Gaefskaya & Umnova 1977 Biologiya Morya, 4:47

Radujkevie & Raibaut 1989 Acta Adriat.,30(242(*))

Chondracanthus merluccii (Holten, 1802) (cont.)

Kabata 1988 Can.Sci.Publ.101:93(40D)

Holmes & Gotto 1992 Bull.Ir.Biogr.Soc.,15:22

Oldewage 1992 S.Afr.J.Widl.Res.,22(2):34

Boxshall & Montu 1996 Nauplius, 5/1:24(3.11)

Chondracanthus merluccii

1. *Lernaea merluccii* Holten, 1802
2. *Chondracanthus xyphiae* Gierin, 1829
3. " *merlangi* Kroyer, 1863
4. " *stramineus* Wilson, 1923

Chondracanthus multituberculatus (Markewitch, 1956)

Markevitch & Titar 1978 4th Inter.Cong.Parasit.,H:38

Chondracanthus narium Kabata, 1969

Kabata 1969 J.Fish.Res.Bd.Canada, 26:3044(1-23)

Kabata 1988 Can.Sci.Publ.101:93(40A)

Chondracanthus neali Leigh-Sharpe, 1930

L.-S. 1930 Parasit., 22(4):468(1-2)

Yamaguti 1963 New York, p.274(248:3)

Ho 1972 Parasit., 65:152(4-5)

Kabata 1979 Ray Society, p. 117(159-174)

Kabata 1992 J.Nat.Hist.,26:11

Holmes & Gotto 1992 Bull.Ir.Biogr.Soc.,15:22

Hö 1994 J.nat.hist.,28:506(1A)

Chondracanthus ninnii Richiardi, 1882
(*Pharodes ninnii*)

Richiardi 1882 Zool. Anz., 5:504

¹⁸⁸⁴
Genus ~~1885~~ *Atti Mus. Civ. Stor. nat. Trieste* 7:3
Valle 1880 ~~Boll. Soc. Adriat. Sci. Nat. Trieste, 6:3~~

¹⁸⁸⁴
Valle
Brian 1906 Genova, p.98

Tamaguti 1963 New York, p.274

B.-S. 1899 Proc. Zool. Soc. London, p.109

Chondracanthus nodosus (Müller, 1777)

Kroyer 1838 Nat.Tidssk., 2:133(iii,2a-f)

M.-E. 1840 Hist.Nat.Crust., 3:503

Kroyer 1837 Nat.Tidsskr.,1:196

B.-S. 1899 Proc.Zool.Soc.London, p.494

L.-S. & Perkins 1924 Parasit., 16:291(4-6)

Scott 1913 Ray Soc.,p.176(xlviii,13-16;lii,1-3)

Wilson 1920 Rep.Cana.Arct.Exped.,7(L):6L

Kroyer 1863 Nat. Tidsskr. 2(2):220

Olsson 1868 Lunds.U.Arsskrift.,5(8):34

Hansen 1923 Danish Ingolf Exped., 3(7):45

Stephensen 1940 Zool.Iceland,3(34):9

Heegaard 1948 Ark.Zool., 40(3):

Kabata 1968 J.Fish.Res.Bd.Canada,25(2):328(72-73)

Stephensen 1929 Zool.Faroes, 30:10

Ho 1971 Smithsonian Contr.Zool., 87:27(21-23)

Ho 1978 NOAA Tech.Rep.,409:10

Chondracanthus nodosus (Müller, 1777) (cont.)

Kabata 1979 Ray Society, p. 120(213-231)

Gayevskaya & Uginova 1977 Biol.Moria, 4:47

Kabata 1988 Can.Sci.Publ.101:94(40F)

~~Polyanski 1955 Trav.Inst.Zool.Acad.Sci.USSR, 19:100~~

Chondracanthus nodosus

1. *Lernaea nodosa* Müller, 1776
2. *Lernentoma nodosa* Blainville, 1822
3. *Chondracanthus williamsoni*, T. Scott, 1902

Chondracanthus ophidii Kroyer, 1863

(*Acanthochondria* O.)

Kroyer 1863 Nat.Tidsskr., (3) 2:318(xii, 6a-b)

B.-S. 1899 Proc.Zool.Soc.London, p.492

Chondracanthus ornatus

1. *Disphaerocephalus ornatus*

Chondraconthus ornatus T.Scott, 1900

T.Scott 1900 18 Ann.Rep.Fish.Bd.Scot.,p.168

T.Scott 1901 19 Ann.Rep.Fish.Bd.Scot.,p.129(vii,14)

T.Scott 1902 20 Ann.Rep.Fish.Bd.Scot.,p.298(xiii,34)

Scott 1913 Ray Soc.,p.182(xli,6;xliv,7)

B.-S. 1903 Proc.Zool.Soc.London,p.109

Kabata 1979 Ray Society, p. 122(232-252)

Chondracanthus pallidus V. Bened.
(Acanthochondrites annulatus)

See Bryan 1899, p. 10 under Xiphias gladius
& 1906 p. 96

also see Norman & Brady, 1909.

p. 405. under Ch. annulatus. they
saw the "cotype" and confirmed that it is
a sp. of Acanthochondrites annulatus.

Chondracanthus parvus Ho, Kim & Nagasawa, 2005

(Ch. solidus)

Ho et al 2005 Zool.Sci., 22:413(1-2)

Tung et al. (2007)

Chondracanthus phycidis Rathbun, 1886

(*Acanthochondria phycidis*)

Rathbun 1886 Proc.U.S.Nat.Mus., 9:320(ix,1-6;x,8-13)

Fowler 1912 Ann.Rep.N.Jersey State Mus., p.476

Chondracanthus pingi Yu & Wu, 1932

(*Acanthochondria pingi*)

Yu & Wu 1932 Bull.Fan.Mem.Inst., Biol.3(4):66(vi)

Chondracanthus pinguis Wilson, 1912

Wilson 1912 Contr.Canad.Biol.,p.94(vii)

Oakley 1930 Parasit.,22:187

Wilson 1922 Ark.f.Zool., 14(10):12

Fraser 1920 Proc.& Trans.Roy.Soc.Canada.(3) 13(5):64

Yamaguti 1963 New York, p.274

Kabata 1968 J.Fish.Res.Bd.Canada,23(2):329(15-31)

Sekerak 1970 J.Fish.Res.Bd.Canada,27(11):1958

Kazachenko et al 1972 Iav. Tikhook. 81:237

Sekarek & Arai 1977 Syesis, 10:143

Kazachenko 1986 Proc.Zool.Inst.,155:157

Markevitch & Titar 1978 4th Inter.Cong.Parasit.,H:38

Kabata 1988 Can.Sci.Publ.101:94(40I)

Bere 1930 MS Rep. biol. Sta., 239: 2

Ch. pinguis

1. *Ch. slastnicovi* Gusev. 1951

Chondracanthus polymixiae Yamaguti, 1939

Yamaguti 1939 Pt.6,p.532(xxxv,9-16)

Shiino 1955 Rep.Fac.Fish.Mie U.,2(1):77(5,6)

Yamaguti 1963 New York, p.274(249E1)

Kabata 1992 J.Nat.Hist.,26:11

Chondracanthus psetti Kroyer, 1863

(*Acanthochondria psetti*)

Kroyer 1863 Nat.Tidsskr., (3) 2:317(xiii,5a-d)

B.-S. 1899 Proc.Zool.Soc.London,p.492

Ho 1977 Steenstrupia, 4:164(4-5)

Villalba & Fernandez 1985 Gayana,Zool.49:39(105-108)

Chondracanthus pusillus Kabata, 1968

Kabata 1968 J.Fish.Res.Bd.Canada, 25(2):335(54-71)

Arai 1969 J.Fish.Res.Bd.Canada, 26(9):2335

Kabata 1988 Can.Sci.Publ.101:94(40K)

Chondracanthus quadratus (Heegaard, 1945)

Ho 1970 Beaufortia, 17:113

Chondracanthus quadratus

1. *Acanthocanthopsis quadratus* HESGAARD,
1945

Chondracanthus radiatus (Müller, 1777)

(*Chondracanthoides radiatus*) ²⁵¹

Kroyer 1863 Bidrag til Kundskab, (3) 2: ~~325~~ (xiv, 1a-~~1~~)

B.-S. 1899 Proc. Zool. Soc. London, p. 494

Oakley 1930 Parasit. 22: 187

Wilson 1920 Rep. Cana. Arct. Exped., 7(L): 6L

Brian 1908 Bull. Inst. Ocean. Monaco 110: 17

→ *C. deflexus* rep. again in 1912

Cuvier 1849 Regne Anim., 3: 258

Brian 1912 Re. Camp. Sci. Monaco, 38: 34 (v, 6-7; xi, 1-2)

→ *C. deflexus*

Hansen 1923 Danish Ingolf Exped., 3(7):45

Kroyer 1837 Nat.Tidsskr., 1:196

Thompson & A.Scott 1900 Proc.& Trans.Liver.Biol.Soc.,14:

→ *Chondracanthus merluccii*

Zubchenko 1981 J.Northw.Atl.Fish.Sci.,2:68

Chondracanthus radiatus

1. *Lernaea radiatus* MULLER, 1777
2. *Lernentoma radiata* BLAINV, 1822
3. *Entomoda radiata* LAMARCK, 1816
4. *Chondracanthus macrurus*, BRADY, 1883

Chondracanthodes radiatus

1. *Chondracanthus radiatus* MÜLLER, 1776
2. " *macrurus* Brady, 1883
3. *Lernaea radiata* Müller #776
4. *Anops radiatus* Oken, 1815
5. *Entomoda radiata* Lamarck, 1816
6. *Lernentoma radiata* Blainville, 1822

Chondracanthus rectangularis Fraser, 1920

(Acanthochondria n.)

Fraser 1920 Trans.roy.Soc.Canada (3) 13(5):64(viii,101-109)

Bere 1930 MS Rep. biol. Sta., 259: 2

Chondracanthus shiinoi (Shiino, 1955)

Yamaguti 1963 New York, p. 273 (under Ch. gibbosus)

Chondracanthus sicyasis Kroyer, 1863

(*Acanthochoanotria sicyasis*)

Kroyer 1863 Nat.Tidsskr., p.244(xiii,4)
318 4a-d)

B.-S. 1899 Proc.Zool.Soc.London, p.492

Chondracanthus similis Yu & Wu, 1932

(*Heterochondria similis*)

Yu & Wu 1932 Bull. Fan. Mem. Inst. Biol., 3(4):69(vii)

Chondracanthus sixtensi Wilson, 1922

(*Acanthochondria sixtensi*)

Wilson 1922 Ark.f.Zool., 14(10); 11(iii, 27-30; iv, 31-32)

Heegaard 1948 Ark.Zool., 40(3):

Chondracanthus slastnicovi Gussev, 1951

(*Ch. pinguis*)

Gussev 1951 Parazito.Sbor., 13:400(iv,2-11)

Yamaguti 1963 New York, p.274(247:6)

~~Kabata 1968 J.Fish.Res.Bd.Canada, 25(2):~~

Markevich 1956 Izd.Akad.Nauk. p. 85(40)

Chondracanthus soleae Kroyer, 1837

(*Acanthochoerodria soleae*)

Kroyer 1837 Nar.Tidsskrift., 2:139(iii,4)

M.-E. 1840 Hist.Nat.Crust., 3:501

Beneden 1851 Ann.Sc.Nat.(3) 16:109

B.-S. 1896 J.Mar.Biol.Ass.U.K., 4:160

Kroyer 1863 Natur.Tidssk., 3(2):330

Scott 1900 12 Ann.Rep.Lanc.Sea-Fish.Lab., p.42

Scott 1913 Ray Soc., p.170(xlvii,4;liii,12-15)

Scott 1929 Rep.Lanc.Sea-Fish.Lab., 37:103

Wilson 1922 Ark.f.Zool., 14(10):12

Scott 1900 18 Ann.Rep.Fish.Bd.Scot., p.165(vii,41-45)

Norman & Scott 1906 London, p.217

Brian 1924 Parasitol.Mauritanica, p.46

A.Scott 1901 Proc.& Trans.Liverp.Bio.Sco., 15:351

Monod 1928 Bull.Inst.Ocean.Monaco, 509:16(11)

T.Scott 1906 Proc.Roy.Physical Soc., 16:372

Chondracanthus solidus (Gusev, 1951)

Ho & Kim 1995 Rep.Sado Mar.Biol.Sta.,25:31(1-2)

Kim 1998 Fauna & Flora of Korea, 38: 343(127-128)

Chondracanthus solidus

1. *Acanthochandria solidus* GUSEV, 1951
2. *Chondracanthus parvus* ITO, Kim, Nagasawa, 2005

Chondracanthus stramineus Wilson, 1923

(*C. merluccii*)

Wilson 1923 Medd.Goteb.Mus.Zool.Avd.,19(10(i,13;ii,14-15)

Oakely 1930 Parasit., 22:187

Yamaguti 1963 New York, p.274(248:2)

Chondracanthus theragrae Yamaguti, 1939

Yamaguti 1939 Pt.6, p.531(xxxiv,1-7)

Shiino 1955 Rep.Fac.Fish.Mie U.,2(1):74(3,4)

Yamaguti 1963 New York, p.274(249:3)

Markevich 1956 Izv.Akad.Nauk. p. 87(41)

Chondracanthus triglae (Blainville, 1822)

(Oralien triglae) (Lernentoma asellina)

Nordmann 1832 Mikrogr. Beitrage, 2:116(ix, 1-4)

→ *O. triglae*

Kroyer 1837 Natur. Tidsskr., 1:196

Kroyer 1838 Tidsskrift., 2:135(iii, 3)

→ *L. asellina*

Guerin 1840 Iconograph., pl. ix, fig. 8

M.-E. 1840 Hist. Nat. Crust., 3:502

Kroyer 1841 Natur. Tidsskr., p. 335(iii, 3)

Beneden 1861 Mem. Acad. roy. Belg., 33:152

Sten 1869 Bull. Soc. Roy. Dan., pl. ii, fig. 3 → *O. triglae*

Beneden 1851 Ann.Sc.Nat., (3) 16:109

→ *D. triglae*

B.-S. 1896 Ann.& Mag.Nat.Hist., (6) 18:13(iv,4)

→ *D. triglae*

Chondracanthus trilobatus Pillai, 1964

(Protochondracanthus - t.)

Pillai 1964 J.Mar.Biol.Ass.India., 6(1):78(121-132)

Chondracanthus triventricosus Sekerak, 1970

Sekerak 1970 J.Fish.Bd.Canada, 27(11): 194~~B~~(1-24)

Sekerak & Arai 1977 Syesis, 10:143

Kabata 1988 Can.Sci.Publ. 101:94(40H)

Chonchracanthus tuberculatus Nordmann, 1832

Nordmann 1832 Milk.Beitr., ii:118

Burmeister 1833 Acta Acad.Caes.Leop.Carol.Nat.17(1):325

Kroyer 1837 Natur.Tidsskr.,1:196

Ho 1972 Parasit., 65:155(6-7)

Piasecki 1993 Mitt.Zool.Mus.Berl.,69(1):166

Chondracanthus tuberculatus

1. *Chondracanthus congiopodi* Barnard, 1955

Chondracanthus williamsoni T.Scott, 1909

(Chondracanthopsis nodosus)

T.Scott 1909 26 Ann.Rep.Fish.Bd.Scot., p.76(iii,8-17)

Chondracanthus wilsoni Ho, 1971

Ho 1971 Smithsonian Contrs.Zool., 87:31(24)

Chondracanthus wilsoni

1. *Chondracanthopsis nodosus*, Wilson, 1935

Chondracanthus ~~Xyphiae~~ Cuvier,

(*C. merluccii*)

Iconogr. Zool., pl. ix, fig. 20

Cuvier

ChondraCANTHUS yabei Ho, Kim & Nagasawa, 2005

Ho et al 2005 Zool.Sci., 22:413 (3-4)

Chondracanthus yanezi Atria, 1980

Atria 1980 Bol.Mus.nac.Hist.Nat.Chile,37:303(1-15)

Ho 1982 Parasit., 85:451(1-2)

Ho & Kim 1995 Publ.Seto Mar.Biol.Lab.,37:283

^{MS}
Chondracanthus zeii Delaroche, 1811

Delarocche 1811 Bull.de Soc.Philom., 2:270(ii,2)

Norman & Scott 1906 London, p.217

Brian 1906 Genova, p.98

Burmeister 1831 Nov.Zct.Nat.Cur., 17:325

Scott 1900 18 Ann.Rept.Fish.Bd.Scot., p.167(viii,1)

Guerin 1829-1843 Iconogf.Zool., pl.ix,fig.9

M.-E. 1840 Hist.Nat.Crust., 3:504

Baird 1850 London. p.327(xxxv.1)

- Beneden 1951 Ann.Sc.Bat., 16:110(iv,5-7)
- Scott 1892 10 Ann.Rept.Fish.Bd.Scot., p.262
- B.-S. 1896 J.Mar.Biol.Assn.U.K., p.162
- B.-S. 1899 Proc.Zool.Soc.London, p.495
- Scott 1913 Ray Soc., p.177(xli,5;lvi,13)
- Scott 1929 Rep.Lanc.Sea-Fish.Lab., 37:102
- Oakley 1930 Parasit., 22:187
- Yamaguti 1939 Pt.6, p.533(xxxv,17)

Lamarck 1816 Hist.An.s. Vert., iii, 682

Beneden 1861 Mem.Acad.roy.Belg., 33:152

Burmeister 1833 Acta Acad.Caes.Leop.Carol.Nat.17(1):325

Desbrosses 1937 p. 387

Capart 1959 Copepod.Parasit. 3(5):111

Vogt 1879 Mem.Inst.nat.Genevois 13:80(v,5-8)

Richiardi 1880 Catalogo dei Crostacei parassiti p. 151

Valle 1880 Boll.Soc.Adriatic.Sci.nat.Trieste. 6:74

Krishnaswamy 1959 J.mar.biol.Ass.U.K. 38:263

Kroyer 1837 Natur.Tidsskr.,1:196

Oorde & S-S 1936 Tierw.N-S.see 31(10c):109(50)

Rose & Vaissiere 1952 Bull.Soc.Hist.Nat.Afr.Nord,43:171

T.Scott 1906 Proc.Roy.Physical Soc., 16:372

L.-S. 1934 Parasit., 26:113

Wilson 1922 Ark.F.Zool., 14(10):10

Baer 1951 Urbana, p.

Chondracanthus zeii De la Roche, 1811 (Cont.)

Yamaguti 1963 New York, p.272(248:4)

Stossich 1880 Boll.Soc.Adriatica Sci.Nat.,6:253

O'roiodan 1966 Proc.Roy.Irish Acad.,64(B,20):375

Kabata 1968 J.Fish.Res.Bd.Canada,25(2):328(74-75)

Ho 1970 Beaufortia, 17:155(119-122)

Bruce et al 1963 Mar.Fauna Isle of Man, 36:133

Kabata 1979 Ray Society, p. 114(129-158)

Ho 1991 Rep.Sado Mar.Biol.Stat.,21:50(1-5)

Radujkovic & Raibaut 1989 Acta Adriat.,30:243(9)

Holmes & Gotto 1992 Bull.Ir.Biogr.Soc.,15:22

Ostergaard 2003 Systematic Parasitol., 55:139

Chondracanthus zeus

1. *Chondracanthus zeus*, B.-S., 1899
2. *Lernaeacantha delavrochiana* de Blainville, 1822.