

Hatschekia acantholabri-exopeti (Hesse, 1878)
(*species inquirenda*)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Yamaguti ~~XXX~~ 1963 New York, p.136(171:3)

Hartschekia acomtholabri-exopter;

1. Cycnus acomtholabri-exopter; HESSE, 1878

Hatschekia acuta Barnard, 1948

(~~Cozifera~~)

Barnard 1948 Ann.Nat.Hist., (12)1(4):250(7)

Barnard 1955 Ann.S.Afr.Mus., 41(5):277(20c-e)

Yamaguti 1963 New York, p.136(171:2)

Hatschekia affluens Castro & Baeza, 1986

Castro & Baeza 1986 J.Nat.Hist., 20:439(1)

Villalba 1986 Bol. Soc. Biol. Concept., 57:161(23-24)

Hatschekia albirubra Wilson, 1913

Wilson 1913 Proc.U.S.Nat.Mus., 44:239(xli,209-215)

Wilson 1922 Proc.U.S.Nat.Mus., 60:82

Wilson 1936 Carnegie Inst.Wash.,29:341

Pearse 1951 Proc.U.S.NatMus., 101:357

Causey 1960 Bull.mar.sci.Gulf & Carrib., 10(3):332

Yamaguti 1963 New York, p.136(171:4)

Jones 1985 N.Z.J.of Zool.,12:223(1-2)

Hatschekia amphiprocessa Castro & Baeza, 1986

Castro & Baeza 1986 J.Nat.Hist.,20:442(2)

Villalba 1986 Bol.Soc.Biol.Concept.,57:161(25)

Luque & Farfan 1990 Rev.Biol.Trop.,38:501

Hatschekia amplicapa Pearse, 1951

Pearse 1951 Proc.U.S.Nat.Mus., 101:361(74)

Yamaguti 1963 New York, p.136(172:1)

Jones 1985 New Zealand J.Zool., 12:224(2e-j)

Hatschekia angulata Pearse, 1951

Pearse 1951 Proc.U.S.NatMus., 101:357(74)

Yamaguti 1963 New York, p.136(172:2)

Jones 1985 New Zealand J.Zool., 12:224(2-3)

Hatschekia argyrops UmaDevi & Shyamasundari, 1980

Uma & Shyama 1980 Rev.Parassitol., 41(3): 363(1A-H)

Jones 1985 New Zealand J. Zool., 12:271

possibly H. pagrosomi

Hatachekia atagonel Jones, 1985

Jones 1985 New Zealand J.Zool., 12:226(3e)

Hatchekia atagonel

l. *Hatchekia elongata* CAPART, 1853

Hatschekia awatati Yamaguti, 1939

(*Prohatschekia* a.)

Yamaguti 1939 5:467(xxv-xxvi)

Yamaguti 1963 New York, p.136(173:2)

Hatschekia balistae Nunes-Ruivo, 1954

Nunes-Ruivo 1954 Bull. Inst. Fr. Afr. Noire 16(2):498(11a-g)

Yamaguti 1963 New York, p.136

Jones 1985 New Zealand J. Zool., 12:226(3f)

Kabata 1991 J. Nat. Hist., 25:95

Reimer 1986 Wiadom. Parazyt., 32:506

Hatschekia becuni Jones & Cabral, 1990

Jones & Cabral 1990 J.Roy.Soc.N.Zealand, 20:225(3b-h)

Hatschekia bicaudata Kabata, 1991

Kabata 1991 J.Nat.Hist., 25:96(14-20)

Hatschekia bifurcata Yamaguti & Yamasu, 1959

Yamaguti & Yamasu 1959 Biol.J.Okayama U., 5(3/4):127(xii)

Yamaguti 1963 New York, p.136(173:3)

Jones 1985 New Zealand J.Zool., 12:226(3g,h)

Hatschekia bodiani Nunes-Ruivo, 1954

Nunes-Ruivo 1954 Bull. Inst. Fr. Afri. Noire 16(2):496(9a-h)

Yamaguti 1963 New York, p.136

Jones 1985 New Zealand J. Zool., 12:228(31-k)

Hatschekia bougisi Nunes-Ruivo, 1954

Nunes-Ruivo 1954 Bull. Inst. Fr. Afriq. Noire 16(2):504(13a-h)

Capart 1959 Copepod. Parasit., 3(5):75

Yamaguti 1963 New York, p.136

Jones 1985 New Zealand J.Zool., 12:228(3m,n)

Hatschekia branchiostegi Yamaguti, 1939

Yamaguti 1939 5:464(xxiii,xxiv)

Shiino 1959 Rep.Fac.Fish.Mie U., 3(2):358(10)

Yamaguti 1963 New York, p.136(174:1)

Jones 1985 New Zealand J.Zool.,12:228(4a-h)

Kim 1998 Fauna & Flora of Korea, 38: 735(355A-K)

Hatschekia branchiostegi

1. *Hatschekia cylindrica* SHIIND, 1957

Hatschekia breviramis Lewis, 1967

Lewis 1967 Proc.U.S.Nat.Mus., 121:15(6-7)

Jones 1985 New Zealand J.Zool., 12:230(4-5)

Hatschekia brotulae Nunes-Ruivo, 1954

Nunes-Ruivo 1954 Bull. Inst. Fr. Afriq. Noire 16(2):497(10a-g)

Yamaguti 1963 New York, p.136

Jones 1985 New Zealand J. Zool., 12:232(5e)

Hatschekia budegassae (Kroyer, 1863)
(*species inquirenda*)

Wilson 1922 Proc.U.S.Nat.Mus., 60:82

(p.85: "In size and general structure it corresponds well with the present genus, but it can not be definitely located until further details can be secured)

Yamaguti 1963 New York, p.136

Hatschekia budegassae
I. cygnus budegassae Kroyer, 1863

Nunes-Ruivo 1954 Bull. Inst. fr. d'afriq. noire 16(2):484(3a-g)

D-D & N-R 1958 Vie et Milieu 9(2):229

Yamaguti 1963 New York, p.136

Jones 1985 New Zealand J. Zool., 12:232(5f)

Hatschekia canthari-grisei (Hesse, 1878)

(*Species inquirenda*)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Mamaguti 1963 New York, p.136

Hatschekia canthari-grise;

1. Cycnus canthari-grise; HESSE, 1878
2. Clavella canthari-grisei;
3. Arella canthari-grisei

Hatschekia caudata Pillai, 1985

Pillai 1985 Fauna of India, p.711(251)

Purivirojkul & Areechon 2008 Kasetsart J., 42(5): 42

Hatschekia cepolae Yamaguti, 1939

Yamaguti 1939 5:466(xxv,108-112)

Shiino 1959 Rep.Fac.Fish.Mie U.,3(2):357(10)

Yamaguti 1963 New York, p.136(173:7)

Jones 1985 New Zealand J. Zool., 12:232(5g)

Hatschekia cernae Goggio, 1905

Goggio 1905 Arch.Zool.Napoli, 2(2):219(xiii,3)

Brian 1906 Genova, p.70

N.-R. 1954 Bull.Inst.Fr.Afr.Noirre, 16:483(2a-h)

Shiino 1957 Rep.Fac.Fish.,U.Mie, 2(3):400(4)

Capart 1959 Copepod Parasit., 3(5):75

Rose & Vaissiere 1952 Bull.Soc.Hist.Nat.Afr.,43(7):172

D.-D. & N.-R. 1958 Vie et Milieu 9(2):229

N.-R. 1958 Naturalia, 7(1/4):

Yamaguti 1963 New York, p.136(

Jones 1985 New Zealand J. Zool., 12:232(5H)

Ho & Sey 1996 Kuwait J.Sci.Engineer., 23:65

Hatschekia cernae

1. *Hatschekia epinepheli* CAPART, 1959

Hatschekia clava Kabata, 1991

Kabata 1991 J.Nat.Hist., 25:97(21-29)

Hatschekia cluthae (T.Scott, 1902)

Scott 1913 Ray Soc., p.117(xxxiii,1;xxxiv,1-5)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Yamaguti 1963 New York, p.137

Kabata 1979 Ray Society, p. 275(1116-1126)

Papoutsoglou 1976 Thalassogr., 1(1):87

Jones 1985 New Zealand J. Zool., 12:232(5I)

Hatschekia cluthae

1. *Clavella cluthae* T. SCOTT, 1902

Hatschekia conifera Yamaguti, 1939

Yamaguti 1939 5:458(xx, 59-66)

Barnard 1955 Ann.S.Afr.Mus., 41(5):277

Yamaguti 1963 New York, p.137(173:6)

Cressey 1968 Proc.Biol.Soc.Washington, 81:173(1-3)

Kabata 1981 Can.J.Zool., 59(11):2080(1-14)

Jones 1985 New Zealand J. Zool., 12:234(6a-m)

Villalba 1986 Bol.Soc.Biol.Concept.57:162(26)

Ka B_{ATN}

Kabata 1988 Can.Sci.Publ.101:39(17G,H)

Ho & Kim 1995 Publ.Seto Mar.Biol.Lab.,37:292

Hatschekia conifera

1. *Hatschekia acuta* BARNARD, 1948

Hatschekia cornigera T.Scott, 1909
(*H. pagellibogneravei*)

Scott 1909 26 Ann.Rep.Fish.Bd.Scot.,3:74(iii,1-7)

Scotts 1913 Ray Soc., p.118(xxxv,1-2;xxxvi,1-5)

Wilson 1922 Proc.U.S.Nat.Mus., 60:82

O.-L. & S.-S. 1936 Tierw.N-0.See 31(10c):145(121)

Wilson 1922 Proc.U.S.Nat.Mus., 60:82

Capart 1953 Bull.Inst.Fr.Afr.Noire,15(2):653

N.-R. 1954 Bull.Inst.Fr.Afr.N.,16(2):491

Capart 1959 Cop. Parasit., 3(5):75

Yamaguti 1963 New York, p.137

Markevich 1956 Izd.Akad.Nauk. p. 158(90)

Papoutsoglou 1976 Thalassogr., 1(1):87

Hatschekia couardi Nunes-Ruivo, 1954

Nunes-Ruivo 1954 Bull. Inst. Afr. Noire 16(2):503(14a-g)

Yamaguti 1963 New York, p.137

Jones 1985 New Zealand J. Zool., 12:234(7a,b)

Hatschekia crenata Hewitt, 1969

Hewitt 1969 N.Z.J.mar.Freshwat.Res., 3:164(12-24)

Jones 1985 New Zealand J. Zool., 12:236(7c,d)

Pilgrim 1985 Mauri Ora, 12:37

Hatschekia crenilabri (Hesse, 1878)
(*Species inquirenda*)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

(doubted the sp. validity made by Hesse)

Yamaguti 1963 New York, p.137(179:5)

Hatschekia crenulata Kabata, 1991

Kabata 1991 J.Nat.Hist., 25:100(30-40)

Hatschekia curvata Yamaguti & Yamasu, 1959
(*H. snachrabdominalis*)

Yamaguti & Yamasu 1959 Biol.J.Okayama U., 5:128(xii)

Yamaguti 1963 New York, p.137(173:1)

Kazachenko 1975 Ibz.TINRO 98:216

Reimer 1986 Wiadom.Parazyt., 32:506

Hatschekia cylindrica Shiino, 1957
(*H. bronchiostegi*)

Shiino 1957 Jour.Fac.Sci.Hokkaido U.,(6)Zool.,13:105(A-K)

Yamaguti 1963 New York, p.137(172:3)

Hatschekia Damianii Brian, 1906
(H. acantholabri-exobleti ?)

Brian 1906 Genova, p.70

Yamaguti 1963 New York, p.137

Monod 1923 Bull. Inst. Oceanogr., 427:5

Hatschekia damianii

1. *Clavella* sp. BRIAN. 1902, 1903
2. *Cynus Acantholabri exocoeti* HESSE.
3. *Hatschekia* sp. Goggio 1905

Hatschekia delamarei Nunes-Ruivo, 1954

Nunes-Ruivo 1954 Bull. Inst. fr. d'afriq. noire 16(2):489(6a-j)

Yamaguti 1963 New York, p.137

Jones 1985 New Zealand J. Zool., 12:236(7e,f)

Hatschekia difficilis Kabata, 1991

Kabata 1991 J.Nat.Hist., 25:101(41-50)

Matschekia diodontis Yamaguti, 1953
(*H. iridescent*)

Yamaguti 1953 Publ. Seto Mar. Biol. Lab., 3(2):225(iv, 29-34)

Yamaguti 1963 New York, p. 137(175:1)

Hatschekia elegans Kabata, 1991

Kabata 1991 J.Nat.Hist., 25:104(51-60)

Hatschekia elliptica Pillai, 1968

Pillai 1968 Crust. suppl.1:141(1-11)

Jones 1985 New Zealand J. Zool., 12:236(7G-I)

Kabata 1991 J.Nat.Hist., 25:95

Pillai 1985 Fauna of India, p.709(250)

Hatschekia elongata Capart, 1953
(*H. atayone*)

Capart 1953 Bull. Inst. Franc. Afrique Noire, 15(2):649(1)

Capart 1959 Copepod. Parasit. 3(5):75

Nunes-Ruivo 1954 Bull. Inst. Fr. Afriq. noire 16(2):491

Hatschekia elongata Heegaard, 1962
(*H. thomsoni*)

Heegaard 1962 Rec. Aus. Mus., 25(9):185(202-206)

renamed thomsoni

Heegaard 1964, Crustacea, 6(4):320

Hatschekia elongata Redkar, Rangnekar & Murti 1950

Redkar, Rangnekar, Murti 1950 J. Univ. Bombay 19(B):35(1-7)

Yamaguti 1963 New York, p.137

Jones 1985 New Zealand J. Zool., 12:238(7j,k)

Hatschekia epinepheli Capart, 1959
(*H. cernae*)

Capart 1959 Exped.Oceano.Belg., 3(5):75(10)

Hatschekia exigua Pearse, 1951

Pearse 1951 Proc.U.S.Nat.Mus., 101:360(74)

Yamaguti 1963 New York, p.137

Jones 1985 New Zealand J. Zool., 12:238(7-8)

Hatschekia flatti UmaDevi & Shyamasundari, 1980

Uma & Shyama 1980 Rev.Parasitol., 41(3):365(2A-H)

Jones 1985 New Zealand J. Zool., 12:271

Hatschekia foliolata Redkar, Rangnekar & Murti 1950

Redkar, Rangnekar, Murti 1950 J.UmBombay 19(B):39(8-14)

Yamaguti 1963 New York, p.137

Pillai 1964 J.mar.biol.Ass.India, 6(1):69(63-73)

Jones 1985 New Zealand J. Zool., 12:238(8f)

Pillai 1985 Fauna of India, p.706(248)

Hatschekia fusiformis Shiino, 1957

Shiino 1957 Rep.Fac.Fish.Mie U., 2(3):398(3)

Yamaguti 1963 New York, p.137

Jones 1985 New Zealand J. Zool., 12:240(8g)

Hatschekia gerro Leigh-Sharpe, 1936

L.-S. 1936 Parasit., 28(3):63(2,4)

Redkar, Rangnekar, Murti 1950 J.U.Bombay 19(B):41

Yamaguti 1963 New York, ~~xxx~~ p.137

Jones 1985 New Zealand J. Zool., 12:240(8h-1)

Hatschekia gerro

1. Hatschekia sp. BRIAN, 1906

Hatschekia girelli Jones & Cabral, 1990

Jones & Cabral 1990 J.Roy.Soc.N.Zealand, 20:227(4a-g)

Hatschekia gracilis Yamaguti, 1954

Yamaguti 1954 Publ. Seto mar. biol. Lab., 3(3):395(vi, 62-65)

Yamaguti 1963 New York, p.137(173:5)

Jones 1985 New Zealand J. Zool., 12:240(8m)

Hatschekia harkema Pearse, 1948

Pearse 1948 J.Elish MitchSci.Soc., 64(1):128(11-18)

Pearse 1952 Q.J.Fldg. Adad.Sci., 15(4):220(82-83)

Pearse 1952 Publ.Inst.Mar.Sci., 2(2):32

Causey 1955 Occ.Pap.Mar.Lab., 9:8

Yamaguti 1963 New York, p.137

Jones 1985 New Zealand J. Zool., 12:242(9a-h)

Hatschekia hemigymni Kabata, 1991

Kabata 1991 J.Nat.Hist., 25:105(61-67)

Hatschekia hippoglossi (Kroyer, 1837)

Scott 1913 Ray Soc., p.112(xxxiii,3-4;xxxiv,8-11)

Stephensen 1913 Meddel. om Gronland, 22:341

Wilson 1920 Canadian Arc. Exped., 7(L):12L

Wilson 1922 Proc. U. S. Nat. Mus., 60:82

L.-S. & Perkins 1924 Parasit., 16:289

Hansen 1923 Danish Ingolf-Exped., 3(7):38

Scott 1929 Rep. Lanc. Sea-Fish. Lab., 37:101

Wilson 1932 U. S. Nat. Mus. Bull. 158:477(285)

Ronald 1958 Cana.J.Zool.36:4

Oorde & S-S 1936 Tierw.N-O.see 31(10c):145(120)

Stephensen 1940 Zool.Iceland 3(34):6

Poljansky 1955 Trus.Zool.Inst.Akad.Nauk SSSR.,19:

Yamaguti 1963 New York, p.135 .

Markevich 1956 Izd.Akad.Nauk. p. 157(90)

Kabata 1979 Ray Society, p. 273(1101-1115)

Jones 1985 N.Z.J.Zool.,12:223(1a-c)

Kabata 1988 Can.Sci.Publ.101:39(17E,F)

Hatschekia hippoglossi (Krøyer, 1837)

Schram & Aspholm 1997 Sarsia 82:1(1-8)

Polyanski 1955 Trav. Inst. Zool. Acad. Sci. USSR, 19:101

Hatschekia hippoclotti

1. *Clavella hippoclotti* CUVIER, 1830
2. *Hatschekia reinhardtii*; Wierzbicka, 1889

Hatschekia insolita Wilson, 1913

Wilson 1913 Proc.U.S.Nat.Mus., 44:245(xlii,227-232)

Pearse 1951 Proc.U.S.Nat.Mus., 101:357

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Yamaguti 1963 New Mork, p.138(178:1)

Jones 1985 New Zealand J. Zool., 12:242(10a-g)

Hatschekia insolita

1. *Hatschekia serrana* PEARSE, 1952

Hatschekia iridescens Wilson, 1913

Wilson 1913 Proc.U.S.Nat.Mus., 44:248(xli,216-221;xliv,247;
xlv)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Yamaguti 1963 New York, p.138(177:1)

Jones 1985 New Zealand J. Zool., 12:244(10-11)

Villalba 1986 Bol.Soc.Biol.Concept., 57:160(16-22)

Uyeno & Nagasawa 2009 Zootaxa 2110:2(2-13)

Hatschekia iridesces

1. *Hatschekia eliodontis* YAMAGUTI, 1953

Hatschekia ischchnon Leigh-Sharpe, 1936

L.-S. 1936 Parasit., 28(63)(1,3)

Redkar, Rangnekar, Murti 1950 J.U.Bombay, 19:41

Yamaguti 1963 New York, p.138

Jones 1985 New Zealand J. Zool., 12:246(lle-h)

Benmansour & Ben Hassine 1997 Ital.J.Zool., 65:342

Hatschekia japonica Jones, 1985

Jones 1985 New Zealand J. Zool., 12:246(1li)

Hatschekia japonica

1. *Hatschekia labracis*, YAMAGUTI, 1939

Hatschekia jorgei Nunes-Ruivo, 1954

Nunes-Ruivo 1954 Bull. Inst. Fr. d'Afri. Noire 16(2); 493(7a-i)

Yamaguti 1963 New York, p.138

Jones 1985 New Zealand J. Zool., 12:246(11j-k)

Hatschekia labracis (Van Beneden, 1870)

Scott 1913 Ray Soc., 115(xxxiii,2;xxxiv,6-7)

Scott 1929 Rep.Lanc.Sea-Fish.Lab., 37:100

L.-E. 193⁴ Parasit., 26:112

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Yamaguti 1939 5:462(xxii,xxiii)

→ *H. Japonica*

Gurney 19⁴⁵ Ann.Mag.Nat.Hist.,(11)12:127(1-2)

O.-O. & S.-S. 1963 Tierw.N.-O. see 31(10c):145(122)

Lang 1946 Ark.Zool., 38A(5):

Yamaguti 1963 New York, p.138(174:2)

Bruce et al 1963 Mar.Fauna Isle of Man, 36:132

Kabata 1979 Ray Society, p. 275(1136~~kk~~40)

Jones 1985 New Zealand J. Zool., 1q:248(12a)

Hatschekia labracis

1. *Clavella labracis* VAN BENEDEEN, 1871
2. *Cycmus labri-mixti* HESSE, 1879
3. *Hatschekia labri-mixti*, YAMAGUTI, 1963
4. *Hatschekia richardii* GOGGIO,
5. *Hatschekia subpinguis* BRIAN, 1913

Hatschekia labridonovaini (Hesse, 1878)
(Species inquirendae)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Yamaguti 1963 New York, p.138

Hatschekia labri-donovaini

l. Cycnus labri-donovaini HESSE, 1878

Hatschekia labri-mixti (Hesse, 1878)
(*H. labracis*)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Yamaguti 1963 New York, p.138(179:4)

Hatschekia labri-mixt;

l. Cycnus labri-mixt; HESS, 1878

Hatschekia labri-trimaculati (Hesse, 1878)
(*Species inquirenda*)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Yamaguti 1963 New York, p.138(179:3)

Hatschekia labri-trimaculat;

l. Cycmus labri-trimaculat; HESSI, 1878

Hatschekia legouili Nunes-Ruivo, 1954

Nunes-Ruivo 1954 Bull. Inst. Fr. Afr. Noire 16(2):500(12a-f)

Yamaguti 1963 New York, p.138

Jones 1985 New Zealand J. Zool., 12:248(12b)

Uyeno & Nagasawa 2009 ZooTaxa, 2110:7(14-24)

Hatschekia leptoscari Yamaguti, 1939

Yamaguti 1939 5:463(xxiii)

Yamaguti 1963 New York, p.138(173:4)

Jones 1985 New Zealand J. Zool., 12:248(12c)

Hatschekia linearis Wilson, 1913

Wilson 1913 Proc.U.S.Nat.Mjs., 44:246(xliv,240-246)

Wilson 1922 Proc.U.S.Nat.Mus., 60:82

Wilson 1936 Carnegie Inst.Wash., 29:341

Pearse 1951 Proc.U.S.Nat.Mus., 101:357

Pearse 1952 Q.J.Fld.Acad.Sci., 15(4):219

Yamaguti 1963 New York, p.138(172:4)

Jones 1985 New Zealand J. Zool., 12:248(12d-f)

Hatschekia longibrachius Yamaguti, 1939

Yamaguti 1939 5:465(xxiv)

Shiino 1959 Rep.Fac.Fish.Mie U., 3(2):358(10)

Yamaguti 1963 New York, p.138(174:3)

Jones 1985 New Zealand J. Zool., 12:250(12g)

Kim 1998 Fauna & Flora of Korea, 38: 737(356A-K)

Hatschekia longigenitalis Yamaguti, 1954

Yamaguti 1954 Publ. Seto Mar. biol. Lab., 3(3):394(59-61)

Yamaguti 1963 New York, p.138(175:3)

Jones 1985 New Zealand J. Zool., 12:250(12h)

Ho & Sey 1996 Kuwait J. Sci. Engineer., 23:65

Hatschekia manea Jones & Cabral, 1990

Jones & Cabral 1990 J.Roy.Soc.N.Zealand, 20:223(2b-3a)

Hatschekia megacephala Kabata, 1991

Kabata 1991 J.Nat.Hist., 25:108(68-73)

Hatschekia modesta Kabata, 1965

Kabata 1965 Rep.B.A.N.Z.Ant.Res.Exped., (B)8(6):8(iii), 22-32

Jones 1985 New Zealand J. Zool., 12:250(12i)

Hatschekia monacanthi Yamaguti, 1939

Yamaguti 1939 5:468(xxvi)

Yamaguti 1963 New York, p.138(174:5)

Jones 1985 New Zealand J. Zool., 12:250(13a-g)

Uyeno & Nagasawa 2009 ZooTaxa 2110: 13(38-64)

Hatschekia monocentris Yamaguti & Yamasu, 1959
(*H. tenuis*)

Yamaguti & Yamasu 1959 Biol.J.Okayama U., 5:129(xiii,

Yamaguti 1963 New York, p.138(174:4)

Hatschekia mulli (van Beneden, 1851)

Brian 1906 Genova, p.69

Scott 1913 Ray Soc., p.114(xxxii,1-11)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Capart 1959 Copepod.Parasit., 3(5):76

D.-D. 1950 Vie et Milieu 1(3):307

N.-R. 1954 Bull.Inst.Afriq.noire, 16(2):492

Oorde & S.-S. 1936 Tierw.N.-O. See, 31(10c):145(125)

Rose & Vaissiere 1952 Bull. Soc. Zool.

Causey 1953 Occ. Pap. Mar. Lab., 7:7(14)
→ *Pseudocyamus buccatus*

Yamaguti 1963 New York, p.138

Monod 1928 Bull. Inst. Oceano., 427:5

Markevich 1956 Izd. Akad. Nauk. p. 158(90)

Kabata 1979 Ray Society, p. 276(1141-1151)

Papoutsoglou 1976 Thalassogr., 1(1):87

Jones 1985 New Zealand J. Zool., 12:252(13-14)

Essafi et al 1984 Arch. Inst. Pasteur Tunis, 61(4):509

Hatschekia mulli (van Beneden, 1851) (cont.)

Ramdane & Trilles 2007 Zootaxa 1574: 54

Hatschekia nulli

1. Clavella nulli VAN BENEDEEN, 1851

Hatschekia nahaensis Yamaguti, 1953

Yamaguti 1953 Publ. Seto mar. Biol. Lab., 3(2):226(iv,v;35-39)

Yamaguti 1963 New York, p.138(176:1)

Jones 1985 New Zealand J. Zool., 12:252(14b)

Hatschekia napoleoni Jones & Cabral, 1990

Jones & Cabral 1990 J.Roy.Soc.N.Zealand, 20:221(1-2)

Hatschekia nodosa Ho & Kim, 2001

Ho & Kim 2001 Syst.Parasitol., 49:75(2A-J)

Hatschekia nohu Villalba, 1986

Villalba 1986 Bol.Soc.Biol.Concept.,57:157(2-8)

Hatschekia obesa Richiardi, 1880 Goggio, 1905

Richiardi 1880 Catalog.Crost.parassit., p.149

Rose & Vaissiere 1952 Bull.Soc.Hist.Nat.Afr.Nord, 43:172

Carus 1885 Prodr.fauna Medit., p.367

Goggio 1905 MonZool.Ital.Firenze 17:218(2a-c)

Brian 1906 Genova, p.69

Yamaguti 1963 New York, p.139

Jones 1985 New Zealand J. Zool., 12:252(14c)

Hatschekia oblonga Wilson, 1913.

Wilson 1913 Proc.U.S.Nat.Mus., 44:242(xlii,222-226)

Wilson 1937 Hancock Pacif.Exped.,2(4):30

Pearse 1951 Proc.U.S.Nat.Mus., 101:357

Wilson 1922 Proc.U.S.Nat.Mus., 60:82

Bere 1936 Amer.Midl.Nat., 17(3):608

Causey 1960 Bull.mar.Sci.Gulf & Carrib., 10(3):332

Yamaguti 1963 New York, p.139(172:5)

Collins 1984 J.Wildl.Diseases 20(1):63

Jones 1985 New Zealand J. Zool., 12:254(14d-f)

Hatschekia ostracii Yamaguti, 1953

Yamaguti 1953 Publ. Seto Mar. Biol. Lab., 3(2):228(v, 45-48)

Yamaguti 1963 New York, p.139(175:4)

Jones 1985 New Zealand J. Zool., 12:256(14g)

Uyeno & Nagasawa 2009 Zootaxa, 2110: 10(25-37)

Kim 1998 Fauna & Flora of Korea, 38:739(357-358)

Hatschekia ovalis (Bassett-Smith, 1898)

Pillai 1969 J.mar.biol.Ass.India,11(1/2):171(131-135)

Jones 1985 New Zealand J. Zool., 12:256(14h)

Pillai 1985 Fauna of India, p.704(247)

Hatschekia ovalis (B. - S.)

1. Pseudoclavella ovalis BASSETT-SMITH, 1898

Hatschekia pacifica Cressey, 1970

Cressey 1970 Proc.biol.Soc.Washington,82(66):843(1-9)

Jones 1985 New Zealand J. Zooll, 12:256(14i)

Hatschekia pagelli bogneravei (Hesse, 1879)

Brian 1906 Genova, p.69

Goggio 1905 Intorno al Gen. Clavella, Napoli, p.218(2a-c)

Brian 1914 Atti Soc. Lig. Sci. Nat. Geog., 25(3):135

Wilson 1922 Proc. U. S. Nat. Mus., 60:83

Yamaguti 1963 New York, p.139

Kabata 1979 Ray Society, p. 277(1127-1135)

Jones 1985 New Zealand J. Zool., 12:258(14j,k)

Radujkovic & Raibaut 1989 Acta Adriat., 30:254(23a,b)

Benmansour & Ben Hassine 1997 Ital.J.Zool., 65:342

Randane & Trilles 2007 Zootaxa 1574: 55

Hatschekia pagelli bogueravei

1. *Cyamus pagelli boguevarei* HESSE, 1879

2. *Hatschekia cornigera* T. SCOTT, 1909

Hatschekia pagrosomi Yamaguti, 1939

Yamaguti 1939 5:460(XXI)

Yamaguti 1963 New York, p.139(176:3)

Roubal et al 1983 Aust.J.Zool., Suppl.94:25(141-148)

Jones 1985 New Zealand J. Zool., 12:258(15a-d)

Kabata 1991 J.Nat.Hist., 25:95

Kim 1998 Fauna & Flora of Korea, 38: 741(359A-K)

Hatschedia pagrosomi

1. Hatschedia trachuri YAMAGUTI &
YAMASU, 1960

Hatschekia papillifera Kabata, 1991

Kabata 1991 J.Hat.Hist., 25:110(74-83)

Hatschekia parva Pearse, 1951

Pearse 1951 Proc.U.S.Nat.Mus., 101:358(74)

Yamaguti 1963 New York, p.139

Jones 1985 New Zealand J. Zool., 12:258(15e-g)

Hatschekia petiti Nunes-Ruivo, 1954

Nunes-Ruivo 1954 Bull. Inst. fr. d'Afriq. noire 16(2):486(4,5)

Yamaguti 1963 New York, p.139

Jones 1985 New Zealand J. Zool., 12:260(15h,i)

Hatschekia pholas (C.B. Wilson, 1906)

Pillai 1968 Curst. suppl. 1:144(12-25)

Jones 1985 New Zealand J. Zool., 12:260(15j-m)

Pillai 1985 Fauna of India, p.702(246)

Natschekia pholas

1. *Caetronodes pholas* Wilson, 1906

Hatschekia pinguis Wilson, 1908

Wilson 1908 Proc.U.S.Nat.Mus., 35:455(lxxv)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Yamaguti 1963 New York, p.139(178:3)

Jones 1985 New Zealand J. Zool., 12:260(16a-e)

Hatschekia plectropomi Ho & Dojiri, 1978

Ho & Dojiri 1978 J.Parasit.,64:727(1-11)

Jones 1985 New Zealand J. Zool., 12:261(16f)

KABATA 1991 J.Nat.Hist.,25:96

Scott-Holland et al. 2006 J.Fish.Biol., 68(1):222(6)

Hatschekia pontini Nunes-Ruivo, 1954

Nunes-Ruivo 1954 Bull. Inst. Fr. Afri. Noire 16(2):494(8a-g)

Yamaguti 1963 New York, p.139

Jones 1985 New Zealand J. Zool., 12:261(16g,h)

Hatschekia prionoti Pearse, 1947

Pearse 1947 J. Elisha Mitch. Sci. Soc., 63(1):10(41-44)

Yamaguti 1963 New York, p.139(180:2)

Jones 1985 New Zealand J. Zool., 12:261(16i)

Hatschekia pseudolabri Yamaguti, 1953

Yamaguti 1953 Publ. Seto mar. biol. Lab., 3(2):227(v, 40-44)

Yamaguti 1963 New York, p.139(176:2)

Jones 1985 New Zealand J. Zool., 12:261(16j)

Hatschekia pygmaea (A.Scott, 1907)

Scotts 1913 Ray Soc., p.119(xxxv,3-7;xxxvi,6-9)

Wilson 1922 Proc.U.S.Nat.Mus., 60:82

Scott 1921 Rep.Lanc.Sea-Fish.Lab.,37:101

L.-S. 1933 Parasit., 25:109

O.-O & S.-S. 1936 Tierw.N.-O.See 31(10c):145(126)

Yamaguti 1963 New York, p.139

Kabata 1979 Ray Society, p. 278(1152-1157)

Papoutsoglou 1976 Tahlawsobr., 1(1):74

Jones 1985 New Zealand J. Zool., 12:262(17a-g)

Radujkovic & Raibaut 1989 Acta Adriat., 30:254(24)

Benmansour & Ben Hassine 1997 Ital.J.Zool., 65:342

Hatschktia pygmaea

l. Clavella labracis, A. SCOTT, 1907

Hatschekia quadrabdominalis Yu, 1933

Yu 1933 Bull.Fan Mem.Inst.Biol., 4(4):127(vi)

Yamaguti 1963 New York, pl139(179:6)

Jones 1985 New Zealand J. Zool., 12:263(18a-g)

Villalba 1986 Bol.Soc.Biol.Concept., 57:159(9-15)

Tavares, Luque & Neto 2001 Rev.Brax.Zooc.Juiz.Foras 3:129

Hatschekia guadrabdominalis

l. Hatschekia curvata YAMAGUTI +
YAMASU, 1959

Hatschekia quadrata Hewitt, 1969

Hewitt 1969 N.Z.Jlmar.Freshwat.Res., 3:159(1-11)

Jones 1985 New Zealand J. Zool., 12:264(19a)

Hatschekia reinhardtii Wierzbicka, 1989
(*H. hippoclossi*)

Wierzbicka 1989 Acta Ichthyol. & Piscat., 19:107

Hatschekia rhodei Kabata, 1991

Kabata 1991 J.Nat.Hist., 25:112(84-95)

Hatschekia richiardii Goggio, 1905
(H. labracis)

Goggio 1905 Arch.Zool.Napoli, 2(2): 222(4)

Rose & Vaissiere 1952 Bull.Soc.Hist.Nat.Afr.Nord, 43:172

Brian 1906 Genova, p.69

Yamaguti 1963 New York, p.139

Hatschekia rotundigenitalis Yamaguti 1939

Yamaguti 1939 5:460(xx-xxi)

Yamaguti 1963 New York, p.139(174:7)

Jones 1985 New Zealand J. Zool., 12:264(19b)

Kabata 1991 J.Nat.Hist., 25:96

Hatschekia sargi (~~Della Valle~~, 1882) (Brian, 1902)

Brian 1906 Genova, p.68(iij2)

Wilson 1922 Proc.U.S.Nat.Mus., 60:82

Wilson 1928 Res.Swed.Zool.Exp., 5:8

Rose & Vaissiere 1852 Bull.Soc.Hist.Nat.Afr.Nord,~~1233x~~
43:172

Yamaguti 1963 New York, p.139(179:2)

Jones 1985 New Zealand J. Zool., 12:264(19c)

Hatschekia sargi

l. Clavella sargi (VALLÉ, 1882) BRIAN, 1902

Hatschekia scari (Kroyer, 1838)

Wilson 1922 Proc.U.S.Nat.Mus., 60:82

Yamaguti 1963 New York, p.139

Poche 1902 Zool.~~Ann.~~, 26:

Hatschekia scari

I. Clavellaria scari KRØYER, 1838

Hatschekia sebastisci Yamaguti, 1939
(Prohatschekia s.)
Yamaguti 1939 5:461(XXI-XXII)

Hatschekia serrana Pearse, 1952
(*H. insolita*)

Pearse 1952 Q.J.Florida Acad.Sci., 15(4):220(84-92)

Hatschekia seyi Ho & Kim, 2001

Ho & Kim 2001 Syst.Parasitol., 49:73(1A-J)

Hatschekia sigani UmaDevi & Shyamasundari, 1980

Uma & Shyama 1980 Rev.Parasitol., 41(3): 367(3A-H)

Jones 1985 New Zealand J. Zool., 12:271

Hatschekia sp.

Wilson 1906 Ceylon Pear.Oyst.Fish., Suppl. Rep., 34:205(v, 58-
60) (*species inquirenda*)

Pearse 1951 Proc.U.S.Nat.Mus., 101:365(74,u-w)
(*species inquirenda*)

Goggio 1905 Arch.Zool.Napoli, 2(2):221

Brian 1906 → *Hatschekia damianii*
Genova, p.70(iii,3,4;xx,1-4)

→ *Hatschekia gerro*

Kato et al 1963 M.Rep.Meguro Parasit.Mus., 55/56:2(fig.)

Ichihara et al 1965 M.Rep.Meguro Parasit.Mus., 78-80:5

Kabata 1991 J.Nat.Hist., 25:116(104-112)

Villalba 1986 Bol.Soc.Biol.Concep., 57:157(1)

Hatschekia sphyraeni Pillai, 1964

Pillai 1964 J.mar.biol.Ass.India, 5:72(

Jones 1985 New Zealand J. Zool., 12:264(19d,e)

Pillai 1985 Fauna of India, p.708(249)

Hatschekia squamata Jones & Cabral, 1990

Jones & Cabral 1990 J.Roy.Soc.N.Zealand, 20:229(5a-i)

Hatschekia squamigera Kabata, 1991

Kabata 1991 J.Nat.Hist., 25:115(96-103)

Hatschekia subpinguis Brian, 1913

(*H. labracis*)

Brian 1913 Monitore Zool. Ita. Sci. Fir, 24:60(iii)

Wilson 1922 Proc. U.S. Nat. Mus., 60:83

Yamaguti 1963 New York, p.139

Essafi 1984 Arch. Inst. Pasteur Tunis, 61(4):509(80-87)

Hatschekia synagris Yamaguti, 1954

Yamagito 1954 Publ. Seto mar. biol. Lab., 3(3):393(vi, 56-58)

Yamaguti 1954 New York, p.139(174:6)

Jones 1985 New Zealand J. Zool., 12:264(19f)

Hatschekia tanysonma Ho & Kim, 2001

Ho & Kim 2001 Syst.Parasitol., 49:77(3A-L)

Hatschekia tenuis (Heller, 1865)

Wilson 1922 Proc.U.S.Nat.Mus., 60:82

Yamaguti 1963 New York, p.139(179:1)

Jones 1985 New Zealand J. Zool., 12:266(19g)

Hatschekia tenuis

1. Clavella tenuis HILTZER, 1885

2. Hatschekia monocentris YAMAGUTI &
YAMASU, 1959

Hatschekia teuthidis Yamaguti, 1954

Yamaguti 1954 Publ. Seto mar. biol. Lab., 3(3):392(vi, 53-55)

Capart 1959 Cop. Parasit., 3(5):75

Yamaguti 1963 New York, p.139(175:2)

Jones 1985 New Zealand J. Zool., 12:266(19h)

Hatschekia thomsoni (Heegaard, 1962)
(*Species inquirenda*)

Heegaard 1964 Crustaceana, 6(4):320

Hatschekia trachuri Yamaguti & Yamasu, 1960
(*H. pagrosomae*)

Yamaguti & Yamasu 1960 Seto Mar.Biol.Lab., 8(1):150(xii, 54-6)

Yamaguti 1963 New York, p.139

Hatschekia uncata Wilson, 1913

Wilson 1913 Proc.U.S.Nat.Mus., 44:243(lxiii)

Wilson 1922 Proc.U.S.Nat.Mus., 60:83

Wilson 1936 Carnegit Inst.Wash., 29:341

Redkar.Rangnekar, Musti 1950 J.U.Bombay 19(B):41

Yamaguti 1963 New York, p.140(178:2)

Jones 1985 New Zealand J. Zool., 12:266(19i,j)