

Tucca corpulentus Wilson, 1911

(*T. impressus*)

Wilson 1911 Proc.U.S.Nat.Mus., 39:358(xlix)

Wilson 1932 Bull.U.S.Nat.Mus., 15~~8~~:380 (235, a-b)

Heegaard 1947 Spolia., 8: (iiv, 194)

Swell 1949 John Murray Exped., 9(2):157

Vervoort 1962 Zool.Verh., 56:95

Yamaguti 1963 New York, p.43(pl.46, fig.1)

Tucca impressus Kroyer, 1837

Kroyer 1837 Nat.Tidsskrift, 1:479(v,2a-h)

M.-E. 1840 Hist.Nat.Crust., 3:496

Nordmann 1864 Bull.Soc.Imp.Moscow, 37:491(vi,7-10)
→ *T. verrucosus*

B.-S. 1899 Proc.Zool.Soc.London, p.469

Wilson 1908 Proc.U.S.Nat.Mus., 44:200 35:625

Wilson 1911 Proc.U.S.Nat.Mus., 39:354(xlviii)

Wilson 1913 Proc.U.S.Nat.Mus., 44:200

USNM 1020 U.S.Nat.Mus. Bu. 158.270(021)

Bere 1936 Amer.Midl.Nat.,17(3):582

Heegaard Spolia, 8:~~195~~(xxv,~~195~~,195

Sewell 1949 John Murray Exped., 9(2):157

Carvalho 1951 Bol.Inst.Paulista Ocean.,2(2):136

Pearse 1952 Z.J.Florida Acad.Sci., 15(4):191

Causey 1955 Occ.Pap.Mar.Lab.no.9:3

Vervoort 1962 Zool.Verh., no.56:94

Yamaguti 1963 New York, p.43(pl.47,fig.1)

Tucca impressus Kroyer, 1837

(cont.)

Ho 1967 Fish.Bull., 66(2):287(1-27)

Ho 1978 NOAA Tech.Rep., 409:10

Boxshall & Montu 1997 Nauplius, 5/1:45(3.27)

Tucca impressus

l. *T. Corpulentus* Wilson, 1911

Tucca sp.

Pearse 1952 Inst. Mar. Sci., 2(2):12(23-27)
→ *Tucca* *prionotis*

Tucca verrucosus (Nordmann, 1864)

Wilson 1911 Proc.U.S.Nat.Mus., 39:359,360

Wilson 1913 Proc.U.S.Nat.Mus., 44:200

Vervoort 1962 Zool.Verh., 56:96

Yamaguti 1963 New York, p.43